


CSIDE POOLS

CSIDE RS Unterflur

PRICES 2026 

Prices valid until revoked.
Selling prices in EUR incl. 25,0 % VAT.


CSIDEPOOLS.EU



CSIDE RS Unterflur

Article included

- Equipment package
- Self-supporting construction



Hinweis: Die abgebildeten Pools zeigen optionale Zusatzausstattungen. Die tatsächliche Ausstattung variiert je nach Modell und Konfiguration.

CSIDE RS UNTERFLUR 21	CSIDE RS UNTERFLUR 37	CSIDE RS UNTERFLUR 37L	CSIDE RS UNTERFLUR 47
Dimensions inside: 2.84 x 2.1 x 0.8 m Outer dimensions LxWxD: 3.04 x 2.3 x 0.84 m Capacity: 2.6 m³	Dimensions inside: 4.45 x 2.1 x 0.8 m Outer dimensions LxWxD: 4.65 x 2.3 x 0.84 m Capacity: 4.4 m³	Dimensions inside: 4.45 x 2.1 x 1.27 m Outer dimensions LxWxD: 4.65 x 2.3 x 1.31 m Capacity: 6.9 m³	Dimensions inside: 5.39 x 2.1 x 1.27 m Outer dimensions LxWxD: 5.59 x 2.3 x 1.31 m Capacity: 9.4 m³
Papyrus, single-colour			
24.223 EUR CS210002308	26.092 EUR CS370002308	27.306 EUR CS37FL02308	29.349 EUR CS47FL02308
Silver grey, single-colour			
24.223 EUR CS210002324	26.092 EUR CS370002324	27.306 EUR CS37FL02324	29.349 EUR CS47FL02324
Granicite stone grey			
25.446 EUR CS210002322	27.589 EUR CS370002322	28.818 EUR CS37FL02322	30.956 EUR CS47FL02322
Mosaic surface			
33.997 EUR CS210002330	37.826 EUR CS370002330	42.946 EUR CS37FL02330	48.093 EUR CS47FL02330

Water attraction	CSIDE RS UNTERFLUR 21	CSIDE RS UNTERFLUR 37	CSIDE RS UNTERFLUR 37L	CSIDE RS UNTERFLUR 47
Equipment package	incl.	incl.	incl.	incl.
4 x vertical inlets	593 EUR CS600004001	593 EUR CS600004001	593 EUR CS600004001	593 EUR CS600004001
Spa-Massage-Pak	2.358 EUR CS600007000	2.358 EUR CS600007000	2.358 EUR CS600007000	2.358 EUR CS600007000
Water Cascade "Maine"	2.684 EUR CS600003001	2.684 EUR CS600003001	2.684 EUR CS600003001	2.684 EUR CS600003001
Water Cascade "Cube"	3.550 EUR CS600003200	3.550 EUR CS600003200	3.550 EUR CS600003200	3.550 EUR CS600003200
Insulation	1.465 EUR CS210010000	1.922 EUR CS370010000	2.862 EUR CS37FL10000	2.862 EUR CS470010000
CSIDE Air Bubble System	4.973 EUR CS600003500	4.973 EUR CS600003500	4.973 EUR CS600003500	4.973 EUR CS600003500
Self-supporting construction	incl.	incl.	3.293 EUR CS370020000	3.293 EUR CS370020000
Bubble plate	4.160 EUR 3583020	4.160 EUR 3583020	4.160 EUR 3583020	4.160 EUR 3583020
Shallow water zone, 1m laminated	papyrus, silver grey & stone grey 4.265 EUR CS600002350	papyrus, silver grey & stone grey 4.265 EUR CS600002350	papyrus, silver grey & stone grey 4.265 EUR CS600002350	papyrus, silver grey & stone grey 4.265 EUR CS600002350
	mosaic surface 5.578 EUR CS600002355	mosaic surface 5.578 EUR CS600002355	mosaic surface 5.578 EUR CS600002355	mosaic surface 5.578 EUR CS600002355
Aqua Fun 4.0	-	-	5.725 EUR CS600003300	5.725 EUR CS600003300

Pool lighting	CSIDE RS UNTERFLUR 21	CSIDE RS UNTERFLUR 37	CSIDE RS UNTERFLUR 37L	CSIDE RS UNTERFLUR 47
Additional LED underwater spotlight	893 EUR CS600005111	893 EUR CS600005111	893 EUR CS600005111	893 EUR CS600005111
Surcharge for 1x LED RGB light	956 EUR CS600006011	956 EUR CS600006011	956 EUR CS600006011	956 EUR CS600006011
Surcharge for 2 x LED RGB light	2.059 EUR CS600006111	2.059 EUR CS600006111	2.059 EUR CS600006111	2.059 EUR CS600006111

Technology	CSIDE RS UNTERFLUR 21	CSIDE RS UNTERFLUR 37	CSIDE RS UNTERFLUR 37L	CSIDE RS UNTERFLUR 47
Technical package for half-year use	1.765 EUR CS600002210	1.765 EUR CS600002210	1.765 EUR CS600002210	1.765 EUR CS600002210
Air heat pump with 8.47 kW	1.865 EUR CS600010004	1.865 EUR CS600010004	1.865 EUR CS600010004	1.865 EUR CS600010004
Automatic technology with touch display	3.519 EUR CS600002225	3.519 EUR CS600002225	3.519 EUR CS600002225	3.519 EUR CS600002225
Air heat pump Clim8zone, heating capacity 6.3 kW	2.405 EUR CS600010005	2.405 EUR CS600010005	2.405 EUR CS600010005	2.405 EUR CS600010005
Bypass for heat pump "Clim8zone"	pre-assembled on technical support frame 299 EUR CS600010010	pre-assembled on technical support frame 299 EUR CS600010010	pre-assembled on technical support frame 299 EUR CS600010010	pre-assembled on technical support frame 299 EUR CS600010010
Terminal for touch display	462 EUR CS600060020	462 EUR CS600060020	462 EUR CS600060020	462 EUR CS600060020
Multi-Terminal	1.465 EUR CS600060025	1.465 EUR CS600060025	1.465 EUR CS600060025	1.465 EUR CS600060025
Surcharge for additional electric heater 9 KW	1.155 EUR CS600008020	1.155 EUR CS600008020	1.155 EUR CS600008020	1.155 EUR CS600008020
Surface-mounted / flush-mounted box for touch display	194 EUR CS600060030	194 EUR CS600060030	194 EUR CS600060030	194 EUR CS600060030
Technique cabinet incl. lid, anthracite	3.361 EUR CS600001020	3.361 EUR CS600001020	3.361 EUR CS600001020	3.361 EUR CS600001020
Pool covers	CSIDE RS UNTERFLUR 21	CSIDE RS UNTERFLUR 37	CSIDE RS UNTERFLUR 37L	CSIDE RS UNTERFLUR 47
Roller shutter slats for above-ground/in-ground covers	PVC grey 924 EUR 01-0321202	PVC grey 1.434 EUR 01-0321203	PVC grey 1.434 EUR 01-0321203	PVC grey 1.780 EUR 01-0321204
	PC solar 1.838 EUR 01-0421202	PC solar 3.036 EUR 01-0421203	PC solar 3.036 EUR 01-0421203	PC solar 3.587 EUR 01-0421204
Winter debris cover	572 EUR CS210005021	888 EUR CS370005021	888 EUR CS370005021	993 EUR CS470005021
Accessories	CSIDE RS UNTERFLUR 21	CSIDE RS UNTERFLUR 37	CSIDE RS UNTERFLUR 37L	CSIDE RS UNTERFLUR 47
Manual pool vacuum	200 EUR CS7010003	200 EUR CS7010003	200 EUR CS7010003	200 EUR CS7010003
Piping material	252 EUR CS600040010	252 EUR CS600040010	252 EUR CS600040010	252 EUR CS600040010
Bottom outlet, elbow 90°	273 EUR 4205110	273 EUR 4205110	273 EUR 4205110	273 EUR 4205110
Water care set HTH	262 EUR CS600030050	262 EUR CS600030050	262 EUR CS600030050	262 EUR CS600030050

Pool surround	CSIDE RS UNTERFLUR 21	CSIDE RS UNTERFLUR 37	CSIDE RS UNTERFLUR 37L	CSIDE RS UNTERFLUR 47
Coping stones granite	2.925 EUR CS210040030	3.514 EUR CS370040030	3.514 EUR CS370040030	4.112 EUR CS470040030
Decorative tiles	1.040 EUR CS210001150	1.460 EUR CS370001150	1.460 EUR CS370001150	1.712 EUR CS47FL01150
Shipping costs	CSIDE RS UNTERFLUR 21	CSIDE RS UNTERFLUR 37	CSIDE RS UNTERFLUR 37L	CSIDE RS UNTERFLUR 47
Freight costs	819 EUR CS210920000	1.098 EUR CS370920000	1.098 EUR CS370920000	1.098 EUR CS370920000



Equipment package

For RS models

Incl. pre-assembled equipment package consisting of:

- CSIDE in-ground roller shutter shaft with shallow water bench, in pool color
- CS roller shutter mechanism Coveo-210 with key switch incl. control box
- GFK skimmer with stainless steel cover and polished stainless steel weir
- Deep water suction
- Sand filter tank
- Inlet nozzle 105, R1 1/2" 4x8mm ball nozzle V4A
- Winter closure plug
- 1 x LED underwater spotlight 12V warm white with satin-finished cover
- 1 x Transformer 100VA and plastic cable connection box (delivered separately)

incl.



4 x vertical inlets

Due to the increased surface movement, dirt is more quickly driven towards the skimmer. The lighting can reflect objects in the surroundings through the moving water surface.

- Installed in the entry area
- Includes winter plug
- 4 x rubber plugs, 28/35 x 35 mm"

593 EUR



Spa-Massage-Pak

- 2 x Turbojet-Slimline massage nozzles with stainless steel cover for the lower back
- 4 x Microjet-Slimline massage nozzles for the shoulders and neck
- 1 x PN pneumatic switch with 5 m PN hose
- 2 x light grey suction fittings
- 1 x jet pump 230V with PN switch box (pump is either pre-installed or pre-installed in the optional pump shaft)

Note: PN pneumatic switch is omitted when using the automatic system with Spa Touch display

2.358 EUR

Technikeinheit required



Water Cascade "Maine"

Consisting of:

- 1 x water cascade made of V4A stainless steel
 - 1 x jet pump 230V with PN switch box
 - 1 x pneumatic switch with 5 m PN hose
 - 2 x light grey suction fittings
- (Pump is either pre-installed or pre-installed in the optional pump shaft)

Note: PN switch is omitted when using the automatic system with Spa Touch display

2.684 EUR

Technikeinheit required



Water Cascade "Cube"

V4A stainless steel cascade with push button in the pool

- 1 x Water Cascade "CUBE", loose
- 1 x PN push button 107/1 V4A, mounted
- 1 x 10 m PN hose, loose
- Jet pump with PN control box
- 2 x Suction fittings with stainless steel cover, mounted

Note: The PN push button is omitted when using an automatic system with a SPA Touch display.

3.550 EUR

Technikeinheit required



Insulation

Energy conservation through jointless thermal insulation

with polyurethane spray foam

1.465 EUR

CSIDE RS Unterflur 21

1.922 EUR


CSIDE RS Unterflur 37

2.862 EUR

CSIDE RS Unterflur 37L

2.862 EUR

CSIDE RS Unterflur 47



CSIDE Air Bubble System

with pneumatic switch, white

The CSIDE air bubble system features bubble jets integrated into the seating area for a whirl massage.

The strong turbulence distributes fine air bubbles in the water and around the body, creating a gentle peeling effect. The tiny bubbles settle on the skin, supplying it with much-needed oxygen from the outside.


Larger air bubbles generate pulsating vibrations that are transmitted directly to the body, penetrating deep into the tissue layers. This significantly improves blood circulation, and with regular use, metabolic waste is removed from old inflammation sites, reducing dimples and waves in cellulite.

Partially pre-assembled delivery

Includes:

- 16 jets in 4 rows with stainless steel covers
- Pneumatic switch, white
- Pneumatic control box (230V, 4-6A, up to 2kW)
- Blower (230V, 900W)

4.973 EUR



Self-supporting construction

incl.

Bubble plate

incl. 0.85 kW side channel compressor

Unit without gate valve, including side channel blower (0.85 kW; 230 V) with rubber-metal feet and electrical auxiliary unit (230 V) with contactor up to 2 kW (6-10 A).

4.160 EUR



Shallow water zone, 1m laminated

23 cm deep across the entire pool width with a flat bottom extending from the upper step of the stairs. This ensures that the shallow water zone is fully covered by the roller cover.

5.578 EUR

Aqua Fun 4.0

4-jet flow & massage system – second technical shaft required

4-jet flow & massage system. This system creates a strong current in the water. Additionally, individual body areas can be selectively massaged.

Consisting of:

- 4 Turbojet-Slimline massage nozzles with stainless steel cover
- Flow pump 2.6 kW / 400V
- PN pneumatic switch with 10 m PN hose
- PN switch box 400 V with contactor up to 2 kW (4 - 6A)
- 2 suction fittings with stainless steel cover

Note:

The PN pneumatic switch is omitted when using automatic technology with the SPA-Touch-Display.

5.725 EUR

Pool lighting



Additional LED underwater spotlight

Light color warm white, satin-finished cover

With isolation transformer and second cable connection box (KU), version HT – wiring on-site.

893 EUR



Surcharge for 1x LED RGB light

Light color: RGB (coloured light), satin-finished cover

Control box with remote control and DMX control
1x cable connection box – version HT

956 EUR



Surcharge for 2 x LED RGB light

Light color: RGB (coloured light), satin-finished cover

Control box with remote control and DMX control
2x cable connection box – version HT

2.059 EUR

Technology



Technical package for half-year use

Technical unit with filter pump and bypass for a heat pump

Technical unit consisting of:

- Self-priming filter pump 230 V
- Bypass for optional air heat pump
- Filter pump control
- Connected load: 1 x 16 Ampere - 230V
- Footprint: 120 cm x 80 cm (length x width)

Note

This technical unit can be used for half-year operation. The pool is heated by the optional air heat pump. When the outside temperature is above 10°C, the water can be heated up to 28°C. The distance between the pool and the technical unit should not exceed 5 m. The unit can also be installed above water level.

1.765 EUR

Air heat pump with 8.47 kW

For the heating of your C-SIDE with the half-year technology



Dimensions: 950 x 390 x 550 mm

Weight: approx. 49 kg

Hydraulic connection: adhesive screw connection d 50

Performance data:

- Heating capacity A 15°/W 26° = 6.4 kW
- Heating capacity A 26°/W 26° = 8.47 kW
- Cooling capacity approx. 6 kW
- Power consumption approx. 1.45 kW
- Current consumption nominal 7.2 A, fuse 16 A C (slow blow)
- Water flow rate >3 m³
- Pressure loss heat exchanger kPa = 3.2
- Noise level at 10/1 mtr. approx. 38/50 dB(A)

Functionality from an outdoor temperature of 10°C.

1.865 EUR



FOTO ZEIGT SONDERZUBEHÖR

Automatic technology with touch display

with frost protection, suitable for winter use

This technical unit is designed for the automatic year-round operation of a C-SIDE pool. The pool is heated by the electric heater. The distance between the pool and the technical unit should not exceed 5 m.

Technical unit, fully pre-assembled:

- Self-priming filter pump 230 V
- Pool control with SPA-Touch display and temperature monitoring
- Incl. IR remote control (SPA-Touch display is delivered separately)
- Electric heater 230 V, 1 x 3 kW / 1 x 2 kW
- Connected load: 2 x 16 Ampere

Note:

Max. water temperature of 32°C for Papyrus, Silver Grey, and Granicite Stone Grey

Max. water temperature of 38°C for Mosaic

3.519 EUR



Air heat pump Clim8zone, heating capacity 6.3 kW

For heating your C-SIDE pool with the year-round system

Power supply: 220-240 V, 50 Hz

Power consumption (max): 1.3 kW

Nominal current: 4.4 A

Maximum current: 5.7 A

Mechanical specifications:

- Operating temperature: -10°C to 43°C
- Water resistance: IPX4
- Net weight: 54 kg
- Noise level at 1 m: 40-52 dB(A), variable in auto mode

Dimensions:

- Width: 794 mm
- Total height: 430 mm
- Depth: 474 mm


2.405 EUR



Bypass for heat pump "Clim8zone"

(Only compatible with the Clim8zone air heat pump)

299 EUR



Terminal for touch display

Material: Stainless steel

Height: 1000 mm

Backplate and top plate screwed together

Including mounting material for the flange plate

Brushed surface

462 EUR

Automatic technology with touch display
required



Multi-Terminal

Outdoor shower and control unit combined

Terminal with a foldable lid for the SpaTouch display, side-mounted hand shower, and cold-water cross-handle faucet. Includes a fresh water tap station and a back panel prepared for a key switch.

Material: V2A stainless steel

Fittings: Brass, chrome-plated

Finish: Brushed

Height: 900 mm

Width: 200 mm

Mounting material: Included

1.465 EUR



Surcharge for additional electric heater 9 KW

Total power 3KW+9KW

Extension of the automatic system with touch display by a more powerful electric heater, allowing the pool to heat up faster.

Total connected load: 1 x 16 A 230V, 1 x 16 A 400V

Note:

For efficient pool heating, an insulating cover is essential.

1.155 EUR

Automatic technology with touch display
required



Surface-mounted / flush-mounted box for touch display

Material: Stainless steel

194 EUR

Automatic technology with touch display
required



Technique cabinet incl. lid, anthracite

Dimensions (WxDxH): 1.92 m x 1.00 m x 1.10 m

- External dimensions (WxDxH) incl. lid: approx. 1.92 m x 1.00 m x 1.10 m
- Space required to open the doors: approx. 1.00 m per door
- Interior dimensions (WxDxH): approx. 1.75 m x 0.85 m x 0.95 m
- Weight: approx. 75 kg

Large double-wing door and fold-up lid.

Frost-proof – suitable for year-round use.

3.361 EUR

Technikeinheit required

Pool covers



Roller shutter slats for above-ground/in-ground covers

Made of 6 cm hollow chamber profiles
For use in the Poolbox

Made of 6 cm hollow chamber profiles
For use in the Poolbox

Made of 6 cm hollow chamber profiles
For use in the Poolbox

Made of 6 cm hollow chamber profiles
For use in the Poolbox

PVC grey

CSIDE RS Unterflur 21

PVC grey
924 EUR

PC solar

Polycarbonate Solar
1.838 EUR

PVC grey

CSIDE RS Unterflur 37

PVC grey
1.434 EUR

PC solar

Polycarbonate solar
3.036 EUR

PVC grey

CSIDE RS Unterflur 37L

PVC grey
1.434 EUR

PC solar

Polycarbonate solar
3.036 EUR

PVC grey

CSIDE RS Unterflur 47

1.780 EUR

PC solar

Polycarbonate solar
3.587 EUR



Winter debris cover

Woven net to protect against leaves and coarse debris

Material: Polyester fabric

The cover protects against coarse debris.

Mounting instructions:

The cover is supplied with a double-stitched reinforced edge. Eyelets are inserted along the edge at a distance of 50 cm. The net cover is secured in retractable stainless steel floor anchors using elastic bands.

Size: 2500 mm x 2500 mm

CSIDE RS Unterflur 21

572 EUR

Size: 4000 mm x 2500 mm

CSIDE RS Unterflur 37

888 EUR

Size: 4000 mm x 2500 mm

CSIDE RS Unterflur 37L

888 EUR

Size: 5000 mm x 2500 mm

CSIDE RS Unterflur 47

993 EUR

Accessories



Manual pool vacuum

Blue (Portable)

An efficient and easy-to-use manual pool cleaner. Without the need for connections, the Spa Stick allows simple and effective cleaning of small areas. The collected dirt is retained in a separate filter container.

- Includes: Wall mount and two different suction nozzles
- Colour: Blue / Grey
- Material: Plastic
- Dimensions: 7 x 7 x 144 cm
- Weight: 1.2 kg

200 EUR



Piping material

For connecting the pool to the technical shaft or heat pump

- 25 m adhesive hose, grey, 50 mm
- 4 x reducer elbow, 90°, 50 f/m
- 4 x elbow, 90°, 2 x socket, 50 x 50 f/m
- 1 x Tangit cleaner, 125 ml
- 1 x Griffon PVC glue WDF-05

252 EUR



Bottom outlet, elbow 90°

(Only required if you want to empty the pool completely)

Red brass 1 1/2" F
Hair entrapment safety according to DIN 13451
Q-Max = 8.1 m³/h

273 EUR



Water care set HTH

Consisting of:

- 1 x Lovibond pool tester
- 1 x HTH pH-Plus 5 kg granules
- 1 x HTH Briquettes 7 g, 2.5 kg inorganic UN-1748, Calcium hypochlorite, mixture, dry, 5.1, III, (E)
- 1 x HTH pH Minus 5 kg granules
- 1 x HTH Alkanal 5 kg granules
- 1 x HTH Shock Powder (active chlorine content 75%) 1.6 kg
- 1 x Chlorine dispenser "Swim"

262 EUR

Pool surround



Coping stones granite

Grey

Coping stones for C-Side pool, with straight nose
Dimensions: 60x60x3/6 cm, flamed surface

2.925 EUR

CSIDE RS Unterflur 21

3.514 EUR

CSIDE RS Unterflur 37

3.514 EUR

CSIDE RS Unterflur 37L

CSIDE RS Unterflur 47

4.112 EUR



Decorative tiles

Glass mosaic, factory-applied and grouted.

Series: "IRIDESCENT, ZEN, SPACE, COCKTAIL, or METAL"
Size: 25 x 25 mm
Epoxy material used as tile adhesive and joint filler.

for CSide 21 made of Ezarri glass mosaic 1.040 EUR	CSIDE RS Unterflur 21
for CSide37 and CSide37L made of Ezarri 1.460 EUR	CSIDE RS Unterflur 37
for CSide37 and CSide37L made of Ezarri 1.460 EUR	CSIDE RS Unterflur 37L
for CSide 47 made of Ezarri mosaic 1.712 EUR	CSIDE RS Unterflur 47

Shipping costs




Freight costs

Within Germany and the Benelux countries to the dealer

A forklift is required for unloading.

819 EUR	CSIDE RS Unterflur 21
1.098 EUR	CSIDE RS Unterflur 37
1.098 EUR	CSIDE RS Unterflur 37L
1.098 EUR	CSIDE RS Unterflur 47

C-SIDE REFERENCES



YOUR C-SIDE DEALER



Partner Line

Geithus Næringspark, Gravfossveien 1
3360 Geithus
+4791651309
roy.paulsen@partnerline.no