




PRICES 2023

Prices valid until revoked.

Selling prices in EUR incl. 25,0 % VAT.

[CSIDEPOOLS.EU](https://csidepools.eu)







CSIDE Style

The "bestseller" equipment to an attractive price. Choose a CSIDE Style! Please note that the preconfigured equipment can not be changed. For individual models choose: CSIDE Classic

Inklusive Artikel

- Equipment package
- Spa-Massage-Pak
- Technical package with Spatouch-display
- Technique shaft XL
- Spare cartridge
- Piping material
- 4 x vertical inlets
- Surcharge for 1x LED RGB light



CSIDE 21 STYLE	CSIDE 37 STYLE	CSIDE 37L STYLE	CSIDE 47 STYLE
Dimensions inside: 2,10 x 2,10 x 0,80 m	Dimensions inside: 3,70 x 2,10 x 0,80 m	Dimensions inside: 3,70 x 2,10 x 1,27 m	Dimensions inside: 4,70 x 2,10 x 1,27 m
Capacity: 1,9 m³	Capacity: 3,7 m³	Capacity: 6,2 m³	Capacity: 8 m³
papyrus			
16.061 EUR CS210002108	17.111 EUR CS370002108	19.842 EUR CS37FL02108	21.943 EUR CS47FL02108
silver grey			
16.061 EUR CS210002124	17.111 EUR CS370002124	19.842 EUR CS37FL02124	21.943 EUR CS47FL02124

Accessories	CSIDE 21 STYLE	CSIDE 37 STYLE	CSIDE 37L STYLE	CSIDE 47 STYLE
Equipment package	incl.	incl.	incl.	incl.
Spa-Massage-Pak	incl.	incl.	incl.	incl.
4 x vertical inlets	incl.	incl.	incl.	incl.
Insulation	1.465 EUR CS210010000	1.922 EUR CS370010000	1.922 EUR CS370010000	2.862 EUR CS470010000
Technical equipment	CSIDE 21 STYLE	CSIDE 37 STYLE	CSIDE 37L STYLE	CSIDE 47 STYLE
Terminal for Spatouch display	462 EUR CS600060020	462 EUR CS600060020	462 EUR CS600060020	462 EUR CS600060020
Technical package with Spatouch-display	incl.	incl.	incl.	incl.
Technique shaft XL	incl.	incl.	incl.	incl.
Covers	CSIDE 21 STYLE	CSIDE 37 STYLE	CSIDE 37L STYLE	CSIDE 47 STYLE
Roller cover	1.182 EUR CS210004021	1.350 EUR CS370004021	1.350 EUR CS370004021	1.633 EUR CS470004021
Roller shutter slats, PVC	924 EUR 01-0321202	1.434 EUR 01-0321203	1.434 EUR 01-0321203	1.780 EUR 01-0321204
Roller shutter slats, polycarbonate	1.838 EUR 01-0421202	3.036 EUR 01-0421203	3.036 EUR 01-0421203	3.587 EUR 01-0421204
Winter debris cover	572 EUR CS210005021	888 EUR CS370005021	888 EUR CS370005021	993 EUR CS470005021
Insulating floating cover, 5 mm foam	672 EUR CS210006021G	1.035 EUR CS370006021G	1.035 EUR CS370006021G	1.182 EUR CS470006021
Above ground electrical slatted cover	6.192 EUR CS600002400	6.192 EUR CS600002400	6.192 EUR CS600002400	6.192 EUR CS600002400
Aufpreis Oberflur-Sitzbankabdeckung	2.363 EUR CS600002410	2.363 EUR CS600002410	2.363 EUR CS600002410	2.363 EUR CS600002410
Hardtop cover	3.803 EUR CS210003206	4.154 EUR CS370003206	4.154 EUR CS370003206	4.680 EUR CS470003206
Coping	CSIDE 21 STYLE	CSIDE 37 STYLE	CSIDE 37L STYLE	CSIDE 47 STYLE
Coping stones granite, grey	2.925 EUR CS210040030	3.514 EUR CS370040030	3.514 EUR CS370040030	4.112 EUR CS470040030

Other	CSIDE 21 STYLE	CSIDE 37 STYLE	CSIDE 37L STYLE	CSIDE 47 STYLE
Manual vacuum cleaner	231 EUR 7010003	231 EUR 7010003	231 EUR 7010003	231 EUR 7010003
Electric vacuum cleaner	699 EUR CS600060010	699 EUR CS600060010	699 EUR CS600060010	699 EUR CS600060010
Spare cartridge	incl.	incl.	incl.	incl.
Piping material	incl.	incl.	incl.	incl.
surface care set	147 EUR 6451010	147 EUR 6451010	147 EUR 6451010	147 EUR 6451010
water care set HTH	262 EUR CS600030050	262 EUR CS600030050	262 EUR CS600030050	262 EUR CS600030050
Freight	CSIDE 21 STYLE	CSIDE 37 STYLE	CSIDE 37L STYLE	CSIDE 47 STYLE
Surcharge for fixed date (day) delivery	205 EUR CS920000140	205 EUR CS920000140	205 EUR CS920000140	205 EUR CS920000140
Surcharge for delivery by a curtainsider	205 EUR CS920000150	205 EUR CS920000150	205 EUR CS920000150	205 EUR CS920000150
Lighting	CSIDE 21 STYLE	CSIDE 37 STYLE	CSIDE 37L STYLE	CSIDE 47 STYLE
Surcharge for 1x LED RGB light	incl.	incl.	incl.	incl.
Pooldeck	CSIDE 21 STYLE	CSIDE 37 STYLE	CSIDE 37L STYLE	CSIDE 47 STYLE
CSide pool deck drive	2.243 EUR CS210001500	2.243 EUR CS210001500	2.243 EUR CS210001500	2.243 EUR CS210001500
CSIDE Pooldeck (without cladding)	6.654 EUR CS210004100	-	-	-
CSide Pooldeck insulation	383 EUR CS210004120	588 EUR CS370004120	588 EUR CS370004120	693 EUR CS470004120
Surcharge for Pooldeck to be covered by stones (stones not included)	746 EUR CS210004130	1.197 EUR CS370004130	1.197 EUR CS370004130	1.507 EUR CS470004130
CSide Pooldeck (without cladding)	-	10.026 EUR CS370004100	10.026 EUR CS370004100	11.943 EUR CS470004100

Accessories



Equipment package

incl. preinstalled equipment package consisting of

- 1 skimmer, incl. filter cartridge and skimmer basket
- 1 inlet jet 105, R 1 ½" 4 x 8 mm, V4A
- 1 winter plug for inlet jet 105 (delivered separately)
- 1 safety overflow fitting WP 133
- 1 underwater light LED warm white
- 1 transformer 100 VA and 1 deck box (delivered separately)

incl.



Spa-Massage-Pak

2 x Turbojet-Slimline massage-nozzles for the lower back

4 x Microjet-Slimline massage-nozzles for neck and shoulders

2 x suction fittings, polished

1 x pneumatic switch with 5 m PN hose

1 x jet pump 230 V with PN switch box

(pump is delivered either loose or installed in the optional technical shaft)

Note: without PN switch in combination with technical package with Spa Touch display

incl.

Technical equipment required



4 x vertical inlets

- installed in the entry area

- including 4x winter plugs, 28/35 x 35 mm

incl.



Insulation

Energy conservation through jointless thermal insulation

sprayed PU foam insulation

CS 21 1.465 EUR	CSIDE 21 Style
CS 37 1.922 EUR	CSIDE 37 Style
CS 37 1.922 EUR	CSIDE 37L Style
CS 47 2.862 EUR	CSIDE 47 Style

Technical equipment



Terminal for Spatouch display

stainless steel, ground surface

height: 1.000 mm

462 EUR

Technical package with Spatouch-display required

Technical package with Spatouch-display

with frost protection, suitable for winter use

Technical equipment designed for automatic year-round use. The pool is heated by the electric heater. The temperature of the water can be heated up to 38 degrees via the touch display or the wireless remote control. The distance between pool and equipment should not exceed 5 m. Technical package can also be installed above water level.

Technical equipment mounted on a pallet consisting of:

- Self-priming filter pump 0.75 kW-230 V
- Check valve for filter pump
- Pool-Control with Spatouch-display and temperature control and remote control (Spa touch-display and IR-receiver are delivered separately)
- electric heaters 230 V, 1 x 3 kW / 1 x 2 kW
- connected load: 2 x 16 Ampere

Note:

max. water temperature: 32°C for colours papyrus, silver grey and granicite stonegrey

max. water temperature: 38°C for mosaic tiled pools

incl.



Technique shaft XL

incl. cover 1064 x 726 x 650 mm

Technique shaft XL

incl. cover 1064 x 726 x 650 mm

technical package, installed in technique shaft,
consisting of:

- technique shaft XL

incl. inspection platform, shaft drain and cable
bushing

(article only available in connection with a technical
package)

Note:

Technique shafts must ALWAYS be installed below
water level.

Please note that the technology mounted in the shaft
ALWAYS needs to be installed below the water level.

incl.

Covers



Roller cover

Safety cover with roll-up gear

- incl. hand crank and drive pin.
- colour: grey (RAL 7037)

dimensions: 250 x 250 cm
1.182 EUR

CSIDE 21 Style

dimensions: 400 x 250 cm
1.350 EUR


CSIDE 37 Style

dimensions: 400 x 250 cm
1.350 EUR

CSIDE 37L Style

· Size: 500 x 250 cm
1.633 EUR

CSIDE 47 Style



Roller shutter slats, PVC

PVC grey

for being used with the Poolbox

924 EUR

CSIDE 21 Style

1.434 EUR

CSIDE 37 Style

1.434 EUR

CSIDE 37L Style

1.780 EUR

CSIDE 47 Style

Above ground electrical slatted cover
required



Roller shutter slats, polycarbonate

polycarbonate solar version

for being used with the Poolbox

1.838 EUR

CSIDE 21 Style

3.036 EUR

CSIDE 37 Style

3.036 EUR

CSIDE 37L Style

3.587 EUR

CSIDE 47 Style

Above ground electrical slatted cover
required



Winter debris cover

Woven net to protect against foliage and coarse contaminants

Material: Polyester fabric

The cover protects against coarse impurities

Mounting instructions:

The cover is supplied with a double stitched wraparound. Eyelets are inserted at the edge at a distance of 50cm. The net cover is secured in retractable stainless steel floor anchors by means of elastic bands.

for CS 21, 2,50 x 2,50 Mtr.

572 EUR

CSIDE 21 Style

for CS 37

888 EUR

CSIDE 37 Style

for CS 37

888 EUR

CSIDE 37L Style

for CS 47

993 EUR

CSIDE 47 Style



Insulating floating cover, 5 mm foam

colour: grey

rectangular

dimensions: 205 x 205 cm
number of folding elements: 4
672 EUR

CSIDE 21 Style

dimensions: 365 x 205 cm
number of folding elements: 4
1.035 EUR

CSIDE 37 Style

dimensions: 365 x 205 cm
number of folding elements: 4
1.035 EUR

CSIDE 37L Style

dimensions: 465 x 205 cm
number of folding elements: 5
1.182 EUR

CSIDE 47 Style



Above ground electrical slatted cover

anthracite

Above ground electrical slatted cover, incl. sitch box
ad key switch.
Slats not included

6.192 EUR



Aufpreis Oberflur-Sitzbankabdeckung

anthracite

Nur in Verbindung mit CSide Oberflurabdeckung

Nicht nachträglich erhältlich

2.363 EUR

Above ground electrical slatted cover required



Hardtop cover

light grey

4 parts,made of RivieraTex, RivieraTex is a 100% dyed polyester fabric, PU-coated, water-repellent, incl. protective cover against pollution and rain

4 parts,made of RivieraTex

CSIDE 21 Style

3.803 EUR

4 parts,made of RivieraTex, anthracite

3.803 EUR

4 parts,made of RivieraTex, light grey

3.803 EUR

5 parts,made of RivieraTex, RivieraTex is a 100% dyed polyester fabric, PU-coated, water-repellent

CSIDE 37 Style

4.154 EUR

5 parts,made of RivieraTex, RivieraTex is a 100% dyed polyester fabric, PU-coated, water-repellent, anthracite

4.154 EUR

5 parts,made of RivieraTex, RivieraTex is a 100% dyed polyester fabric, PU-coated, water-repellent, light grey

4.154 EUR

5 parts,made of RivieraTex, RivieraTex is a 100% dyed polyester fabric, PU-coated, water-repellent, anthracite

CSIDE 37L Style

4.154 EUR

5 parts,made of RivieraTex, RivieraTex is a 100% dyed polyester fabric, PU-coated, water-repellent

4.154 EUR

5 parts,made of RivieraTex, RivieraTex is a 100% dyed polyester fabric, PU-coated, water-repellent, light grey

4.154 EUR

6 parts,made of RivieraTex, RivieraTex is a 100% dyed polyester fabric, PU-coated, water-repellent

CSIDE 47 Style

4.680 EUR

6 parts,made of RivieraTex, RivieraTex is a 100% dyed polyester fabric, PU-coated, water-repellent, anthracite

4.680 EUR

6 parts,made of RivieraTex, RivieraTex is a 100% dyed polyester fabric, PU-coated, water-repellent, light grey
4.680 EUR

Coping



Coping stones granite, grey

for CS 21 | for CS 37 | for CS 37 |

Coping stones with overhanging nose
Dimensions: 60x60x6/3, mottled surface

for CS 21	CSIDE 21 Style
2.925 EUR	
for CS 37	CSIDE 37 Style
3.514 EUR	
for CS 37	CSIDE 37L Style
3.514 EUR	
for CS 47	CSIDE 47 Style
4.112 EUR	



Manual vacuum cleaner

PVC blue

Remove the dirt from your CSIDE with light manual pumping movements. With removable, very fine filter, which can be easily rinsed out.

Total length: 148 cm

Colour: PVC-blue

Suction width: 8 cm

231 EUR



Electric vacuum cleaner

with submersible pump and telescopic rod

Vacuum floor cleaning device with highly absorbent 7m³ pump and large-volume dirt bag. Suction head 350 mm made of thick-walled rot- and chemical-resistant ABS all-round rubber profile for protection against pool damage, rotating bristles on wheels for cleaning places that are difficult to access, height-adjustable strip brush 270 mm; spring-mounted with repositionable rod holder for cleaning floors and wall surfaces, 18 m underwater cable, equipped with an FI - personal protection plug and the TÜV test mark. Including easy-to-clean dirt bag with zipper. Connection for 230V 350W

699 EUR



Spare cartridge

Spare cartridge for cartridge filter

incl.



Piping material

for connecting the pool and technical shaft or heat pump

25m flexible hose, 50 mm
 4 x reduction, 90°, 50 f/m
 4 x elbow, 90° 2 x socket, 50 x 50 f/m
 1 x Tangit cleaner 125 ml
 1 x Griffon PVC glue WDF-05

incl.



surface care set

For the ideal treatment of the pool surface

Consisting of:

1 each of Pool Finish, Gel Edge Cleaner, Antigilb, stainless steel polish, gloves, microfibre cloth polishing cloth, polishing set, sponge, care instructions for swimming pools (Technical Info SB 9)
 4 x each 1000-, 2000-grit wet sandpaper and 800-grit sandpaper

147 EUR



water care set HTH

consisting of:

1 x Lovibond pool tester
 1 x HTH pH-Plus 5 kg
 1 x HTH Briquettes 7 g, 2.5 kg inorganic UN-1748, Calcium hypochlorite, mixture, dry, 5.1, III, (E),
 1 x HTH - pH Minus 5 kg
 1 x HTH - Alkanal 5 kg
 1 x Chlorine doser "Swim"

262 EUR


Freight



Surcharge for fixed date (day) delivery

Delivery to the dealer

205 EUR



Surcharge for delivery by a curtainsider

crane unloading on site

Forwarding truck is to be opened at the top. This allows a crane to lift the pool out of the truck.

205 EUR

Lighting



Surcharge for 1x LED RGB light

Coloured LED light

1 x underwater light LED RGB (HT) with DMX control box and remote control

incl.



CSide pool deck drive

With remote control

2.243 EUR



CSIDE Pooldeck (without cladding)

Kit consisting of:

Complete aluminium system incl. drainage level, stainless steel roller with double ball bearing, rails to be laid on or milled in the floor, cover angle with brush seal, plug-in connector and installation material

Assembly on site, assembly material is supplied
Delivery with the pool

6.654 EUR



CSide Pooldeck insulation

XPS insulation panels, incl. fixing brackets

for CS21

383 EUR

CSIDE 21 Style

for CS37/37L

588 EUR

CSIDE 37 Style

for CS37/37L

588 EUR

CSIDE 37L Style

for CS47

693 EUR

CSIDE 47 Style



Surcharge for Pooldeck to be covered by stones (stones not included)

for CS21
746 EUR

CSIDE 21 Style

for CS37/37L
1.197 EUR

CSIDE 37 Style

for CS37/37L
1.197 EUR

CSIDE 37L Style

for CS47
1.507 EUR

CSIDE 47 Style



CSide Pooldeck (without cladding)

Kit consisting of:

Complete aluminium system incl. drainage level, stainless steel roller with double ball bearing, rails to be laid on or milled in the floor, cover angle with brush seal, plug-in connector and installation material

Payload 1.8 kN/m²

Snow load 1.5 kN/m²

Assembly on site, assembly material is supplied

Delivery with the pool

CSIDE 21 Style

10.026 EUR

CSIDE 37 Style

10.026 EUR

CSIDE 37L Style

Nutzlast: 1,8 kN/m²


CSIDE 47 Style

Abmaße:

L=5190mm x B=2590mm x H=ca.160mm

11.943 EUR

C-SIDE REFERENCES



YOUR C-SIDE DEALER



Partner Line

Geithus Næringspark, Gravfossveien 1

3360 Geithus

+4791651309

roy.paulsen@partnerline.no