


# CSIDE POOLS

CSIDE Classic

PRICES 2022 


Prices valid until revoked.  
Selling prices in EUR incl. 25,0 % VAT.

CSIDEPOOLS.EU



## CSIDE Classic

One-piece pool made of epoxy-acrylate, 6° wall incline with integrated steel frame, floor in sandwich construction with 3 cm insulation.



CSIDE 21 CLASSIC	CSIDE 37 CLASSIC	CSIDE 37L CLASSIC	CSIDE 47 CLASSIC
Dimensions inside: <b>2,10 x 2,10 x 0,80 m</b> Outer dimensions LxWxD: <b>2,30 x 2,30 x 0,84 m</b> Capacity: <b>1,9 m<sup>3</sup></b>	Dimensions inside: <b>3,70 x 2,10 x 0,80 m</b> Outer dimensions LxWxD: <b>3,90 x 2,30 x 0,84 m</b> Capacity: <b>3,7 m<sup>3</sup></b>	Dimensions inside: <b>3,70 x 2,10 x 1,27 m</b> Outer dimensions LxWxD: <b>3,90 x 2,30 x 1,31 m</b> Capacity: <b>6,2 m<sup>3</sup></b>	Dimensions inside: <b>4,70 x 2,10 x 1,27 m</b> Outer dimensions LxWxD: <b>4,90 x 2,30 x 1,31 m</b> Capacity: <b>8 m<sup>3</sup></b>
<b>papyrus</b>			
<b>8.624 EUR</b> CS210001108	<b>10.315 EUR</b> CS370001108	<b>11.450 EUR</b> CS37FL01108	<b>13.277 EUR</b> CS47FL01108
<b>Granite stone grey</b>			
<b>9.727 EUR</b> CS210001122	<b>11.670 EUR</b> CS370001122	<b>12.794 EUR</b> CS37FL01122	<b>14.727 EUR</b> CS47FL01122
<b>Mosaic tiled</b>			
<b>15.089 EUR</b> CS210001130	<b>18.606 EUR</b> CS370001130	<b>23.349 EUR</b> CS37FL01130	<b>28.093 EUR</b> CS47FL01130
<b>silver grey</b>			
<b>8.624 EUR</b> CS210001124	<b>10.315 EUR</b> CS370001124	<b>11.450 EUR</b> CS37FL01124	<b>13.277 EUR</b> CS47FL01124

Accessories	CSIDE 21 CLASSIC	CSIDE 37 CLASSIC	CSIDE 37L CLASSIC	CSIDE 47 CLASSIC
<b>Ausstattungspaket</b>	incl.	incl.	incl.	incl.
<b>4 x vertical inlets</b>	<b>557 EUR</b> CS600004001	<b>557 EUR</b> CS600004001	<b>557 EUR</b> CS600004001	<b>557 EUR</b> CS600004001
<b>Spa-Massage-Pak</b>	<b>2.195 EUR</b> CS600007000	<b>2.195 EUR</b> CS600007000	<b>2.195 EUR</b> CS600007000	<b>2.195 EUR</b> CS600007000
<b>Cascade "Maine"</b>	<b>2.500 EUR</b> CS600003001	<b>2.500 EUR</b> CS600003001	<b>2.500 EUR</b> CS600003001	<b>2.500 EUR</b> CS600003001
<b>Cascade "Cube"</b>	<b>3.640 EUR</b> CS600003200	<b>3.640 EUR</b> CS600003200	<b>3.640 EUR</b> CS600003200	<b>3.640 EUR</b> CS600003200
<b>Insulation</b>	<b>1.368 EUR</b> CS210010000	<b>1.789 EUR</b> CS370010000	<b>1.789 EUR</b> CS370010000	<b>2.666 EUR</b> CS470010000
<b>Self-supporting construction</b>	incl.	incl.	<b>3.067 EUR</b> CS370020000	<b>3.067 EUR</b> CS370020000
<b>Aqua Fun 4.0</b>	-	-	<b>6.562 EUR</b> CS600003300	<b>6.562 EUR</b> CS600003300

Lighting	CSIDE 21 CLASSIC	CSIDE 37 CLASSIC	CSIDE 37L CLASSIC	CSIDE 47 CLASSIC
<b>Additional underwater light LED warm white</b>	<b>835 EUR</b> CS600005111	<b>835 EUR</b> CS600005111	<b>835 EUR</b> CS600005111	<b>835 EUR</b> CS600005111
<b>Surcharge for 1x LED RGB light</b>	<b>893 EUR</b> CS600006011	<b>893 EUR</b> CS600006011	<b>893 EUR</b> CS600006011	<b>893 EUR</b> CS600006011
<b>Surcharge for 2 x LED RGB light</b>	<b>1.917 EUR</b> CS600006111	<b>1.917 EUR</b> CS600006111	<b>1.917 EUR</b> CS600006111	<b>1.917 EUR</b> CS600006111

Technical equipment	CSIDE 21 CLASSIC	CSIDE 37 CLASSIC	CSIDE 37L CLASSIC	CSIDE 47 CLASSIC
Technical package for half-year use	<b>1.765 EUR</b> CS600002210	<b>1.765 EUR</b> CS600002210	<b>1.765 EUR</b> CS600002210	<b>1.765 EUR</b> CS600002210
Heat pump HKR 6 kW	<b>1.906 EUR</b> CS600010002	<b>1.906 EUR</b> CS600010002	<b>1.906 EUR</b> CS600010002	<b>1.906 EUR</b> CS600010002
Technical package with Spatouch-display	<b>3.729 EUR</b> CS600002225	<b>3.729 EUR</b> CS600002225	<b>3.729 EUR</b> CS600002225	<b>3.729 EUR</b> CS600002225
Terminal for Spatouch display	<b>431 EUR</b> CS600060020	<b>431 EUR</b> CS600060020	<b>431 EUR</b> CS600060020	<b>431 EUR</b> CS600060020
Technique shaft XL	<b>1.891 EUR</b> CS600002001	<b>1.891 EUR</b> CS600002001	<b>1.891 EUR</b> CS600002001	<b>1.891 EUR</b> CS600002001
Technique shaft XXL, incl. preparation for dosing system (dosing system not included)	<b>2.574 EUR</b> CS600002003	<b>2.574 EUR</b> CS600002003	<b>2.574 EUR</b> CS600002003	<b>2.574 EUR</b> CS600002003
Surcharge for electric heater 9 kW	<b>1.076 EUR</b> CS600008020	<b>1.076 EUR</b> CS600008020	<b>1.076 EUR</b> CS600008020	<b>1.076 EUR</b> CS600008020
Pooldeck	CSIDE 21 CLASSIC	CSIDE 37 CLASSIC	CSIDE 37L CLASSIC	CSIDE 47 CLASSIC
CSide Pooldeck (ohne Verkleidung)	<b>6.192 EUR</b> CS210004100	<b>9.548 EUR</b> CS370004100	<b>9.548 EUR</b> CS370004100	<b>11.376 EUR</b> CS470004100
CSide Pooldeck Isolierung	<b>357 EUR</b> CS210004120	<b>551 EUR</b> CS370004120	<b>551 EUR</b> CS370004120	<b>693 EUR</b> CS470004120
CSide pool deck drive	<b>2.090 EUR</b> CS210001500	<b>2.090 EUR</b> CS210001500	<b>2.090 EUR</b> CS210001500	<b>2.090 EUR</b> CS210001500
CSide Pooldeck Aufpreis für bauseitigen Plattenbelag	<b>699 EUR</b> CS210004130	<b>1.119 EUR</b> CS370004130	<b>1.119 EUR</b> CS370004130	<b>1.402 EUR</b> CS470004130



Covers	CSIDE 21 CLASSIC	CSIDE 37 CLASSIC	CSIDE 37L CLASSIC	CSIDE 47 CLASSIC
<b>Roller cover</b>	<b>1.103 EUR</b> CS210004021	<b>1.261 EUR</b> CS370004021	<b>1.261 EUR</b> CS370004021	<b>1.523 EUR</b> CS470004021
<b>Insulating floating cover, 5 mm foam</b>	<b>630 EUR</b> CS210006021G	<b>966 EUR</b> CS370006021G	<b>966 EUR</b> CS370006021G	<b>1.103 EUR</b> CS470006021
<b>Hardtop cover</b>	<b>2.468 EUR</b> CS210003108	<b>3.556 EUR</b> CS370003109	<b>3.556 EUR</b> CS370003109	-
<b>Winter debris cover</b>	<b>536 EUR</b> CS210005021	<b>830 EUR</b> CS370005021	<b>830 EUR</b> CS370005021	<b>924 EUR</b> CS470005021
<b>Poolbox above-ground manual slatted cover, colour anthracite</b>	<b>5.319 EUR</b> CS600002300	<b>5.319 EUR</b> CS600002300	<b>5.319 EUR</b> CS600002300	<b>5.319 EUR</b> CS600002300
<b>Roller shutter slats, PVC</b>	<b>859 EUR</b> 01-0321202	<b>1.334 EUR</b> 01-0321203	<b>1.334 EUR</b> 01-0321203	<b>1.625 EUR</b> 01-0321204
<b>Roller shutter slats, polycarbonate</b>	<b>1.719 EUR</b> 01-0421202	<b>2.842 EUR</b> 01-0421203	<b>2.842 EUR</b> 01-0421203	<b>3.338 EUR</b> 01-0421204
Coping	CSIDE 21 CLASSIC	CSIDE 37 CLASSIC	CSIDE 37L CLASSIC	CSIDE 47 CLASSIC
<b>Coping stones granite, grey</b>	<b>2.726 EUR</b> CS210040030	<b>3.272 EUR</b> CS370040030	<b>3.272 EUR</b> CS370040030	<b>3.829 EUR</b> CS470040030

<b>Other</b>	<b>CSIDE 21 CLASSIC</b>	<b>CSIDE 37 CLASSIC</b>	<b>CSIDE 37L CLASSIC</b>	<b>CSIDE 47 CLASSIC</b>
<b>Spare cartridge</b>	<b>74 EUR</b> L817-3501	<b>74 EUR</b> L817-3501	<b>74 EUR</b> L817-3501	<b>74 EUR</b> L817-3501
<b>Pool care set</b>	<b>175 EUR</b> CS600030020	<b>175 EUR</b> CS600030020	<b>175 EUR</b> CS600030020	<b>175 EUR</b> CS600030020
<b>Manual vacuum cleaner</b>	<b>215 EUR</b> 7010003	<b>215 EUR</b> 7010003	<b>215 EUR</b> 7010003	<b>215 EUR</b> 7010003
<b>Electric vacuum cleaner</b>	<b>699 EUR</b> CS600060010	<b>699 EUR</b> CS600060010	<b>699 EUR</b> CS600060010	<b>699 EUR</b> CS600060010
<b>Piping material</b>	<b>236 EUR</b> CS600040010	<b>236 EUR</b> CS600040010	<b>236 EUR</b> CS600040010	<b>236 EUR</b> CS600040010
<b>Suction fitting d130</b>	<b>221 EUR</b> CS4205010	<b>221 EUR</b> CS4205010	<b>221 EUR</b> CS4205010	<b>221 EUR</b> CS4205010
<b>Bottom outlet, elbow 90°</b>	<b>257 EUR</b> 4205110	<b>257 EUR</b> 4205110	<b>257 EUR</b> 4205110	<b>257 EUR</b> 4205110
<b>Inlet fitting 1 1/2"</b>	<b>289 EUR</b> 3133121	<b>289 EUR</b> 3133121	<b>289 EUR</b> 3133121	<b>289 EUR</b> 3133121
<b>Freight</b>	<b>CSIDE 21 CLASSIC</b>	<b>CSIDE 37 CLASSIC</b>	<b>CSIDE 37L CLASSIC</b>	<b>CSIDE 47 CLASSIC</b>



### Ausstattungspaket

inkl. vormont. Ausstattungspaket bestehend aus:

- Skimmer, inkl. Filterkartusche und Siebkorb
- Einlaufdüse 105, R1 1/2" 4x8mm Kugeldüse V4A
- Winterverschlussstopfen
- Sicherheitsüberlauf WP133
- 1 x Unterwasserscheinwerfer LED 12V-warmweiss mit Blende satiniert und -Nische, inkl. UWS-Aufnahme, 4xSenkschraube M5x12
- 1 x Trafo 100VA und Kabelanschlußdose aus Kunststoff werden LOSE geliefert

**incl.**



### 4 x vertical inlets

- installed in the entry area
- including 4 B141x winter plugs, 28/35 x 35 mm

**557 EUR**



### Spa-Massage-Pak

- 2 x Turbojet-Slimline massage-nozzles for the lower back
- 4 x Microjet-Slimline massage-nozzles for neck and shoulders
- 2 x suction fittings, polished
- 1 x pneumatic switch with 5 m PN hose
- 1 x jet pump 230 V with PN switch box (pump is delivered either lose or installed in the optional technical shaft)

Note: without PN switch in combination with technical package with Spa Touch display

**2.195 EUR**

**Technical equipment required**



## Cascade "Maine"

Cascade "Mini V4A" consisting of:

- 1 x stainless steel cascade Mini V4A
  - 1 x 1 jet pump 1,0 kW 230 V with PN switch box
  - 1 x pneumatic switch with 5 m PN hose
  - 2 x suction fittings
- (pump is delivered either loose or installed in the optional technique shaft)

Note: without PN switch in combination with technical package with Spa Touch display

**2.500 EUR**

**Technical equipment required**



## Cascade "Cube"

**V4A stainless steel cascade with push button in the pool**

- 1 x cascade "Cube" (delivered separately)
- 1 x pneumatic switch 107/1 V4A (mounted) with 10 m PN hose and 10 m protective hose (delivered separately)
- 1 x jet pump with PN switch box
- 2 x suction fittings with stainless steel cover (mounted)

Note: without PN switch in combination with technical package with Spa Touch display

**3.640 EUR**

**Technical equipment required**





## Insulation

### Energy conservation through jointless thermal insulation

sprayed PU foam insulation

---

CS 21 CSIDE 21 Classic

**1.368 EUR**

---

CS 37 CSIDE 37 Classic

**1.789 EUR**

---

CS 37 CSIDE 37L Classic

**1.789 EUR**

---

CS 47 CSIDE 47 Classic

**2.666 EUR**



## Self-supporting construction

incl.



## Aqua Fun 4.0

### 4-jet flow & massage system (second technique shaft required)

The four jet nozzles of the Aqua-Fun 4.0 bring a strong current into the water. Furthermore, individual body parts can be massaged selectively.


consisting of:

- 4 Turbojet-Slimline massage-nozzles
- Jet pump 2,6 kW / 400V
- 1 pneumatic switch with 10 m PN hose
- PN switch box 400 V with contactor up to 2 kW ( 4 - 6A )
- 2 suction fittings polished

**ATTENTION:** The jet pump must always be installed below the water level. Please also note that you need an additional technique shaft for this pump.

**6.562 EUR**

## Lighting



### **Additional underwater light LED warm white**

1 x underwater light LED warm white (HT), transformer 100 VA and second deck box (KU)

**835 EUR**



### **Surcharge for 1x LED RGB light**

#### **Coloured LED light**

1 x underwater light LED RGB (HT) with DMX control box and remote control

**893 EUR**



### **Surcharge for 2 x LED RGB light**


#### **Coloured LED light**

2 x underwater light LED RGB (HT) with DMX control box and remote control and second deck box (KU)

**1.917 EUR**



## Technical equipment



### Technical package for half-year use

#### Technical equipment with filter pump and bypass for a heat pump

This technical package can be used from spring to autumn. The pool is heated by an optional heat pump. When the outside temperature is above 10°C, the water can be heated up to 28°C.

The distance between pool and equipment should not exceed 5 m. Technical package can also be installed above water level.

Technical equipment mounted on a pallet consisting of:

- Self-priming filter pump 0.75 kW-230 V
- Check valve for filter pump
- Bypass for an optional heat pump
- Filter pump control mounted on inspection platform
- Connected load: 1 x 16 Ampere - 230 V
- Size 120 cm x 80 cm (length x width)

**1.765 EUR**



### Heat pump HKR 6 kW

#### For the heating of your C-SIDE

Dimensions: 790 x 330 x 580 mm

Weight: approx. 36 kg

Hydraulic connection adhesive screw connection d 50

Performance data:

Heat output A 15°/W 26° = 4,25kW

Heating capacity A 26°/W 26° = 6 kW

Cooling capacity approx. 4kW

Power consumption approx. 1.04 kW

Current consumption nominal 5A, fuse 16A C (slow blow)

Water flow rate > 2,3m<sup>3</sup>

Pressure loss heat exchanger kPa=2,4

Volume level in 10/1 mtr. approx. 38/50 dB(A)

Functionality starting at an outdoor temperature of 10 degrees.

**1.906 EUR**

**Technical package for half-year use required**




FOTO ZEIGT SONDERZUBEHÖR

## Technical package with Spatouch-display

with frost protection, suitable for winter use

Technical equipment designed for automatic year-round use. The pool is heated by the electric heater. The distance between pool and equipment should not exceed 5 m.

Technical equipment mounted on a pallet consisting of:

- Self-priming filter pump 0.75 kW-230 V
- Pool-Control with Spatouch-display and temperature control and remote control (Spa touch-display and IR-receiver are delivered separately)
- electric heaters 230 V, 1 x 3 kW / 1 x 2 kW
- connected load: 2 x 16 Ampere

Note:

max. water temperature: 32°C for colours papyrus, silver grey and granicite stonegrey

max. water temperature: 38°C for mosaic tiled pools

**3.729 EUR**



## Terminal for Spatouch display

stainless steel, ground surface

height: 1.000 mm

**431 EUR**

**Technical package with Spatouch-display required**



## Technique shaft XL

**incl. cover 1064 x 726 x 650 mm**

Technique shaft XL

incl. cover 1064 x 726 x 650 mm

technical package, installed in technique shaft,  
consisting of:

- technique shaft XL

incl. inspection platform, shaft drain and cable  
bushing

(article only available in connection with a technical  
package)

Note:

Technique shafts must ALWAYS be installed below  
water level.

Please note that the technology mounted in the shaft  
ALWAYS needs to be installed below the water level.

**1.891 EUR**

**Technical equipment required**



## Technique shaft XXL, incl. preparation for dosing system (dosing system not included)

**incl. cover (1600 x 900 x 670 mm)**

technical package, installed in technique shaft,  
consisting of:

- technique shaft XXL incl. inspection platform, shaft  
drain and cable bushing

(article only available in connection with a technical  
package)

Note:

Technique shafts must ALWAYS be installed below  
water level.

**2.574 EUR**



## Surcharge for electric heater 9 kW

**total capacity: 3 kW + 9 kW**

Upgrade for the technical package with Spatouch-display with a stronger electric heater, that allows to heat up the water more quickly.

Preinstalled on the technical package

Connected load: 1 x 16 Ampere - 230 V, 1 x 16

Ampere - 400 V

An insulating pool cover is required to heat up the pool efficiently.

**1.076 EUR**

**Technical package with Spatouch-display required**







## **CSide Pooldeck (ohne Verkleidung)**

Bestehend aus:

Komplett Alusystem inkl. Entwässerungsebene,  
Edelstahlrolle mit doppeltem Kugellager,  
begehbare Laufschiene zum auflegen oder  
einfräsen,

Abschlusswinkel mit Bürstendichtung, Steckverbinder  
und Montagematerial

Nutzlast 160 Kg/m<sup>2</sup>

Montage bauseits, Montagematerial wird mitgeliefert  
Lieferung mit dem Becken

Abmaße: L=2590mm x B=2590mm x H=ca.160mm

---

Bestehend aus:

Komplett Alusystem inkl. Entwässerungsebene,  
Edelstahlrolle mit doppeltem Kugellager,  
begehbare Laufschiene zum auflegen oder  
einfräsen,

Abschlusswinkel mit Bürstendichtung, Steckverbinder  
und Montagematerial

Nutzlast 1,8 kN/m<sup>2</sup>

Montage bauseits, Montagematerial wird mitgeliefert  
Lieferung mit dem Becken

Abmaße: L=4190mm x B=2590mm x H=ca.160mm

---

Bestehend aus:

Komplett Alusystem inkl. Entwässerungsebene,  
Edelstahlrolle mit doppeltem Kugellager,  
begehbare Laufschiene zum auflegen oder  
einfräsen,

Abschlusswinkel mit Bürstendichtung, Steckverbinder  
und Montagematerial

Nutzlast 1,8 kN/m<sup>2</sup>

Montage bauseits, Montagematerial wird mitgeliefert  
Lieferung mit dem Becken

Abmaße: L=4190mm x B=2590mm x H=ca.160mm

---

Bestehend aus:

Komplett Alusystem inkl. Entwässerungsebene,  
Edelstahlrolle mit doppeltem Kugellager,  
begehbare Laufschiene zum auflegen oder  
einfräsen,

Abschlusswinkel mit Bürstendichtung, Steckverbinder  
und Montagematerial

Nutzlast 1,8 kN/m<sup>2</sup>

Montage bauseits, Montagematerial wird mitgeliefert  
Lieferung mit dem Becken

Abmaße: L=5190mm x B=2590mm x H=ca.160mm

---

**6.192 EUR**

CSIDE 21 Classic

---

**9.548 EUR**

CSIDE 37 Classic

---

**9.548 EUR**

CSIDE 37L Classic

---

**11.376 EUR**

CSIDE 47 Classic

---



## **CSide Pooldeck Isolierung**

**Dämmplatten XPS inkl. Befestigungswinkel**

---

for CS21  
**357 EUR**

CSIDE 21 Classic

---

für CS37/37L  
**551 EUR**

CSIDE 37 Classic

---

für CS37/37L  
**551 EUR**

CSIDE 37L Classic

---

for CS47  
**693 EUR**

CSIDE 47 Classic

---



## **CSide pool deck drive**

**With remote control**

**2.090 EUR**





## CSide Pooldeck Aufpreis für bauseitigen Plattenbelag

### Gitterrostwabe, Montagematerial

Gitterrostwabe für die Aufnahme von Feinsteinplatten

---

---

---

for CS21

CSIDE 21 Classic

**699 EUR**

---

for CS37/37L

CSIDE 37 Classic

**1.119 EUR**

---

for CS37/37L

CSIDE 37L Classic

**1.119 EUR**

---

for CS47

CSIDE 47 Classic

**1.402 EUR**

# Covers



## Roller cover

### Safety cover with roll-up gear

- incl. hand crank and drive pin.
- colour: grey ( RAL 7037 )

dimensions: 250 x 250 cm  
**1.103 EUR**

CSIDE 21 Classic

dimensions: 400 x 250 cm  
**1.261 EUR**

CSIDE 37 Classic

dimensions: 400 x 250 cm  
**1.261 EUR**

CSIDE 37L Classic

· Size: 500 x 250 cm  
**1.523 EUR**

CSIDE 47 Classic



## Insulating floating cover, 5 mm foam

colour: grey

rectangular

dimensions: 205 x 205 cm  
number of folding elements: 4  
**630 EUR**

CSIDE 21 Classic

dimensions: 365 x 205 cm  
number of folding elements: 4  
**966 EUR**

CSIDE 37 Classic

dimensions: 365 x 205 cm  
number of folding elements: 4  
**966 EUR**

CSIDE 37L Classic

dimensions: 465 x 205 cm  
number of folding elements: 5  
**1.103 EUR**

CSIDE 47 Classic



## Hardtop cover

anthracite | colour: beige grey | colour: beige grey

incl. protective cover against rain and pollution.  
made of RivieraTex, RivieraTex is a 100% dyed polyester fabric, PU-coated, water-repellent

---

4 parts, colour: beige grey  
**2.468 EUR**

CSIDE 21 Classic

4 parts, colour: light grey  
**2.468 EUR**

4 parts, colour: anthracite  
**2.468 EUR**

---

5 parts, colour: light grey  
**3.556 EUR**

CSIDE 37 Classic

5 parts  
**3.556 EUR**

5 parts  
**3.556 EUR**

---

5 parts, colour: light grey  
**3.556 EUR**

CSIDE 37L Classic

5 parts  
**3.556 EUR**

5 parts  
**3.556 EUR**

---

CSIDE 47 Classic



## Winter debris cover

**Woven net to protect against foliage and coarse contaminants**

Material: Polyester fabric

The cover protects against coarse impurities

Mounting instructions:

The cover is supplied with a double stitched wraparound. Eyelets are inserted at the edge at a distance of 50cm. The net cover is secured in retractable stainless steel floor anchors by means of elastic bands.

---

for CS 21, 2,50 x 2,50 Mtr.

CSIDE 21 Classic

**536 EUR**

---

for CS 37

CSIDE 37 Classic

**830 EUR**

---

for CS 37

CSIDE 37L Classic

**830 EUR**

---

for CS 47

CSIDE 47 Classic

**924 EUR**




**Poolbox above-ground manual slatted cover, colour anthracite**

(2456 x 1154 x 540 mm), slats not included

**5.319 EUR**





## Roller shutter slats, PVC

PVC grey

for being used with the Poolbox

**859 EUR**

CSIDE 21 Classic

**1.334 EUR**


CSIDE 37 Classic

**1.334 EUR**

CSIDE 37L Classic

**1.625 EUR**

CSIDE 47 Classic



## Roller shutter slats, polycarbonate

polycarbonate solar version

for being used with the Poolbox

**1.719 EUR**

CSIDE 21 Classic

**2.842 EUR**

CSIDE 37 Classic

**2.842 EUR**

CSIDE 37L Classic

**3.338 EUR**

CSIDE 47 Classic

# Coping

---



## Coping stones granite, grey

for CS 21 | for CS 37 | for CS 37 |

Coping stones with overhanging nose  
Dimensions: 60x60x6/3, mottled surface

---

for CS 21  
**2.726 EUR**

CSIDE 21 Classic

---

for CS 37  
**3.272 EUR**

CSIDE 37 Classic

---

for CS 37  
**3.272 EUR**

CSIDE 37L Classic

---

for CS 47  
**3.829 EUR**

CSIDE 47 Classic

---

## Other



### Spare cartridge

Spare cartridge for cartridge filter

**74 EUR**



### Pool care set

- pH (+) granulate, 1 kg
- pH (-) granulate, 1 kg
- chlorine granulate, in 1 kg can,
- pooltester Chlorine/pH incl. 20 tablets all stored in lockable plastic box

**175 EUR**



### Manual vacuum cleaner

**PVC blue**

Remove the dirt from your CSIDE with light manual pumping movements. With removable, very fine filter, which can be easily rinsed out.

Total length: 148 cm

Colour: PVC-blue

Suction width: 8 cm

**215 EUR**





## Electric vacuum cleaner

with submersible pump and telescopic rod

Vacuum floor cleaning device with highly absorbent 7m<sup>3</sup> pump and large-volume dirt bag. Suction head 350 mm made of thick-walled rot- and chemical-resistant ABS all-round rubber profile for protection against pool damage, rotating bristles on wheels for cleaning places that are difficult to access, height-adjustable strip brush 270 mm; spring-mounted with repositionable rod holder for cleaning floors and wall surfaces, 18 m underwater cable, equipped with an FI - personal protection plug and the TÜV test mark. Including easy-to-clean dirt bag with zipper. Connection for 230V 350W

**699 EUR**



## Piping material

for connecting the pool and technical shaft or heat pump

25m flexible hose, 50 mm  
4 x reduction, 90°, 50 f/m  
4 x elbow, 90° 2 x socket, 50 x 50 f/m  
1 x Tangit cleaner 125 ml  
1 x Griffon PVC glue WDF-05

**236 EUR**



## Suction fitting d130

(only needed additionally if you want to connect a sand filter)

- straight wall duct
- polished stainless steel
- hair safe according to DIN 13451
- Q<sub>max</sub> = 8.1 m<sup>3</sup>/h

**221 EUR**



### **Bottom outlet, elbow 90°**

(only required if you want to empty the basin completel)

· Red brass 1 1/2" f

**257 EUR**



### **Inlet fitting 1 1/2"**

red brass with plastic face plate, black or white

**289 EUR**

## **Freight**

---



## C-SIDE REFERENCES



## YOUR C-SIDE DEALER

**CSIDE**  
**POOLS**

**Partner Line**

Geithus Næringspark, Gravfossveien 1

3360 Geithus

+4791651309

[roy.paulsen@partnerline.no](mailto:roy.paulsen@partnerline.no)