



PRICE LIST 2023

Valid from 01/02/23 (until revoked).
Sales prices in Euro excl. VAT.

rivierapool.com

PREFABRICATED SWIMMING POOLS

RivieraPool®

PREFABRICATED SWIMMING POOLS • WHIRLPOOLS

RivieraPool® stands for Quality - Design - Functionality

RivieraPool-swimming pools are made of Epoxy-Acrylate, a material that, among other applications, has been used for many years in the marine industry, due to its high degree of strength and flexibility. It is particularly suitable for swimming pool production as it can be shaped to form fixtures for technical components in the pool. Riviera pools can therefore be equipped with recesses for the floor drain, installation shaft, support edge for roller shutters and different styles of pool steps. The swimming pool shell is a sandwich construction, reinforced with PU foam. This ensures that the pool surfaces remain smooth and rigid and are insulated against temperature losses.

The prefabricated swimming pool shell enables easy transportation due to the low structural weight. Your pool is a high-quality product distinguished by unique characteristics. It resists UV light and deformation and is only mildly sensitive to temperature changes. All component fittings are made from high quality materials.

Quality:

Being member of the AVK (Federation of Reinforced Plastics) the Rengers group adheres to production and test criteria of the AVK and thus provides a best possible resistance of surfaces.

Distribution channels:

All our swimming pool systems are distributed exclusively through specialist retailers who, with their specialised planning and installation personnel, are serious partners for customers and architects.

Installation costs:

Prices for on-site installation and the required installation material are not included in this price list, as these services are provided by a specialised company and invoiced separately.

Transportation costs:

Specified prices are generally ex-works. Shipping and insurance to the limit of the receiver's site accessible to road traffic are included in the transportation costs. Special costs, such as rail transport loading, ferries etc. are borne by the customer. Transportation to the site should be organised on site and is also borne by the customer.

Pricing:

Prices in this list become void with the appearance of a new edition of this list. For all orders the price list valid on that day applies. We guarantee price stability for 4 months after

ordering. The listed price valid on the day of delivery is invoiced if the goods are collected later. All prices are sales prices in Euro excl. VAT.

The pool content is rounded up to full m³ and calculated at a water level of 1.42 m. We reserve the right to change technical items without prior announcement to improve the product.

Water attractions

A swimming pool should be your daily companion, providing relaxation and daily fitness. And that for all the people who use the pool. For this purpose, there is a range of flow and massage systems that have been specially designed for RivieraPools and have been in permanent use for decades. They have now been extended to include a range of high-quality turbine units.



RivieraPool Fertigschwimmbad GmbH
Klößnerstraße 2, Geeste-Dalum, Germany

Active member
of the AVK-TV
(Federation of reinforced plastics)



Aktives Mitglied in der
Arbeitsgemeinschaft
Verstärkte Kunststoffe -
Technische Vereinigung e.V.
(AVK-TV)

RivieraPool is always the right choice ...


Quality - Design - Functionality	Page 2
Type comparison prefabricated swimming pools	Page 4
Prefabricated swimming pools 270/320/370	
D•Line ANCONA	Page 6
D•Line MODENA	Page 8
D•Line MODENA 550: CLASSIC / SWIM & FUN	Page 10
D•Line LINEAR	Page 12
D•Line LINEAR RS	Page 14
D•Line LUGANO RS	Page 16
WetLounge® - D•Line ANCONA with Linear RS step-end and integrated roller shutter cover	Page 18
ROM	Page 20
Prefabricated swimming pools with overflow channel	
D•Line ANCONA Ü	Page 22
D•Line LINEAR Ü	Page 24
Optional Extras / Accessories	
 Lighting packages	Page 26
Water attractions	Page 28
RivieraPool® Roller shutter shafts /  Winter cover	Page 34
Infinity-edge / Wetlounge®	Page 37
Decor tiles made of Ezarri glass mosaic /  Complete tiling	Page 38

RivieraPool® Prefabricated swimming pools

370 one-piece pool



D-LINE ANCONA 800




D-LINE MODENA 975




D-LINE LINEAR 945



ROM 945




D-LINE ANCONA 800 Ü




D-LINE LINEAR 945 Ü

370 one-piece pool with overflow channel


270 one-piece pool



ANCONA 550



MODENA 550
CLASSIC



MODENA 550
SWIM & FUN


320 one-piece pool



D-LINE ANCONA 320




D-LINE MODENA 320



D-LINE LINEAR


370 RS - Models



D-LINE LUGANO RS



D-LINE LINEAR RS 975



D-LINE LINEAR RS
with Infinity-edge



D-LINE LINEAR RS
with WETLOUNGE



WETLOUNGE with ANCONA
and LINEAR RS
step-end and integrated
roller shutter cover

- Thermosafe roller shutter cover invisibly integrated in the step end
- Additional shallow water lounge area

Info


For original drawings, please contact our technical department.

All pools (except 270) are also available in long and short lengths as split versions.

All pools shown are with equipment package and options.

ANCONA — RivieraPool's simple entry step. A timeless design which enhances your swimming pleasure to the maximum. Allowing the whole length of the pool to be used.

Pool step with 5 Steps on the right side with anti-slip profiled surface. Pool with 6 degree wall incline and roll cover ledge with integrated steel beam. Pool with 30 mm insulation in the floor and 20 mm insulation in the walls.



**EXTENSIONS
FROM P. 26**

- *Lighting packages - Water attractions*
- *infinity channels - Wetlounges*
- *decor tiles*

D•Line ANCONA

270 / 320 / 370



D•Line ANCONA

Colours: • plain white

• papyrus (27) • silver-grey (24)

• sea blue (26) • beach (28)

• granicite stone grey

EQUIPMENT PACKAGE

Water Content m³

New!

1 Skimmer with water level controller (8 cm), 2 (4) inlet jets, 1 wall low level suction, 1 bottom outlet sump with cover, incl. universal RP connection box

New!

Lighting package „Standard S2“ / other packages: see p. 26

ACCESSORIES / other water attractions: see p. 28

Decor tiles made of Ezarri glass mosaic, installed and grouted at the factory. A 3 916 360

Coping Stones granite, grey, 60 x 60 x 6.3 cm, with overhanging nose mottled surface, cut out for the fiberglass skimmer lid

Stainless steel grabrail, per pair, polished

Twinjet counter current unit, double jet system (for pools with roller shutter shaft)

Safety suction fittings for pools without roller shutter shaft according to DIN EN 16 713 (for pools without roller shutter shaft). 2 x 2 ½", suction grille ø350 mm, Q_{max} = 52,7 m³/h, additional price

Trijet counter current unit, three jet system, (for pools with roller shutter shaft)

Alternatives on request.
Example consists of:

Safety suction fittings for pools without roller shutter shaft according to DIN EN 16 713 (for pools without roller shutter shaft). 3 x 2 ½", suction grille ø350 mm, Q_{max} = 105,4 m³/h, additional price

Turbojet turbine unit, Q_{max} approx. 300 m³/h, incl. technical shaft.

Colour: black (00) or white (05)

UNDERGROUND ROLLER SHUTTER COVER / other cover systems: see p. 34

Roller shutter shaft Integra 2-13 for an extra high water level, extends the pool by 48 cm, with hinged seat bench and 2 inlet nozzles, Additional water content: 270: 1,2 m³ / 320: 1,6 m³ / 370: 1,9 m³

Electrical roll-up fixture, drive shaft made from composite material with internal motor with 10 m cable and stainless steel wall mount, installed in the factory; incl. control box and key switch, incl. universal RP connection box

Roller shutter cover, 6 cm slat width

Cover: **Polycarbonate solar** version

Polycarbonate solar, version silver vaporized

PVC solar version

PVC white (01) / **PVC** grey (03)

New!

Winter cover, safety cover made of high-strength fabric foil in grey, integrated aluminium tubes, incl. hand crank and retractable ground anchors

FREIGHT CHARGES on request

	550/270 5,5 x 2,7 x 1,5 m	650/320 6,5 x 3,2 x 1,5 m	800/320 8 x 3,2 x 1,5 m	1000/320 * 10 x 3,2 x 1,5 m	800/370 8 x 3,7 x 1,5 m	1000/370 9,94 x 3,7 x 1,5 m
	12.684,87 A Anc 550 010 03	15.655,46 A Anc 650 050 03	17.773,11 A Anc 800 050 03	23.138,66 A Anc 1000 050 03	23.903,36 A Anc 800 010 03	27.100,84 A Anc 1000 010 03
	13.063,03 A Anc 550 010 ..	16.193,28 A Anc 650 050 ..	18.281,51 A Anc 800 050 ..	23.836,13 A Anc 1000 050 ..	24.626,05 A Anc 800 010 ..	27.915,97 A Anc 1000 010 ..
	14.970,59 A Anc 550 010 22	18.617,65 A Anc 650 050 22	21.029,41 A Anc 800 050 22	27.760,50 A Anc 1000 050 22	28.310,92 A Anc 800 010 22	32.100,84 A Anc 1000 010 22
	18	26	32	41	37	47
	1.768,91 A 3 540 700	1.768,91 A 3 540 700	1.768,91 A 3 540 700	1.768,91 A 3 540 700	1.768,91 A 3 540 700	2.096,64 A 3 540 710
	1.197,48 A 3 541 110	1.197,48 A 3 541 110	1.197,48 A 3 541 110	1.197,48 A 3 541 110	1.197,48 A 3 541 110	1.197,48 A 3 541 110
	1.653,78 16,4 m	1.956,30 19,4 m	2.258,82 22,4 m	2.662,18 26,4 m	2.359,66 23,4 m	2.763,02 27,4 m
	4.411,76 A 3 025 050	4.613,45 A 3 025 000	5.268,91 A 3 025 025	5.924,37 A 3 025 148	5.487,39 A 3 025 130	5.924,37 A 3 025 142
	1.193,28 A 2 302 030	1.193,28 A 2 302 030	1.193,28 A 2 302 030	1.193,28 A 2 302 030	1.193,28 A 2 302 030	1.193,28 A 2 302 030
	6.546,22 B 3 590 067	6.546,22 B 3 590 067	6.546,22 B 3 590 067	6.546,22 B 3 590 067	6.546,22 B 3 590 067	6.546,22 B 3 590 067
	899,16 B 3 590 250	899,16 B 3 590 250	899,16 B 3 590 250	899,16 B 3 590 250	899,16 B 3 590 250	899,16 B 3 590 250
	9.357,14 B 3 591 250	9.357,14 B 3 591 250	9.357,14 B 3 591 250	9.357,14 B 3 591 250	9.357,14 B 3 591 250	9.357,14 B 3 591 250
	1.105,04 B 3 590 260	1.105,04 B 3 590 260	1.105,04 B 3 590 260	1.105,04 B 3 590 260	1.105,04 B 3 590 260	1.105,04 B 3 590 260
	13.504,20 A 3 591 3..	13.504,20 A 3 591 3..	13.504,20 A 3 591 3..	13.504,20 A 3 591 3..	13.504,20 A 3 591 3..	13.504,20 A 3 591 3..
	4.277,31 A 2 200 640	4.554,62 A 2 200 620	4.554,62 A 2 200 620	4.554,62 A 2 200 620	5.159,66 A 2 200 610	5.159,66 A 2 200 610
	6.529,41 A 22 004 340	6.802,52 A 22 004 320	6.802,52 A 22 004 320	6.802,52 A 22 004 320	6.970,59 A 22 004 310	6.970,59 A 22 004 310
	3.773,11 A 01-04 20 211	4.584,03 A 01-04 02 201	5.802,52 A 01-04 02 204	7.445,38 A 01-04 02 206	7.042,02 A 01-04 03 204	8.621,85 A 01-04 03 206
	4.331,93 A 01-05 20 211	5.277,31 A 01-05 02 201	6.668,07 A 01-05 02 204	8.554,62 A 01-05 02 206	8.109,24 A 01-05 03 204	9.899,16 A 01-05 03 206
	2.798,32 A 01-02 20 211	3.432,77 A 01-02 02 201	4.336,13 A 01-02 02 204	5.596,64 A 01-02 02 206	5.281,51 A 01-02 03 204	6.457,98 A 01-02 03 206
	1.987,39 A 01- .. 20 211	2.344,54 A 01- .. 02 201	2.836,13 A 01- .. 02 204	3.516,81 A 01- .. 02 206	3.365,55 A 01- .. 03 204	4.088,24 A 01- .. 03 206
	3.067,23 A 02-0101010	3.672,27 A 02-0102020	4.386,55 A 02-0102050	5.294,12 A 02-0102070	4.966,39 A 02-0103050	5.991,60 A 02-0103070

MODENA – Offering a contemporary design of massage seating bench and relaxation area for all the whole family to enjoy. Integrating the elegant entry step into one side.

One-piece pool made out of Epoxy-acrylate, sandwich construction with 20 mm insulation in walls and 30 mm in the floor. Pool step with 6 treads on the right side with anti-slip profiled surface.

D•LINE MODENA



D-Line MODENA

Colours: • plain white

• papyrus (27) • silver-grey (24)

• sea blue (26) • beach (28)

• granicite stone grey

EQUIPMENT PACKAGE

Water Content m³

New!

1 Skimmer with water level controller (8 cm), 2 (4) inlet jets, 1 wall low level suction, 1 bottom outlet sump with cover, incl. universal RP connection box

New!

Lighting package "Standard S3" / other packages: see p. 26

FUN PAK 4.2

Technique shaft, laminated to the pool shell with fine wood cover

Flow and massage system with double jet counter current unit, 2 maritim massage jets, 6 Microjets, 1 floor geyser, installed in technique shaft

Ditto, but then for concreting with red brass inlets and PVC pipes

Air massage system, incl. piezo switch, polished, 0,85 kW blower and switchbox

ACCESSORIES / other water attractions: see p. 28

Decor tiles made of Ezarri glass mosaic, installed and grouted at the factory. A 3 916 360

Coping Stones granite, grey, 60 x 60 x 6.3 cm, with overhanging nose mottled surface, cut out for the fiberglass skimmer lid

Stainless steel grabrail, per pair, polished

Twinjet counter current unit, double jet system (for pools with roller shutter shaft)

Safety suction fittings for pools without roller shutter shaft according to DIN EN 16 713 (for pools without roller shutter shaft). 2 x 2 ½", suction grille ø350 mm, Qmax = 52,7 m³/h, additional price

Trijet counter current unit, three jet system, Qmax 90 m³/h x 2 ½", suction grille ø350 mm, Qmax = 105,4 m³/h, additional price.

Alternatives on request.
Example consists of:

Turbojet turbine unit, Qmax approx. 300 m³/h, incl. technical shaft.

Colour: black (00) or white (05)

UNDERGROUND ROLLER SHUTTER COVER / other cover systems: see p. 34

Roller shutter shaft Integra 2-13, for an extra high water level, extends the pool by 48 cm, with hinged seat bench and 2 inlet nozzles, Addit. water content: 320: 1,6 m³ / 370: 1,9 m³

Electrical roll-up fixture, drive shaft made from composite material with internal motor with 10 m cable and stainless steel wall mount, installed in the factory; incl. control box and key switch, incl. universal RP connection box

Roller shutter cover, 6 cm slat width

Cover: **Polycarbonate solar** version

Polycarbonate solar, version silver vaporized

PVC solar version

PVC white (01) / **PVC** grey (03)

New!

Winter cover, safety cover made of high-strength fabric foil in grey, integrated aluminium tubes, incl. hand crank and retractable ground anchors

FREIGHT CHARGES on request

	725/320 7,25 x 3,2 x 1,5	825/320 8,25 x 3,2 x 1,5	775/370 7,75 x 3,7 x 1,5	875/370 8,75 x 3,7 x 1,5	975/370 9,75 x 3,7 x 1,5	1075/370* 10,75 x 3,7 x 1,5	1175/370* 11,75 x 3,7 x 1,5
	17.054,62 A Mod 725 040 03	18.806,72 A Mod 825 040 03	24.197,48 A Mod 775 040 03	25.789,92 A Mod 875 040 03	27.369,75 A Mod 975 040 03	28.966,39 A Mod 1075 040 03	30.554,62 A Mod 1175 040 03
	17.672,27 A Mod 725 040 ..	19.424,37 A Mod 825 040 ..	24.819,33 A Mod 775 040 ..	26.399,16 A Mod 875 040 ..	27.987,39 A Mod 975 040 ..	29.584,03 A Mod 1075 040 ..	31.180,67 A Mod 1175 040 ..
	20.121,85 A Mod 725 040 22	22.126,05 A Mod 825 040 22	27.928,57 A Mod 775 040 22	29.516,81 A Mod 875 040 22	31.100,84 A Mod 975 040 22	32.689,08 A Mod 1075 040 22	34.294,12 A Mod 1175 040 22
	26	30	32	37	42	47	52
	1.768,91 A 3 540 700	1.768,91 A 3 540 700	1.768,91 A 3 540 700	1.768,91 A 3 540 700	1.768,91 A 3 540 700	2.096,64 A 3 540 710	2.306,72 ** A 3 540 730
	1.046,22 A 3 541 120	1.046,22 A 3 541 120	1.046,22 A 3 541 120	1.046,22 A 3 541 120	1.046,22 A 3 541 120	1.046,22 A 3 541 120	1.046,22 A 3 541 120
	4.865,55 A 2 322 060	4.865,55 A 2 322 060	5.441,18 A 2 322 062	5.441,18 A 2 322 062	5.441,18 A 2 322 062	5.441,18 A 2 322 062	5.441,18 A 2 322 062
	8.651,26 A 3 561 280	8.651,26 A 3 561 280	8.651,26 A 3 561 280	8.651,26 A 3 561 280	8.651,26 A 3 561 280	8.651,26 A 3 561 280	8.651,26 A 3 561 280
	10.525,21 A 3 561 290	10.525,21 A 3 561 290	10.525,21 A 3 561 290	10.525,21 A 3 561 290	10.525,21 A 3 561 290	10.525,21 A 3 561 290	10.525,21 A 3 561 290
	4.277,31 A 3 593 110	4.277,31 A 3 593 110	4.277,31 A 3 593 110	4.277,31 A 3 593 110	4.277,31 A 3 593 110	4.277,31 A 3 593 110	4.277,31 A 3 593 110
	2.107,56 20,9 m	2.309,24 22,9 m	2.309,24 22,9 m	2.510,92 24,9 m	2.712,60 26,9 m	3.015,12 29,9 m	3.115,96 30,9 m
	5.268,91 A 3 025 120	5.487,39 A 3 025 130	5.268,91 A 3 025 120	5.487,39 A 3 025 130	5.924,37 A 3 025 142	6.361,34 A 3 025 146	6.579,83 A 3 025 162
	1.193,28 A 2 302 030	1.193,28 A 2 302 030	1.193,28 A 2 302 030	1.193,28 A 2 302 030	1.193,28 A 2 302 030	1.193,28 A 2 302 030	1.193,28 A 2 302 030
	6.546,22 B 3 590 067	6.546,22 B 3 590 067	6.546,22 B 3 590 067	6.546,22 B 3 590 067	6.546,22 B 3 590 067	6.546,22 B 3 590 067	6.546,22 B 3 590 067
	899,16 B 3 590 250	899,16 B 3 590 250	899,16 B 3 590 250	899,16 B 3 590 250	899,16 B 3 590 250	899,16 B 3 590 250	899,16 B 3 590 250
	9.357,14 B 3 591 250	9.357,14 B 3 591 250	9.357,14 B 3 591 250	9.357,14 B 3 591 250	9.357,14 B 3 591 250	9.357,14 B 3 591 250	9.357,14 B 3 591 250
	13.504,20 A 3 591 3..	13.504,20 A 3 591 3..	13.504,20 A 3 591 3..	13.504,20 A 3 591 3..	13.504,20 A 3 591 3..	13.504,20 A 3 591 3..	13.504,20 A 3 591 3..
	4.554,62 A 2 200 620	4.554,62 A 2 200 620	5.159,66 A 2 200 610	5.159,66 A 2 200 610	5.159,66 A 2 200 610	5.159,66 A 2 200 612	5.159,66 A 2 200 612
	6.802,52 A 22 004 320	6.802,52 A 22 004 320	6.970,59 A 22 004 310	6.970,59 A 22 004 310	6.970,59 A 22 004 310	6.970,59 A 22 004 310	6.970,59 A 22 004 310
	5.315,13 A 01-04 02 252	6.008,40 A 01-04 02 253	6.802,52 A 01-04 03 252	7.592,44 A 01-04 03 253	8.365,55 A 01-04 03 254	9.147,06 A 01-04 03 255	9.945,38 A 01-04 03 256
	6.109,24 A 01-05 02 252	6.907,56 A 01-05 02 253	7.815,13 A 01-05 03 252	8.718,49 A 01-05 03 253	9.617,65 A 01-05 03 254	10.495,80 A 01-05 03 255	11.407,56 A 01-05 03 256
	4.000,00 A 01-02 02 252	4.466,39 A 01-02 02 253	5.096,64 A 01-02 03 252	5.693,28 A 01-02 03 253	6.277,31 A 01-02 03 254	6.873,95 A 01-02 03 255	7.453,78 A 01-02 03 256
	2.600,84 A 01-.. 02 252	2.936,97 A 01-.. 02 253	3.336,13 A 01-.. 03 252	3.710,08 A 01-.. 03 253	4.092,44 A 01-.. 03 254	4.445,38 A 01-.. 03 255	4.815,13 A 01-.. 03 256
	3.932,77 A 02-0202010	4.453,78 A 02-0202020	4.647,06 A 02-0203030	5.235,29 A 02-0203040	5.831,93 A 02-0203050	6.268,91 A 02-0203060	6.857,14 A 02-0203070



** Skimmer made of stainless steel, loose, if basin is equipped with Integra 2-13

MODENA 550 CLASSIC

- One-piece pool made out of Epoxy-acrylate
- Pool with 3 cm insulation in the floor and 20 mm insulation in the walls
- Pool with 6 degree wall incline and roll cover ledge with integrated steel beam
- Pool step with 6 treads on the right side with anti-slip profiled surface

**EXTENSIONS
FROM P. 26**

- *Lighting packages - Water attractions*
- *infinity channels - Wetlounges*
- *decor tiles*



MODENA 550 SWIM & FUN

Swim-Spa made out of "Epoxy Acrylate"

- 6 pool steps with anti-slip profiled surface, comfortable seat and lounge with massage equipment. Roller shutter safety ledge.
- Steel frame integrated below the ledge of the roller shutter
- Pool with 3 cm insulation in the floor and 2 cm insulation in the walls
- Technique shaft laminated to the pool shell with fine wood cover (Kebony®)



Prefabricated swimming pool for inground-installation to be backfilled with lean concrete. All accessories pre-plumbed and pre-installed.

Filtration/heating:

- Pool filter with 6-way multiport valve and pump 0,37 kW with prefilter
- Electric heater 3 + 2 kW
- Skimmer with water level regulator
- 1 low level wall suction fitting
- 1 bottom outlet sump with cover
- 2 inlet jets
- 1 underwater light, LED white, 12 V, with transformer and plastic connection box
- Spa control with Spa Touch

Swim & Fun Pak consisting of:

- Double jet countercurrent system with air controls
- 6 microjets for back and legs
- 1 floor geyser for foot and calf
- 2 maritim massage jets



All pools shown are with equipment package and options.

MODENA 550

- Colours: • plain white
• papyrus (27) • silver-grey (24)
• sea blue (26) • beach (28)
• granicite stone grey

EQUIPMENT PACKAGE

Water Content m³

CLASSIC 550
5,5 x 2,7 x 1,5 m

SWIM & FUN 550
5,5 x 2,7 x 1,5 m

13.109,24
A Mod 550 010 03
13.768,91
A Mod 550 010 ..
15.886,55
A Mod 550 010 22

39.113,45
A Mod 550 020 03
39.789,92
A Mod 550 020 ..
41.894,96
A Mod 550 020 22

New!

1 Skimmer with water level controller (8 cm), 2 (4) inlet jets, 1 wall low level suction, 1 bottom outlet sump with cover, incl. universal RP connection box

1.768,91
A 3 540 700

incl.

New!

Lighting package „Standard S3“ / other packages: see p. 26

1.046,22
A 3 541 120

ACCESSORIES / other water attractions: see p. 28

Decor tiles made of Ezarri glass mosaic, installed and grouted at the factory.

A 3 916 360

1.953,78
16,4 m

1.953,78
16,4 m

Coping Stones granite, grey, 60 x 60 x 6.3 cm, with overhanging nose mottled surface, cut out for the fiberglass skimmer lid

4.411,76
A 3 025 050

4.411,76
A 3 025 050

Stainless steel grabrail, made of square tubing, polished, with fixing material, adhesive anchors and polished screen, per piece

1.193,28
A 2 302 030

1.193,28
A 2 302 030

FUN PAK 4.2

Technique shaft, laminated to the pool shell with fine wood (Kebony®)

4.588,24
A 2 322 063

incl.

Flow and massage system with double jet counter current unit, 2 maritim massage jets, 6 Microjets, 1 floor geyser, installed in technique shaft

8.651,26
A 3 561 280

incl.

Ditto, but then for concreting with red brass inlets and PVC pipes

10.525,21
A 3 561 290

10.525,21
A 3 561 290

Air massage system, incl. piezo switch, polished, 0,85 kW blower and switchbox

4.277,31
A 3 593 110

4.277,31
A 3 593 110

Pool filter 40 SC, with top valve, pump 0,37 kW, timer, installed in technique shaft

2.243,70
A 60 58

incl.

Warm water heat exchanger 40 kW with control unit installed in technique shaft

1.773,11
A 6 112 100

1.773,11
A 6 112 100

Twinjet counter current unit, double jet system, **Qmax 60 m³** (for pools with roller shutter shaft)

6.546,22
B 3 590 067

-

Safety suction fittings for pools without roller shutter shaft according to DIN EN 16 713
(for pools without roller shutter shaft). 2 x 2 ½", suction grille ø350 mm, Qmax = 52,7 m³/h, additional price

899,16
B 3 590 250

899,16
B 3 590 250

UNDERGROUND ROLLER SHUTTER COVER / other cover systems: see p. 34

Roller shutter shaft Integra 2-13 for an extra high water level, extends the pool by 48 cm, with hinged seat bench and 2 inlet nozzles, Additional water content: 270 : 1,2 m³

4.277,31
A 2 200 640

4.277,31
A 2 200 640

Electrical roll-up fixture RSK, 24 V DC, drive shaft made from composite material with internal motor incl. 10 m cable or 20 m for the swim & fun respectively, stainless steel wall mount, installed in the factory; incl. control box and key switch, incl. universal RP connection box

6.529,41
A 22 004 340

6.789,92
A 22 004 342

Roller shutter cover, 6 cm slat width

Cover: **Polycarbonate solar** version

3.773,11
A 01-04 20 211

3.773,11
A 01-04 20 211

Polycarbonate solar, version silver vaporized

4.331,93
A 01-05 20 211

4.331,93
A 01-05 20 211

PVC solar version

2.798,32
A 01-02 20 211

2.798,32
A 01-02 20 211

PVC white (01) / **PVC** grey (03)

1.987,39
A 01-.. 20 211

1.987,39
A 01-.. 20 211

New!

Winter cover, safety cover made of high-strength fabric foil in grey, integrated aluminium tubes, incl. hand crank and retractable ground anchors


3.067,23
A 02-0101010

3.403,36
A 02-0201015

FREIGHT CHARGES on request

LINEAR – Modern, elegant and clean lines. An entry step for friends to gather and relax, before or after exercise.

One-piece pool made out of Epoxy-acrylate, sandwich construction with 2 cm insulation in walls and 3 cm in the floor. 6 degree wall incline and rollcover ledge with integrated steel beam. 4 extra wide 37 cm steps with anti-slip profiled surface.



**EXTENSIONS
FROM P. 26**

- Lighting packages - Water attractions
- infinity channels - Wetlounges
- decor tiles

D•Line LINEAR

370



320



D-Line LINEAR

Colours: • plain white

• papyrus (27) • silver-grey (24)

• sea blue (26) • beach (28)

• granicite stone grey

EQUIPMENT PACKAGE

Water Content m³

New!

1 Skimmer with water level controller (8 cm), 2 (4) inlet jets, 1 wall low level suction, 1 bottom outlet sump with cover, incl. universal RP connection box

New!

Lighting package "Standard S1" / other packages: see p. 26

ACCESSORIES / other water attractions: see p. 28

Decor tiles made of Ezarri glass mosaic, installed and grouted at the factory. A 3 916 360

Coping stones granite, grey, 60 x 60 x 6.3 cm, with overhanging nose mottled surface, cut out for the fiberglass skimmer lid

Stainless steel grabrail Linear, polished, with fixing material, per piece

Twinjet counter current unit, double jets, Q_{max} 60 m³ (for pools with roller shutter shaft)

Safety suction fittings for pools without roller shutter shaft according to DIN EN 16 713 (for pools without roller shutter shaft). 2 x 2 ½", suction grille ø350 mm, Q_{max} = 52,7 m³/h, additional price

Trijet counter current unit, three jet system, Q_{max} 90 m³ (for pools with roller shutter shaft)

Alternatives on request.
Example consists of:

Safety suction fittings for pools without roller shutter shaft according to DIN EN 16 713 (for pools without roller shutter shaft). 3 x 2 ½", suction grille ø350 mm, Q_{max} = 105,4 m³/h, additional price

Turbojet turbine unit, Q_{max} approx. 300 m³/h, incl. technical shaft

Colour: black (00)
or white (05)

UNDERGROUND ROLLER SHUTTER COVER / other cover systems: see p. 34

Roller shutter shaft Integra 2-13 for an extra high water level, extends the pool by 48 cm, with hinged seat bench and 2 inlet nozzles, Additional water content: 370: 1,9 m³

Electrical roll-up fixture, drive shaft made from composite material with internal motor with 10 m cable and stainless steel wall mount, installed in the factory; incl. control box and key switch, incl. universal RP connection box

Roller shutter cover, 6 cm slat width

Cover: **Polycarbonate solar** version

Polycarbonate solar, version silver vaporized

PVC solar version

PVC white (01) / **PVC** grey (03)

New!

Winter cover, safety cover made of high-strength fabric foil in grey, integrated aluminium tubes, incl. hand crank and retractable ground anchors

FREIGHT CHARGES on request


	700 6,90 x 3,2 x 1,5 m	800 7,90 x 3,2 x 1,5 m	745 7,4 x 3,7 x 1,5 m	845 8,4 x 3,7 x 1,5 m	945 9,4 x 3,7 x 1,5 m	1045 10,4 x 3,7 x 1,5 m	1145 11,4 x 3,7 x 1,5 m
	20.394,96 A Lin 700 010 03	23.399,16 A Lin 800 010 03	23.747,90 A Lin 745 020 03	25.340,34 A Lin 845 020 03	26.924,37 A Lin 945 020 03	28.521,01 A Lin 1045 020 03	30.113,45 A Lin 1145 020 03
	20.945,38 A Lin 700 010 ..	24.226,89 A Lin 800 010 ..	24.373,95 A Lin 745 020 ..	25.949,58 A Lin 845 020 ..	27.546,22 A Lin 945 020 ..	29.134,45 A Lin 1045 020 ..	30.731,09 A Lin 1145 020 ..
	24.193,28 A Lin 700 010 22	27.756,30 A Lin 800 010 22	27.478,99 A Lin 745 020 22	29.067,23 A Lin 845 020 22	30.655,46 A Lin 945 020 22	32.243,70 A Lin 1045 020 22	33.844,54 A Lin 1145 020 22
	27	31	31	36	41	46	51
	1.768,91 A 3 540 700	1.768,91 A 3 540 700	1.768,91 A 3 540 700	1.768,91 A 3 540 700	1.768,91 A 3 540 700	2.096,64 A 3 540 710	2.096,64 A 3 540 710
	1.197,48 A 3 541 100	1.197,48 A 3 541 100	1.197,48 A 3 541 100	1.197,48 A 3 541 100	1.197,48 A 3 541 100	1.197,48 A 3 541 100	1.197,48 A 3 541 100
	2.036,97 20,2 m	2.238,65 22,2 m	2.248,73 22,3 m	2.450,41 24,3 m	2.652,09 26,3 m	2.853,77 28,3 m	3.055,45 30,3 m
	4.831,93 A 3 025 020	5.268,91 A 3 025 025	5.268,91 A 3 025 120	5.487,39 A 3 025 130	5.924,37 A 3 025 142	6.142,86 A 3 025 144	6.361,34 A 3 025 152
	1.323,53 A 2 302 040	1.323,53 A 2 302 040	1.323,53 A 2 302 040	1.323,53 A 2 302 040	1.323,53 A 2 302 040	1.323,53 A 2 302 040	1.323,53 A 2 302 040
	6.546,22 B 3 590 067	6.546,22 B 3 590 067	6.546,22 B 3 590 067	6.546,22 B 3 590 067	6.546,22 B 3 590 067	6.546,22 B 3 590 067	6.546,22 B 3 590 067
	899,16 B 3 590 250	899,16 B 3 590 250	899,16 B 3 590 250	899,16 B 3 590 250	899,16 B 3 590 250	899,16 B 3 590 250	899,16 B 3 590 250
	9.357,14 B 3 591 250	9.357,14 B 3 591 250	9.357,14 B 3 591 250	9.357,14 B 3 591 250	9.357,14 B 3 591 250	9.357,14 B 3 591 250	9.357,14 B 3 591 250
	1.105,04 B 3 590 260	1.105,04 B 3 590 260	1.105,04 B 3 590 260	1.105,04 B 3 590 260	1.105,04 B 3 590 260	1.105,04 B 3 590 260	1.105,04 B 3 590 260
	13.504,20 A 3 591 3..	13.504,20 A 3 591 3..	13.504,20 A 3 591 3..	13.504,20 A 3 591 3..	13.504,20 A 3 591 3..	13.504,20 A 3 591 3..	13.504,20 A 3 591 3..
	4.554,62 A 2 200 620	4.554,62 A 2 200 620	5.159,66 A 2 200 610	5.159,66 A 2 200 610	5.159,66 A 2 200 610	5.159,66 A 2 200 612	5.159,66 A 2 200 612
	6.802,52 A 22 004 320	6.802,52 A 22 004 320	6.970,59 A 22 004 310	6.970,59 A 22 004 310	6.970,59 A 22 004 310	6.970,59 A 22 004 310	6.970,59 A 22 004 310
	5.315,13 A 01-04 02 232	6.008,40 A 01-04 02 233	6.802,52 A 01-04 03 232	7.592,44 A 01-04 03 233	8.365,55 A 01-04 03 234	9.147,06 A 01-04 03 235	9.945,38 A 01-04 03 236
	6.109,24 A 01-05 02 232	6.907,56 A 01-05 02 233	7.815,13 A 01-05 03 232	8.718,49 A 01-05 03 233	9.617,65 A 01-05 03 234	10.495,80 A 01-05 03 235	11.407,56 A 01-05 03 236
	4.000,00 A 01-02 02 232	4.466,39 A 01-02 02 233	5.096,64 A 01-02 03 232	5.693,28 A 01-02 03 233	6.277,31 A 01-02 03 234	6.873,95 A 01-02 03 235	7.453,78 A 01-02 03 236
	2.600,84 A 01-.. 02 232	2.936,97 A 01-.. 02 233	3.336,13 A 01-.. 03 232	3.710,08 A 01-.. 03 233	4.092,44 A 01-.. 03 234	4.445,38 A 01-.. 03 235	4.815,13 A 01-.. 03 236
	3.831,93 A 02-0302010	4.352,94 A 02-0302020	4.512,61 A 02-0303030	5.109,24 A 02-0303040	5.546,22 A 02-0303050	6.134,45 A 02-0303060	6.731,09 A 02-0303070

Linear RS – the highlight of your garden

The linear step end with integrated roller shutter shaft.

A one-piece swimming pool like the Linear but with a more sophisticated feature: The Linear RS stairs have an integrated roller-shutter shaft. The cover is concealed invisibly below the steps, slides out at the touch of a button and covers the pool. For inspections, the step section folds up to open up the entire shaft. This arrangement also allows the use of an infinity edge that can be covered with decorative flow gravel; the water surface is smooth and calm (Fig. 2). The WetLounge is a great combination with the Linear RS stairs, providing an additional calm-water area for you to relax and your children to play (Fig. 3).

D•Line LINEAR RS



EXTENSIONS FROM P. 26

- Lighting packages - Water attractions
- infinity channels - Wetlounges
- decor tiles



D • Line LINEAR RS

Colours: • plain white

• papyrus (27) • silver-grey (24)

• sea blue (26) • beach (28)

• granicite stone grey

775 7,75 x 3,7 x 1,5 m 875 8,75 x 3,7 x 1,5 m 975 9,75 x 3,7 x 1,5 m 1075 10,75 x 3,7 x 1,5 m 1175 11,75 x 3,7 x 1,5 m

32.861,34 A LRS 775 010 03 33.483,19 A LRS 775 010 .. 36.584,03 A LRS 775 010 22 34.445,38 A LRS 875 010 03 35.063,03 A LRS 875 010 .. 38.176,47 A LRS 875 010 22 36.037,82 A LRS 975 010 03 36.651,26 A LRS 975 010 .. 39.760,50 A LRS 975 010 22 37.621,85 A LRS 1075 010 03 38.247,90 A LRS 1075 010 .. 41.361,34 A LRS 1075 010 22 39.218,49 A LRS 1175 010 03 39.836,13 A LRS 1175 010 .. 42.953,78 A LRS 1175 010 22

EQUIPMENT PACKAGE

Water Content m³

32 37 42 47 52

New!

1 Skimmer with water level controller (8 cm), 2 (4) inlet jets, 1 wall low level suction, 1 bottom outlet sump with cover, incl. universal RP connection box

1.768,91 A 3 540 700 1.768,91 A 3 540 700 1.768,91 A 3 540 700 2.096,64 A 3 540 710 2.096,64 A 3 540 710

New!

Lighting package „Standard S1“ / other packages: see p. 26

1.197,48 A 3 541 100 1.197,48 A 3 541 100 1.197,48 A 3 541 100 1.197,48 A 3 541 100 1.197,48 A 3 541 100

ACCESSORIES / other water attractions: see p. 28

Decor tiles made of Ezarri glass mosaic, installed and grouted at the factory A 3 916 360

2.309,24 22,9 m 2.510,92 24,9 m 2.712,60 26,9 m 3.015,12 29,9 m 3.115,96 30,9 m

Coping stones granite, grey, 60 x 60 x 6.3 cm, with overhanging nose mottled surface, cut out for the fiberglass skimmer lid

5.268,91 A 3 025 120 5.487,39 A 3 025 130 5.924,37 A 3 025 142 6.142,86 A 3 025 144 6.361,34 A 3 025 152

Stainless steel grabrail Linear, polished, with fixing material, per piece

1.323,53 A 2 302 040 1.323,53 A 2 302 040 1.323,53 A 2 302 040 1.323,53 A 2 302 040 1.323,53 A 2 302 040

Twinjet counter current unit, double jet system, Qmax 60 m³ (for pools with roller shutter shaft)

6.546,22 B 3 590 067 6.546,22 B 3 590 067 6.546,22 B 3 590 067 6.546,22 B 3 590 067 6.546,22 B 3 590 067

Safety suction fittings for pools without roller shutter shaft according to DIN EN 16 713

(for pools without roller shutter shaft). 2 x 2 ½", suction grille ø350 mm, Qmax = 52,7 m³/h, additional price

899,16 B 3 590 250 899,16 B 3 590 250 899,16 B 3 590 250 899,16 B 3 590 250 899,16 B 3 590 250

Trijet counter current unit, three jet system, Qmax 90 m³

(for pools with roller shutter shaft)

Alternatives on request.
Example consists of:

9.357,14 B 3 591 250 9.357,14 B 3 591 250 9.357,14 B 3 591 250 9.357,14 B 3 591 250 9.357,14 B 3 591 250

Safety suction fittings for pools without roller shutter shaft according to DIN EN 16 713

(for pools without roller shutter shaft). 3 x 2 ½", suction grille ø350 mm, Qmax = 105,4 m³/h, additional price

1.105,04 B 3 590 260 1.105,04 B 3 590 260 1.105,04 B 3 590 260 1.105,04 B 3 590 260 1.105,04 B 3 590 260

Turbojet turbine unit, Qmax approx. 300 m³/h, incl. technical shaft.

Colour: black (00) or white (05)

13.504,20 A 3 591 3.. 13.504,20 A 3 591 3.. 13.504,20 A 3 591 3.. 13.504,20 A 3 591 3.. 13.504,20 A 3 591 3..

UNDERGROUND ROLLER SHUTTER COVER / other cover systems: see p. 34

Electrical roll-up fixture, drive shaft made from composite material with internal motor with 10 m cable and stainless steel wall mount, installed in the factory; incl. control box and key switch, incl. universal RP connection box

6.970,59 A 22 004 310 6.970,59 A 22 004 310 6.970,59 A 22 004 310 6.970,59 A 22 004 310 6.970,59 A 22 004 310

Roller shutter cover, 6 cm slat width

Cover: Polycarbonate solar version

6.802,52 A 01-04 04 232 7.592,44 A 01-04 04 233 8.365,55 A 01-04 04 234 9.147,06 A 01-04 04 235 9.945,38 A 01-04 04 236

Polycarbonate solar, version silver vaporized

7.815,13 A 01-05 04 232 8.718,49 A 01-05 04 233 9.617,65 A 01-05 04 234 10.495,80 A 01-05 04 235 11.407,56 A 01-05 04 236

PVC solar version

5.096,64 A 01-02 04 232 5.693,28 A 01-02 04 233 6.277,31 A 01-02 04 234 6.873,95 A 01-02 04 235 7.453,78 A 01-02 04 236

PVC white (01) / PVC grey (03)

3.336,13 A 01-.. 04 232 3.710,08 A 01-.. 04 233 4.092,44 A 01-.. 04 234 4.445,38 A 01-.. 04 235 4.815,13 A 01-.. 04 236

New!

Winter cover, safety cover made of high-strength fabric foil in grey, integrated aluminium tubes, incl. hand crank and retractable ground anchors

4.420,17 A 02-0403030 5.016,81 A 02-0403040 5.453,78 A 02-0403050 6.042,02 A 02-0403060 6.638,66 A 02-0403070

Infinity edge overflow at the front end

3.563,03 A 2 115 050 3.563,03 A 2 115 050 3.563,03 A 2 115 050 3.563,03 A 2 115 050 3.563,03 A 2 115 050

Overflow channel with gutter for infinity edge

1.184,87 A 2 115 055 1.184,87 A 2 115 055 1.184,87 A 2 115 055 1.184,87 A 2 115 055 1.184,87 A 2 115 055

Shallow water area


(Caution: Include roller cover extension) 23 cm deep, 2 m laminated, ** 1,80 m long, flanged

6.105,04 A 2 115 370 6.105,04 A 2 115 370 6.105,04 A 2 115 370 8.331,93** A 2 115 360 8.331,93** A 2 115 360

FREIGHT CHARGES on request

The *new* LUGANO RS – the focal point of your wellness oasis!

Just as the Linear RS the Lugano RS features an integrated roller shutter shaft. The cover is concealed invisibly below the steps, slides out at the touch of a button and covers the pool. For inspections, the step can be opened. This arrangement also allows the use of an infinity edge that can be covered with decorative flow gravel; the water surface is smooth and calm. The WetLounge is a great combination with the Lugano RS stairs, providing an additional shallow-water area for you to relax and your children to play (see example of Linear RS with Wetlounge).




LUGANO RS WITH INFINITY OVERFLOW
AT THE FRONT END
(for more options see p. 14)

**EXTENSIONS
FROM P. 26**

- *Lighting packages - Water attractions*
- *infinity channels - Wetlounges*
- *decor tiles*

D•Line LUGANO RS



D • Line LUGANO RS

Colours: • plain white

• papyrus (27) • silver-grey (24)

• sea blue (26) • beach (28)

• granicite stone grey

EQUIPMENT PACKAGE

Water Content m³

New!

1 Skimmer with water level controller (8 cm), 2 (4) inlet jets, 1 wall low level suction, 1 bottom outlet sump with cover, incl. universal RP connection box

New!

Lighting package „Standard S1“ / other packages: see p. 26

ACCESSORIES / other water attractions: see p. 28

Decor tiles made of Ezarri glass mosaic, installed and grouted at the factory

A 3 916 360

Coping stones granite, grey, 60 x 60 x 6.3 cm, with overhanging nose mottled surface, cut out for the fiberglass skimmer lid

Stainless steel grabrail Linear, polished, with fixing material, per piece

Twinjet counter current unit, double jet system, Q_{max} 60 m³ (for pools with roller shutter shaft)

Safety suction fittings for pools without roller shutter shaft according to DIN EN 16 713

(for pools without roller shutter shaft). 2 x 2 ½", suction grille ø350 mm, Q_{max} = 52,7 m³/h, additional price

Trijet counter current unit, three jet system, Q_{max} 90 m³

(for pools with roller shutter shaft)

Alternatives on request.
Example consists of:

Safety suction fittings for pools without roller shutter shaft according to DIN EN 16 713

(for pools without roller shutter shaft). 3 x 2 ½", suction grille ø350 mm, Q_{max} = 105,4 m³/h, additional price

Turbojet turbine unit, Q_{max} approx. 300 m³/h, incl. technical shaft.

Colour: black (00) or white (05)

UNDERGROUND ROLLER SHUTTER COVER / other cover systems: see p. 34

Electrical roll-up fixture, drive shaft made from composite material with internal motor with 10 m cable and stainless steel wall mount, installed in the factory; incl. control box and key switch, incl. universal RP connection box

Roller shutter cover, 6 cm slat width

Cover: **Polycarbonate solar** version

Polycarbonate solar, version silver vaporized

PVC solar version

PVC white (01) / PVC grey (03)

New!

Winter cover, safety cover made of high-strength fabric foil in grey, integrated aluminium tubes, incl. hand crank and retractable ground anchors

Infinity edge overflow at the front end

Overflow channel with gutter for infinity edge

Shallow water area

(Caution: Include roller cover extension) 23 cm deep, 2 m laminated, ** 1,80 m long, flanged


FREIGHT CHARGES on request

	775 7,75 x 3,7 x 1,5 m	875 8,75 x 3,7 x 1,5 m	975 9,75 x 3,7 x 1,5 m	1075 10,75 x 3,7 x 1,5 m	1175 11,75 x 3,7 x 1,5 m
	32.647,06 A LURS 775 010 03	34.231,09 A LURS 875 010 03	35.827,73 A LURS 975 010 03	37.407,56 A LURS 1075 010 03	39.008,40 A LURS 1175 010 03
	33.268,91 A LURS 775 010 ..	34.394,96 A LURS 875 010 ..	36.436,97 A LURS 975 010 ..	38.029,41 A LURS 1075 010 ..	39.626,05 A LURS 1175 010 ..
	36.373,95 A LURS 775 010 22	37.936,97 A LURS 875 010 22	39.546,22 A LURS 975 010 22	41.142,86 A LURS 1075 010 22	42.743,70 A LURS 1175 010 22
	32	37	42	47	52
	1.768,91 A 3 540 700	1.768,91 A 3 540 700	1.768,91 A 3 540 700	2.096,64 A 3 540 710	2.096,64 A 3 540 710
	1.197,48 A 3 541 100	1.197,48 A 3 541 100	1.197,48 A 3 541 100	1.197,48 A 3 541 100	1.197,48 A 3 541 100
	2.309,24 22,9 m	2.510,92 24,9 m	2.712,60 26,9 m	3.015,12 29,9 m	3.115,96 30,9 m
	5.268,91 A 3 025 120	5.487,39 A 3 025 130	5.924,37 A 3 025 142	6.142,86 A 3 025 144	6.361,34 A 3 025 152
	1.323,53 A 2 302 040	1.323,53 A 2 302 040	1.323,53 A 2 302 040	1.323,53 A 2 302 040	1.323,53 A 2 302 040
	6.546,22 B 3 590 067	6.546,22 B 3 590 067	6.546,22 B 3 590 067	6.546,22 B 3 590 067	6.546,22 B 3 590 067
	899,16 B 3 590 250	899,16 B 3 590 250	899,16 B 3 590 250	899,16 B 3 590 250	899,16 B 3 590 250
	9.357,14 B 3 591 250	9.357,14 B 3 591 250	9.357,14 B 3 591 250	9.357,14 B 3 591 250	9.357,14 B 3 591 250
	1.105,04 B 3 590 260	1.105,04 B 3 590 260	1.105,04 B 3 590 260	1.105,04 B 3 590 260	1.105,04 B 3 590 260
	13.504,20 A 3 591 3..	13.504,20 A 3 591 3..	13.504,20 A 3 591 3..	13.504,20 A 3 591 3..	13.504,20 A 3 591 3..
	6.970,59 A 22 004 310	6.970,59 A 22 004 310	6.970,59 A 22 004 310	6.970,59 A 22 004 310	6.970,59 A 22 004 310
	6.802,52 A 01-04 04 232	7.592,44 A 01-04 04 233	8.365,55 A 01-04 04 234	9.147,06 A 01-04 04 235	9.945,38 A 01-04 04 236
	7.815,13 A 01-05 04 232	8.718,49 A 01-05 04 233	9.617,65 A 01-05 04 234	10.495,80 A 01-05 04 235	11.407,56 A 01-05 04 236
	5.096,64 A 01-02 04 232	5.693,28 A 01-02 04 233	6.277,31 A 01-02 04 234	6.873,95 A 01-02 04 235	7.453,78 A 01-02 04 236
	3.336,13 A 01-.. 04 232	3.710,08 A 01-.. 04 233	4.092,44 A 01-.. 04 234	4.445,38 A 01-.. 04 235	4.815,13 A 01-.. 04 236
	4.420,17 A 02-0403030	5.016,81 A 02-0403040	5.453,78 A 02-0403050	6.042,02 A 02-0403060	6.638,66 A 02-0403070
	3.563,03 A 2 115 050	3.563,03 A 2 115 050	3.563,03 A 2 115 050	3.563,03 A 2 115 050	3.563,03 A 2 115 050
	1.184,87 A 2 115 055	1.184,87 A 2 115 055	1.184,87 A 2 115 055	1.184,87 A 2 115 055	1.184,87 A 2 115 055
	6.105,04 A 2 115 370	6.105,04 A 2 115 370	6.105,04 A 2 115 370	8.331,93** A 2 115 360	8.331,93** A 2 115 360

WetLounge® is the ideal combination for plenty of unique and unforgettable summers:

- Spacious swimming area measuring 8 x 3,7 metres or 10 x 3,7 metres with 1,5 metres depth
- Step end Linear RS with four large steps and integrated roller shutter pool cover
- WetLounge® –shallow water zone 2 x 3,7 meters and 0,23 meters depth
- Step system Ancona, five steps in front of the lounge


One-piece pool made out of Epoxy-acrylate, sandwich construction with 2 cm insulation in the walls and 3 cm in the floor. 6 degree wall incline and rollcover ledge with integrated steel beam. The pool can be fully covered. Below the coping stones, high water levels of up to 5 cm are possible.



EXTENSIONS
FROM P. 26

- *Lighting packages - Water attractions*
- *infinity channels - Wetlounges*
- *decor tiles*

WetLounge



WetLounge® – Ancona with Linear RS step-end and integrated roller shutter cover 1,75 m

		WL 1175 11,75 x 3,7 x 1,5 m	WL 1375* 13,75 x 3,7 x 1,5 m
Colours: • plain white		39.134,45	44.542,02
• papyrus (27) • silver-grey (24)		A Awl 1175 01003	A Awl 1375 01003
• sea blue (26) • beach (28)		43.079,83	46.373,95
• granicite stone grey		A Awl 1175 010..	A Awl 1375 010..
EQUIPMENT PACKAGE		46.777,31	50.563,03
		A Awl 1175 01022	A Awl 1375 01022
		Water Content m ³	43
			53
New!	1 Skimmer with water level controller (8 cm), 2 (4) inlet jets, 1 wall low level suction, 1 bottom outlet sump with cover, incl. universal RP connection box	1.768,91	2.096,64
		A 3 540 700	A 3 540 710
New!	Lighting package "Standard S2" / other packages: see p. 26	1.197,48	1.197,48
		A 3 541 110	A 3 541 110
ACCESSORIES / other water attractions: see p. 28			
Decor tiles made of Ezarri glass mosaic , series Zen, Iridescent, Metal, Space, installed and grouted at the factory		A 3 916 360	
		3.115,96	3.519,32
		30,9 m	34,9 m
Coping stones granite , grey, 60 x 60 x 6.3 cm, with overhanging nose mottled surface, cut out for the fiberglass skimmer lid		6.361,34	7.016,81
		A 3 025 152	A 3 025 172
Stainless steel grabrail, polished , with fixing material, adhesive anchors and polished screen, per piece		1.193,28	1.193,28
		A 2 302 030	A 2 302 030
Twinjet counter current unit , double jet system, Qmax 60 m ³ (for pools with roller shutter shaft)		6.546,22	6.546,22
		B 3 590 067	B 3 590 067
Safety suction fittings for pools without roller shutter shaft according to DIN EN 16 713 (for pools without roller shutter shaft). 2 x 2 ½", suction grille ø350 mm, Qmax = 52,7 m ³ /h, additional price		899,16	899,16
		B 3 590 250	B 3 590 250
Trijet counter current unit, three jet system , Qmax 90 m ³ (for pools with roller shutter shaft)		9.357,14	9.357,14
		B 3 591 250	B 3 591 250
Safety suction fittings for pools without roller shutter shaft according to DIN EN 16 713 (for pools without roller shutter shaft). 3 x 2 ½", suction grille ø350 mm, Qmax = 105,4 m ³ /h, additional price		1.105,04	1.105,04
		B 3 590 260	B 3 590 260
Turbojet turbine unit , Qmax approx. 300 m ³ /h, incl. technical shaft.		13.504,20	13.504,20
		Colour: black (00) or white (05)	A 3 591 3..
UNDERGROUND ROLLER SHUTTER COVER / other cover systems: see p. 34			
Electrical roll-up fixture , drive shaft made from composite material with internal motor with 10 m cable and stainless steel wall mount, installed in the factory; incl. control box and key switch, incl. universal RP connection box		6.970,59	6.970,59
		A 22 004 310	A 22 004 310
Roller shutter cover , 6 cm slat width			
Cover: Polycarbonate solar version		9.945,38	11.626,05
		A 01-04 04 236	A 01-04 04 238
Polycarbonate solar , version silver vaporized		11.407,56	13.373,95
		A 01-05 04 236	A 01-05 04 238
PVC solar version		7.453,78	8.718,49
		A 01-02 04 236	A 01-02 04 238
PVC white (01) / PVC grey (03)		4.815,13	5.500,00
		A 01-.. 04 236	A 01-.. 04 238
Winter cover , safety cover made of high-strength fabric foil in grey, integrated aluminium tubes, incl. hand crank and retractable ground anchors		6.638,66	7.638,66
		A 02-0403070	A 02-0503070
FREIGHT CHARGES on request			

* For reasons of transport the WetLounge® is delivered with flange for on-site installation.

ROM – Traditional pool entry step with 5 full width steps with anti-slip profiled surface.


One-piece polyester pool made out of Epoxy-Acrylate. 5 pool steps, with 6 degree wall incline and rollcover ledge with integrated steel beam. Pool with 3 cm insulation in the floor and 2 cm insulation in the walls.



**EXTENSIONS
FROM P. 26**

- Lighting packages - Water attractions
- infinity channels - Wetlounges
- decor tiles

ROM




Rom

		745 7,45 x 3,7 x 1,5 m	845 8,45 x 3,7 x 1,5 m	945 9,45 x 3,7 x 1,5 m	1045 10,45 x 3,7 x 1,5 m	1145 11,45 x 3,7 x 1,5 m
Colours: • plain white		25.315,13 A Rom 745 010 03	26.915,97 A Rom 845 010 03	28.184,87 A Rom 945 010 03	29.773,11 A Rom 1045 010 03	31.373,95 A Rom 1145 010 03
• papyrus (27) • silver-grey (24)		25.949,58 A Rom 745 010 ..	27.537,82 A Rom 845 010 ..	28.827,73 A Rom 945 010 ..	30.420,17 A Rom 1045 010 ..	32.025,21 A Rom 1145 010 ..
• sea blue (26) • beach (28)						
• granicite stone grey		29.596,64 A Rom 745 010 22	31.432,77 A Rom 845 010 22	32.941,18 A Rom 945 010 22	34.777,31 A Rom 1045 010 22	36.613,45 A Rom 1145 010 22
EQUIPMENT PACKAGE	Water Content m ³	31	36	41	46	51
New! 1 Skimmer with water level controller (8 cm), 2 (4) inlet jets, 1 wall low level suction, 1 bottom outlet sump with cover, incl. universal RP connection box		1.768,91 A 3 540 700	1.768,91 A 3 540 700	1.768,91 A 3 540 700	2.096,64 A 3 540 710	2.096,64 A 3 540 710
New! Lighting package „Standard S1“ / other packages: see p. 26		1.197,48 A 3 541 100	1.197,48 A 3 541 100	1.197,48 A 3 541 100	1.197,48 A 3 541 100	1.197,48 A 3 541 100
ACCESSORIES / other water attractions: see p. 28						
Decor tiles made of Ezarri glass mosaic , installed and grouted at the factory	A 3 916 360	2.248,73 22,3 m	2.450,41 24,3 m	2.652,09 26,3 m	2.853,77 28,3 m	3.055,45 30,3 m
Coping stone made of granite, grey , 50 x 35 x 4 cm, stone rounded to the pool side		2.899,16 A 3 021 206	3.100,84 A 3 021 306	3.302,52 A 3 021 406	3.504,20 A 3 021 506	3.705,88 A 3 021 606
Stainless steel grabrail , per pair, polished		1.445,38 A 2 302 010	1.445,38 A 2 302 010	1.445,38 A 2 302 010	1.445,38 A 2 302 010	1.445,38 A 2 302 010
Twinjet counter current unit , double jet system, Q _{max} 60 m ³ (for pools with roller shutter shaft)		6.546,22 B 3 590 067	6.546,22 B 3 590 067	6.546,22 B 3 590 067	6.546,22 B 3 590 067	6.546,22 B 3 590 067
Safety suction fittings for pools without roller shutter shaft according to DIN EN 16 713 (for pools without roller shutter shaft). 2 x 2 ½", suction grille ø350 mm, Q _{max} = 52,7 m ³ /h, additional price		899,16 B 3 590 250	899,16 B 3 590 250	899,16 B 3 590 250	899,16 B 3 590 250	899,16 B 3 590 250
Trijet counter current unit, three jet system , Q _{max} 90 m ³ (for pools with roller shutter shaft)	Alternatives on request. Example consists of:	9.357,14 B 3 591 250	9.357,14 B 3 591 250	9.357,14 B 3 591 250	9.357,14 B 3 591 250	9.357,14 B 3 591 250
Safety suction fittings for pools without roller shutter shaft according to DIN EN 16 713 (for pools without roller shutter shaft). 3 x 2 ½", suction grille ø350 mm, Q _{max} = 105,4 m ³ /h, additional price		1.105,04 B 3 590 260	1.105,04 B 3 590 260	1.105,04 B 3 590 260	1.105,04 B 3 590 260	1.105,04 B 3 590 260
Turbojet turbine unit , Q _{max} approx. 300 m ³ /h, incl. technical shaft.	Colour: black (00) or white (05)	13.504,20 A 3 591 3..	13.504,20 A 3 591 3..	13.504,20 A 3 591 3..	13.504,20 A 3 591 3..	13.504,20 A 3 591 3..
Stainless steel handrail, polished, 2 m long , made of round tubing, with 2 mounting flanges and wall anchors, per piece		798,32 A 2 303 080	798,32 A 2 303 080	798,32 A 2 303 080	798,32 A 2 303 080	798,32 A 2 303 080
UNDERGROUND ROLLER SHUTTER COVER / other cover systems: see p. 34						
Roller shutter shaft Integra 2-13 for an extra high water level, extends the pool by 48 cm, with hinged seat bench and 2 inlet nozzles, Additional water content: 370: 1,9 m ³		5.159,66 A 2 200 610	5.159,66 A 2 200 610	5.159,66 A 2 200 610	5.159,66 A 2 200 612	5.159,66 A 2 200 612
Electrical roll-up fixture , drive shaft made from composite material with internal motor with 10 m cable and stainless steel wall mount, installed in the factory; incl. control box and key switch, incl. universal RP connection box		6.970,59 A 22 004 310	6.970,59 A 22 004 310	6.970,59 A 22 004 310	6.970,59 A 22 004 310	6.970,59 A 22 004 310
Roller shutter cover , 6 cm slat width						
Cover: Polycarbonate solar version		7.021,01 A 01-04 03 242	7.810,92 A 01-04 03 243	8.584,03 A 01-04 03 244	9.365,55 A 01-04 03 245	10.163,87 A 01-04 03 246
Polycarbonate solar , version silver vaporized		7.920,17 A 01-05 03 242	8.823,53 A 01-05 03 243	9.722,69 A 01-05 03 244	10.600,84 A 01-05 03 245	11.512,61 A 01-05 03 246
PVC solar version		5.176,47 A 01-02 03 242	5.773,11 A 01-02 03 243	6.357,14 A 01-02 03 244	6.953,78 A 01-02 03 245	7.533,61 A 01-02 03 246
PVC white (01) / PVC grey (03)		3.403,36 A 01- .. 03 242	3.777,31 A 01- .. 03 243	4.159,66 A 01- .. 03 244	4.512,61 A 01- .. 03 245	4.882,35 A 01- .. 03 246
FREIGHT CHARGES	on request					

Ancona with overflow channel – One-piece polyester pool made out of Epoxy-Acrylate.

Pool step with 5 steps on the right side with anti-slip profiled surface. Pool with 3 cm insulation in the floor and 2 cm insulation in the walls. White plastic overflow gutter, adjustable overflow weir, tiles and epoxy glue for installation on site. 2 overflow drains d125, white PVC grates with 4 corners.



**EXTENSIONS
FROM P. 26**

- *Lighting packages - Water attractions*
- *infinity channels - Wetlounges*
- *decor tiles*

Stone covering of the overflow channel

Fig. left: scope of delivery: insert grate to be covered by stones




Fig. right: example of on-site finish



D•Line ANCONA with overflow channel



D-Line ANCONA with overflow channel

Colours: • plain white

• papyrus (27) • silver-grey (24)

• sea blue (26) • beach (28)

• granicite stone grey

EQUIPMENT PACKAGE Ü, private use

Water Content m³

800 Ü
8,61 x 4,31 x 1,35 m

1000 Ü
10,61 x 4,31 x 1,35 m

1 wall low level suction, 1 bottom outlet sump with cover,
4 (6) inlet jets 105, vacuum point

Lighting package „Standard S1“ / other packages: see p. 26

ACCESSORIES / other water attractions: see p. 28

Prefabricated kit for pools with overflow channel with gutter, white, adjustable overflow weir of GRP,
water-side tiles and epoxy glue for installation on site included

Prefabricated kit for pools with overflow channel with stone cover, adjustable overflow weir made of GRP,
with plastic insert grate for on-site bonding of tiles/stone slabs

Hot tap sampling point, 2 suction fittings 2", female thread, suction grilles ø200 mm for 14,3 m³/h each, polished

Twinjet counter current unit, double jet system, Q_{max} 60 m³ (for pools with roller shutter shaft)

Safety suction fittings for pools without roller shutter shaft according to DIN EN 16 713
(for pools without roller shutter shaft). 2 x 2 ½", suction grille ø350 mm, Q_{max} = 52,7 m³/h, additional price

Trijet counter current unit, three jet system, Q_{max} 90 m³ (for pools with roller shutter shaft)

Safety suction fittings for pools without roller shutter shaft according to DIN EN 16 713
(for pools without roller shutter shaft). 3 x 2 ½", suction grille ø350 mm, Q_{max} = 105,4 m³/h, additional price

Turbojet turbine unit, Q_{max} approx. 300 m³/h, incl. technical shaft

Alternatives on request.
Example consists of:

Colour: black (00) or white (05)

WATER TANKS (on request)

INLINE ROLLER SHUTTER INLINE

Roller shutter installed on the bottom of a pool, roll cover housed in a hinged Inline bench pre-installed,
with 2 nozzles 1,5" under the bench, Additional water content: 1,2 m³

Electrical roll-up fixture, drive shaft made from composite material with internal motor with 10 m cable and stainless
steel wall mount, installed in the factory; incl. control box and **key switch**, incl. universal RP connection box

Roller shutter cover, 6 cm slat width

Cover: **Polycarbonate solar** version

Polycarbonate solar, version silver vaporized

PVC solar version

PVC white (01) / **PVC** grey (03)

STEEL WALL SUPPORTS

Galvanized, laminated to the 4 sides of the pool shell in the factory

For installation on site, non-fixed

FREIGHT CHARGES on request

41.907,56
A AncÜ 800 010 03

42.672,27
A AncÜ 800 010 ..

50.222,69
A AncÜ 800 010 22

34

1.453,78
A 3 540 740

1.197,48
A 3 541 110

8.495,80
A 2 401 024

10.777,31
A 2 401 224

739,50
B 4 230 110

6.546,22
B 3 590 067

899,16
B 3 590 250

9.357,14
B 3 591 250

1.105,04
B 3 590 260

13.504,20
A 3 591 3..

9.630,25
A 2 200 355

9.630,25
A 2 200 355

6.970,59
A 22 004 414

7.042,02
A 01-04 05 204

8.109,24
A 01-05 05 204

5.281,51
A 01-02 05 204

3.365,55
A 01- .. 05 204

16.726,89
A 2 400 503

13.987,39
A 2 400 603

47.903,36
A AncÜ 1000 010 03

48.735,29
A AncÜ 1000 010 ..

57.861,34
A AncÜ 1000 010 22

43

1.781,51
A 3 540 750

1.197,48
A 3 541 110

9.781,51
A 2 401 026

12.331,93
A 2 401 226

739,50
B 4 230 110

6.546,22
B 3 590 067

899,16
B 3 590 250

9.357,14
B 3 591 250

1.105,04
B 3 590 260

13.504,20
A 3 591 3..

9.630,25
A 2 200 355

9.630,25
A 2 200 355

6.970,59
A 22 004 414

8.621,85
A 01-04 05 206

9.899,16
A 01-05 05 206

6.457,98
A 01-02 05 206

4.088,24
A 01- .. 05 206

19.592,44
A 2 400 541

16.373,95
A 2 400 641

LINEAR with overflow channel –

One-piece polyester pool made out of Epoxy-Acrylate.

Sandwich construction with 2 cm wall insulation and 3 cm insulation in the floor. White plastic overflow gutter, adjustable overflow weir, tiles and epoxy glue for installation on site. 2 overflow drains d125, white PVC grates with corners.



EXTENSIONS
FROM P. 26

- Lighting packages - Water attractions
- infinity channels - Wetlounges
- decor tiles

Stone covering of the overflow channel

Fig. left: scope of delivery: insert grate to be covered by stones




Fig. right: example of on-site finish



D•Line LINEAR with overflow channel



D-Line LINEAR with overflow channel

Colours: • plain white

• papyrus (27) • silver-grey (24)

• sea blue (26) • beach (28)

• granicite stone grey

745 Ü 8,10 x 4,31 x 1,35 m 845 Ü 9,10 x 4,31 x 1,35 m 945 Ü 10,10 x 4,31 x 1,35 m 1045 Ü 11,10 x 4,31 x 1,35 m 1145 Ü 12,10 x 4,31 x 1,35 m

40.600,84

A LinÜ 745 010 03

41.231,09

A LinÜ 745 010 ..

48.193,28

A LinÜ 745 010 22

43.579,83

A LinÜ 845 010 03

44.210,08

A LinÜ 845 010 ..

51.689,08

A LinÜ 845 010 22

46.554,62

A LinÜ 945 010 03

47.193,28

A LinÜ 945 010 ..

55.218,49

A LinÜ 945 010 22

49.546,22

A LinÜ 1045 010 03

50.172,27

A LinÜ 1045 010 ..

58.735,29

A LinÜ 1045 010 22

52.542,02

A LinÜ 1145 010 03

53.159,66

A LinÜ 1145 010 ..

62.256,30

A LinÜ 1145 010 22

EQUIPMENT PACKAGE Ü, private use

Water Content m³

New!

1 wall low level suction, 1 bottom outlet sump with cover, 4 (6) inlet jets 105, vacuum point

New!

Lighting package „Standard S1“ / other packages: see p. 26

ACCESSORIES / other water attractions: see p. 28

Prefabricated kit for pools with overflow channel with gutter, white, adjustable overflow weir of GRP, water-side tiles and epoxy glue for installation on site included

Prefabricated kit for pools with overflow channel with stone cover, adjustable overflow weir made of GRP, with plastic insert grate for on-site bonding of tiles/stone slabs

Hot tap sampling point, 2 suction fittings 2", female thread, suction grilles ø200 mm for 14,3 m³/h each, polished

Twinjet counter current unit, double jet system, Q_{max} 60 m³ (for pools with roller shutter shaft)

Safety suction fittings for pools without roller shutter shaft according to DIN EN 16 713 (for pools without roller shutter shaft). 2 x 2 1/2", suction grille ø350 mm, Q_{max} = 52,7 m³/h, addit. price

Trijet counter current unit, three jet system, Q_{max} 90 m³ (for pools with roller shutter shaft)

Alternatives on request.
Example consists of:

Safety suction fittings for pools without roller shutter shaft according to DIN EN 16 713 (for pools without roller shutter shaft). 3 x 2 1/2", suction grille ø350 mm, Q_{max} = 105,4 m³/h, additional price

Turbojet turbine unit, Q_{max} approx. 300 m³/h, incl. technical shaft

Colour: black (00) or white (05)

WATER TANKS (on request)

INLINE ROLLER SHUTTER INLINE

Roller shutter installed on the bottom of a pool, roll cover housed in a hinged Inline bench pre-installed, with 2 nozzles 1,5" under the bench, Additional water content: 1,2 m³

Electrical roll-up fixture, drive shaft made from composite material with internal motor with 10 m cable and stainless steel wall mount, installed in the factory; incl. control box and key switch, incl. universal RP connection box

Roller shutter cover, 6 cm slat width

Cover: **Polycarbonate solar** version

Polycarbonate solar, version silver vaporized

PVC solar version

PVC white (01) / **PVC** grey (03)

STEEL WALL SUPPORTS

Galvanized, laminated to the 4 sides of the pool shell in the factory

For installation on site, non-fixed


FREIGHT CHARGES on request

Lighting package New!

LIGHTING PACKAGES "STANDARD"



warm white




RGB

LIGHTING PACKAGES "M"



warm white



RGB

1 LAMP, WARM WHITE

S1 + S2: 1 lamp ø170 mm, 45 W, WW, 4500 lm

S3: 1 lamp ø100 mm, 7 W, WW, 700 lm

Incl. niche, transformer and universal RP connection box.

"Standard S1" step-ends A 3 541 100 complete **1.197,48**

"Standard S2" Ancona A 3 541 110 complete **1.197,48**

"Standard S3" Modena A 3 541 120 complete **1.046,22**

1 LAMP, RGB

S1 + S2: 1 lamp ø170 mm, 40 W, RGB, 2000 lm

S3: 1 lamp ø100 mm, 6 W, RGB, 300 lm

Avec niche, boîtier de commande avec télécommande, compatible DMX et boîte de connexion RP universelle.

"Standard S1" step-ends A 3 541 105 complete **1.991,60**

"Standard S2" Ancona A 3 541 115 complete **1.991,60**

"Standard S3" Modena A 3 541 125 complete **1.773,11**

LAMP ø170 mm + 2 LAMPS ø100 mm, WARM WHITE

M1 + M2: 1 lamp ø170 mm, 45 W, WW, 4500 lm, 2 lamps ø100 mm, 7 W, 700 lm

M3: 3 lamps ø100 mm, 7 W, 700 lm

Avec niches, transformateur et boîte de connexion RP universelle.

Lighting packages "M1" step-ends A 3 541 130 complete **2.819,33**

Lighting packages "M2" Ancona A 3 541 140 complete **2.819,33**

Lighting packages "M3" Modena A 3 541 150 complete **2.626,05**

LAMP ø170 mm + 2 LAMPS ø100 mm, RGB

M1 + M2: 1 lamp ø170 mm 40 W, RGB, 2000 lm und 2 lamps ø100 mm, 6 W, 300 lm


M3: 3 lamps ø100 mm, 6 W, RGB, 300 lm

Incl. niche, switch box and remote control, DMX-compatible, and universal RP connection box.


Lighting packages "M1" step-ends A 3 541 135 complete **3.487,39**

Lighting packages "M2" Ancona A 3 541 145 complete **3.487,39**

Lighting packages "M3" Modena A 3 541 155 complete **3.084,03**



Example of positioning*




Example of positioning*

● * ø100 mm
● * ø170 mm

LIGHTING PACKAGES

"L"




warm white

2 LAMPS ø170 mm + 2 LAMPS ø100 mm WARM WHITE

2 lamps ø170 mm, 45 W, WW, 4500 lm and 2 lamps ø100 mm, 7 W, 700 lm.

Incl. niches, transformer and universal RP connection box.

Lighting packages „L“ A 3 541 160 complete **3.634,45**



RGB

2 LAMPS ø170 mm + 2 LAMPS ø100 mm RGB

2 lamps ø170 mm, 40 W, RGB, 2000 lm and 2 lamps ø100 mm, 6 W, 300 lm.

Incl. niches, switch box/splitter and remote control, DMX-compatible, and universal RP connection box.


Lighting packages „L“ A 3 541 165 complete **4.457,98**



Example of positioning*

LIGHTING PACKAGES

"XL"



warm white

3 LAMPS ø170 mm + 2 LAMPS ø100 mm WARM WHITE

3 lamps ø170 mm, 45 W, WW, 4500 lm and 2 lamps ø100 mm, 7 W, 700 lm.

Incl. niches, transformer and universal RP connection box.

Lighting packages "XL" A 3 541 170 complete **4.478,99**




RGB

3 LAMPS ø170 mm + 2 LAMPS ø100 mm RGB

3 lamps ø170 mm, 40 W, RGB, 2000 lm and 2 lamps ø100 mm, 6 W, 300 lm.

Incl. niches, switch box/splitter and remote control, DMX-compatible, and universal RP connection box.

Lighting packages "XL" A 3 541 175 complete **5.689,08**



Example of positioning*

● * ø100 mm

● * ø170 mm

Water attractions

COUNTER CURRENT SYSTEMS

Back in the 80s, RivieraPool developed counter current systems that still run robustly and durably today, providing daily fitness.

The Twinjet is a double jet system that lets you swim against a wide powerful jet of water. A «must have» for every pool, because it makes swimming endless.



The Trijet units give an even more powerful triple jet, against which you swim even more physically.

A new dimension is offered by the Turbojet, an integrated counter-swimming system that creates a wide natural flow. A wide and regular current that strengthens your condition. Swim, noticeably stronger every day, against up to 300 litres per minute.

The highlight for real athletes comes with the established Eva Stream. A brand product that needs no description.

For every target group you will find the appropriate product.

	TWINJET	TRIJET	TURBOJET KOMFORT	New! EVASTREAM PRO	New! EVASTREAM MAX
POWER	+	++++	++	+++	+++++
COMFORT	++	++	+++++	+++++	+++++
	<i>Continuous swimming</i>	<i>Sport swimming</i>	<i>Comfort swimming</i>	<i>Natation sportive Plus</i>	<i>Sport Swimming Plus</i>





Twinjet

TWINJET - DOUBLE JET UNIT

Continuous swimming

Equipment Twinjet

(for pools with roller shutter shaft): 2 jet nozzles, 2 suction fittings, 1 piezo switch, 1 air regulator (all parts in brass and stainless steel), incl. valves

B 3 580 167 3.012,61

Pump kit (blue)

2,6 kW-400 V incl. switch box (6-10 A),
Qmax approx. 60 m³/h

B 3 590 194 3.533,61

complete **6.546,22**



Trijet

TRIJET - TRIPLE JET UNIT

Sport swimming

Equipment Trijet

(for pools with roller shutter shaft): 3 jet nozzles, 2 suction fittings, 1 piezo switch, 1 air regulator (all parts in brass and stainless steel), incl. valves

B 3 591 121 5.247,90

Pump kit (green)

4,0 kW-400 V incl. switch box (10-12 A),
Qmax approx. 90 m³/h

B 3 591 110 4.109,24

complete **9.357,14**

Counter current unit



TURBOJET - COUNTER CURRENT UNIT

Made of GRP for a comfortable swimming

Turbine for counter-current swimming, Qmax approx. 300 m/h, multi-speed control, nominal power: 1,200 Watt, power supply: 230 V/50 Hz, voltage: 24V DC 50A

Complete unit

Colours: White (00) or black (05)

A 3 591 3 .. 13.504,20

Integrated lighting

(front and side) 2 x Ø170 mm, LED

A 3 591 350 970,59

complete **14.474,79**




Colour white



Colour black





EVAstream PRO

New!


EVAstream PRO

Counter current unit "Sport Swimming Plus"

1 turbine 2 kW / 350 m³/h / 8.5 m/s, connection: 230 V / 9 A, incl. power supply unit, with control for piezo switch, standard cable length: 5 m (3 x 1* 16 mm²), extension: 3 x 1 x 25 mm², max. length: 25 m

A 3 591 400

complete **15.798,32**



EVAstream MAX

New!

EVAstream MAX

Counter current unit "Sport and athletics"

2 turbines 2,4 kW / 2x 225 m³/h, connection: 230 V / 11 A, incl. power supply unit, with control for piezo switch, standard cable length: 5 m (6 x 1* 16 mm²), extension: 6 x 1 x 25 mm², max. length: 25 m

A 3 591 410

complete **21.470,59**

Massage systems



AIR BUBBLE BENCH FOR MODENA

Refreshing air jet massage

Air channel system , laminated with piezo switch	A 3 593 120	2.264,71
Blower , 0.85 kW, 230 V for private and public use incl. switch box (6-10 A)	B 3 583 205	1.605,04
complete		3.869,75



AIR BUBBLE PLATE

Gentle and tingling massage through air bubbles

Air bubble plate and piezo switch	B 3 583 320	1.722,69
Blower , 0.85 kW, 230 V for private and public use incl. switch box (6-10 A)	B 3 583 205	1.605,04
complete		3.327,73



Healthstream

+ handrail 2 m



Fun Pak

HEALTHSTREAM

Equipment Healthstream

(for pools with roller shutter shaft): 4 jet nozzles, 2 suction fittings, 1 piezo switch, 1 air regulator (all parts in brass and stainless steel), incl. valves

B 3 594 150 2.907,56

Pump kit 2,2 kW-400 V incl. switch box (4-6 A)

B 3 580 194 2.915,97

Stainless steel handrail 2 m, square tube polished, 2 m long, with 2 mounting flange and wall anchors, per piece

B 2 302 080 794,12

complete **6.617,65**

FUN PAK FOR "MODENA"

FunPak is the compact flow and massage system designed by RivieraPool

Flow and massage system

with double jet counter current unit, 2 maritim massage jets, 6 Microjets, 1 floor geyser, installed in technique shaft

A 3 561 280 8.651,26

Technique shaft

laminated to the pool shell with fine wood cover

A 2 322 062 5.441,18

complete **14.092,44**

RivieraPool® roller shutter cover...



Cover: Polycarbonate solar, silver vaporised

ROLLER SHUTTER COVER BY RIVIERAPOOL

Our exclusive Thermosafe roller shutter covers are engineered for use in RivieraPool prefabricated swimming pools. Adapted and adjusted to the specific pool dimensions, shape, stairs, and layout of your pool, the Thermosafe roller shutter cover delivers safety, security, and convenience all in one brilliantly designed accessory. With a precise water level regulator and overflow fitting designed for optimal operation of the roller shutter, you can rest assured knowing your pool will be protected from the elements and your friends, family, children, and pets are kept safe.

Our Thermosafe slats are available in two styles:

With two styles to choose from, you can create a customised pool security experience that meets your unique needs, goals, and priorities. Choose between PVC, available in white, grey or solar, and the extremely durable, largely hail-proof, and easy to maintain polycarbonate solar or solar silver vaporised version.



UNDERGROUND ROLLER SHUTTER COVER

The roller shutter shaft extends the pool by 80 cm.

Pool type: **320**, *1,3 m³

A 2 200 329 **4.205,88**

Pool type: **370**, *1,5 m³

A 2 200 310 **5.071,43**

KEBONY® REAL WOOD SUN DECK

Roller shutter shaft cover made of 22 mm durable real wood, stainless steel lintel beam and weighted pipe cover tensioner with straps. Colour: Clear

Pool type: **320**

A 2 200 330 **3.844,54**

Pool type: **370**

A 2 200 340 **4.046,22**



... elegant appearance and safety for humans and animals ...



Roller shutter niche

ROLLER SHUTTER NICHE FOR SKIMMER POOLS

The niche extends the pool by approx. 35 cm and shortens the swimming length by approx. 50 cm.

The roller shutter will be installed behind the pool wall and below the coping stones. It extends the pool by 25 cm and protrudes 50 cm into the pool. For inspection purposes the screen can be totally removed. 2 jets are installed in the niche and there is a plain surface for installation of the skimmer. Skimmer is not automatically included and has to be ordered separately!

Caution: In the 320 pool, the niche is flanged and screwed in place. In conjunction with the flanging, the insulation is 3 cm thicker in the pool base, so that the flange is flush with the pool base on the outside. External height 1.57 m!

Pool type: 320 , *0,8 m ³	A 2 200 515	8.432,77
Pool type: 370 , *1,2 m ³	A 2 200 510	9.886,55
<u>Please note: Individual shipment</u>		
Pool type: 320, 370	N 9 213 000	on request

SKIMMER FOR ROLLER SHUTTER NICHE (see illustration on the left)

Pre-installed skimmer front and weir (water level regulator not included), Q=10-14m ³ /h	A 3 916 090	878,15
--	-------------	---------------



Roller shutter shaft Integra 2-13

ROLLER SHUTTER SHAFT INTEGRA 2-13


The roller shutter shaft extends the pool by 50 cm.

Roller shutter shaft Integra 2-13, for an extra high water level, extends the pool by 48 cm, with hinged seat bench (depth 60 cm) and 2 inlet jets. Offers maximum swimming space.

Pool type: 270 , *1,2 m ³	A 2 200 640	4.277,31
Pool type: 320 , *1,6 m ³	A 2 200 620	4.554,62
Pool type: 370 , *1,9 m ³	A 2 200 610	5.159,66

*additional water content in m³

Roller shutter shaft / Winter cover



Roller shutter shaft Integra "D-Lux" with ambience lighting

ROLLER SHUTTER SHAFT INTEGRA "D-LUX"

The roller shutter shaft extends the pool by 55 cm.

The flatwater bench consists of two removable parts which allows for easy opening and access for cleaning and maintenance. Integrated light cove for optional ambience lighting.

Pool type: 320 , *0,8 m ³	A 2 200 820	7.222,69
Pool type: 370 , *1,2 m ³	A 2 200 810	8.466,39
<u>Please note:</u> Individual shipment pool type 320, 370	N 9 213 000	on request

LIGHTING PACKAGE

Ambience package LED warm white

consisting of 4 preinstalled HT LED lamps warm white, incl. transformer 100 VA, cable connection box and wall duct.

A 2 200 850 **1.348,74**

Ambience package LED RGB

consisting of 4 preinstalled HT LED lamps RGB, incl. remote control, control box, cable connection box and wall duct.

A 2 200 860 **2.302,52**



Winter safety cover

WINTER COVER

New!

for Ancona, Modena, Modena 550, Linear, Linear RS, Lugano RS and WetLounge Ancona/Linear RS

Safety cover made of high-strength fabric foil in grey, integrated, stable aluminium tubes on the underside. A hand crank for convenient opening, retractable ground anchors in the pool deck and sturdy lashing straps ensure very good fastening. The ideal winter protection, protects your shutter cover from leaves and dirt, protects the pool and small animals from accidents. A worthwhile investment for the winter break.

Prices see pages
(7,11,13, 15, 17,19)



above: Ezarri "Ebano"
right: tiled on site



OVERFLOW CHANNEL AT THE FRONT SIDE

Overflow channel, 47 x 27 cm.

Connected to the front side of the pool shell but 25 cm lower, incl. glue and filler to fix coping stones on top of the overflow edge (coping stone not included) 2 gutter drains dia 125 mm.

Pool type 320	A 2 115 048	3.197,48
Pool type 370	A 2 115 050	3.563,03
3,20 m channel grating: 320	A 2 115 054	1.029,41
3,20 m channel grating : 370	A 2 115 055	1.184,87
Pendulum glides with guide rollers	A LAT-005010	107,56



2 m long

Modena with Wetlounge,
granicite stonegrey



1 m long

WETLOUNGE® / SHALLOW WATER AREAS

In the same colour as the pool, depth of 23 cm, the full width of the pool, level with the top step. Allowing the shallow water zone to be completely covered by the slatted cover. Incl. 2 inlets 1½", 4 x 8 mm.

1 m long for 370 laminated	A 2 115 470	4.033,61
1 m long for 370 flanged	A 2 115 460	5.508,40
1 m long for 320 laminated (not for Ancona 1000 x 320)	A 2 115 440	3.563,03
2 m long for 370 laminated	A 2 115 370	6.105,04
2 m long for 370 flanged	A 2 115 360	8.331,93
2 m long for 320 laminated (not for Ancona 1000 x 320)	A 2 115 340	5.399,16
2 m long for 320 flanged	A 2 115 330	7.613,45

Lighting package "WetLounge" warm white

2 spots HT-Mini incl. niches, 7 W / 12 V, without transformer	A 3 541 180	731,09
---	-------------	---------------

Lighting package "WetLounge" RGB

2 spots HT-Mini incl. niches, 5 W / 12 V, without transformer	A 3 541 185	899,16
---	-------------	---------------

Decor tiles made of Ezarri glass mosaic



Decor tiles made of Ezarri glass mosaic

EXCLUSIVE GLASS MOSAIC SURFACES

Glass mosaic is one of the most durable, high-end surfaces available for swimming pool design. The single mosaic tiles have different tones and thus produce a unique reflection of light and colour to your pool, depending on the angle from which you're looking from and the spectral colour hitting the water surface. This result is an infinite number of different colour effects which extensively contribute to the ambience and atmosphere of your indoor or outdoor pool area.

DECOR TILES MADE OF EZARRI GLASS MOSAIC, Height: 21 cm

Series „IRIDESCENT, ZEN, SPACE, COCKTAIL or METAL“

Price per meter A 3 916 360 **100,84**

A wide colour selection of mosaics as well as examples of the colour effect can be found under:



Complete tiling, Ancona, mosaic: "Ebano"

New! COMPLETE TILING






Various standard pools can be supplied with a glass mosaic tile finish from the factory! The pinnacle of surface quality. A visual and haptic highlight, permanently stable and sustainable thanks to epoxy material. The pools are delivered with a transport lock made of screwed beams and covered with a protective tarpaulin for clean transport.

Ancona 550 + Modena 550

on request

Ancona 320 + Modena 320

on request




Water colour effect and small selection of mosaics.

RivieraPool®



WATER COLOUR: LIGHT, SKY BLUE



PERLA - IRIDESCENT




DIAMOND - IRIDESCENT



CARARRA - ZEN



NICKEL - IRIDESCENT




COULEUR DE L'EAU: VERT



ASH - ZEN




CREAMSTONE - ZEN



MARFIL - IRIDESCENT



NACAR - IRIDESCENT



WATER COLOUR: GREY-GREEN




FIOR-DI-BOSCO - ZEN



INOX - METAL



SARSEN - ZEN



CUARZO - IRIDESCENT



WATER COLOUR: NATURAL LAKE




EBANO - IRIDESCENT



CAPRICORN - SPACE




LAVA - METAL




PHYLLITE - ZEN



WATER COLOUR: WATERCOLOUR, DEEP BLUE




OCEAN - IRIDESCENT



ZAFIRO - IRIDESCENT




BLUE LAGOON - COCKTAIL



SAGITTARIUS - SPACE

Quality - Design - Functionality



www.rivierapool.com

RivieraPool®

One of the leading
manufacturers of
prefabricated swimming-
pools and spas.
BSW member.



RivieraPool Fertigschwimmbad GmbH • Klöcknerstraße 2 • 49744 Geeste-Dalum • Tel. +49 5937 660 • E-Mail: info@pools.de

Date: 01.01.2023