



PRICE LIST 2024

Valid from 01/03/24 (until revoked).
Sales prices in Euro excl. VAT.

www.rivierapool.com

D•LINE PREFABRICATED SWIMMING POOLS

RivieraPool®
PREFABRICATED SWIMMING POOLS • WHIRLPOOLS

RivieraPool® stands for Quality - Design - Functionality

RivieraPool-swimming pools are made of Epoxy-Acrylate, a material that, among other applications, has been used for many years in the marine industry, due to its high degree of strength and flexibility. It is particularly suitable for swimming pool production as it can be shaped to form fixtures for technical components in the pool. Riviera pools can therefore be equipped with recesses for the floor drain, installation shaft, support edge for roller shutters and different styles of pool steps. The swimming pool shell is a sandwich construction, reinforced with PU foam. This ensures that the pool surfaces remain smooth and rigid and are insulated against temperature losses.

The prefabricated swimming pool shell enables easy transportation due to the low structural weight. Your pool is a high-quality product distinguished by unique characteristics. It resists UV light and deformation and is only mildly sensitive to temperature changes. All component fittings are made from high quality materials.

Quality:

Being member of the AVK (Federation of Reinforced Plastics) the Rengers group adheres to production and test criteria of the AVK and thus provides a best possible resistance of surfaces.

Distribution channels:

All our swimming pool systems are distributed exclusively through specialist retailers who, with their specialised planning and installation personnel, are serious partners for customers and architects.

Installation costs:

Prices for on-site installation and the required installation material are not included in this price list, as these services are provided by a specialised company and invoiced separately.

Transportation costs:

Specified prices are generally ex-works. Shipping and insurance to the limit of the receiver's site accessible to road traffic are included in the transportation costs. Special costs, such as rail transport loading, ferries etc. are borne by the customer. Transportation to the site should be organised on site and is also borne by the customer.

Pricing:

Prices in this list become void with the appearance of a new edition of this list. For all orders the price list valid on that day applies. We guarantee price stability for 4 months after

ordering. The listed price valid on the day of delivery is invoiced if the goods are collected later. All prices are sales prices in Euro excl. VAT.

The pool content is rounded up to full m³ and calculated at a water level of 1.42 m. We reserve the right to change technical items without prior announcement to improve the product.

Water attractions:

A swimming pool should be your daily companion, providing relaxation and daily fitness. And that for all the people who use the pool. For this purpose, there is a range of flow and massage systems that have been specially designed for RivieraPools and have been in permanent use for decades. They have now been extended to include a range of high-quality turbine units.

Attention: For original drawings, please contact our technical department. All pools (except 270) are also available in long and short lengths as split versions. All pools shown are with equipment package and options.



RivieraPool Fertigschwimmbad GmbH
Klößnerstraße 2, Geeste-Dalum, Germany

Active member
of the AVK-TV
(Federation of reinforced plastics)



Aktives Mitglied in der
Arbeitsgemeinschaft
Verstärkte Kunststoffe -
Technische Vereinigung e.V.
(AVK-TV)

RivieraPool is always the right choice ...


Quality - Design - Functionality	Page 2
Type comparison prefabricated swimming pools	Page 4
Prefabricated swimming pools 270/320/370	
D•Line ANCONA	Page 8
 D•Line CLASSIC BARI	Page 10
D•Line MODENA	Page 12
D•Line MODENA 550: CLASSIC & SWIM & FUN	Page 14
D•Line LINEAR	Page 16
D•Line LINEAR RS	Page 18
D•Line LUGANO RS	Page 20
WetLounge® - D•Line ANCONA with Linear RS step-end and integrated roller shutter cover	Page 22
ROM	Page 24
Prefabricated swimming pools XL 	
D•Line LINEAR XL	Page 26
ROM XL	Page 26
Prefabricated swimming pools with overflow channel	
D•Line ANCONA Ü	Page 28
D•Line LINEAR Ü	Page 30
Prefabricated swimming pools XL with overflow channel 	
D•Line LINEAR XL Ü	Page 32
ROM XL Ü	Page 32
Optional Extras / Accessories	
Water attractions: Counter current systems, Massage systems	Page 34
 Lighting packages	Page 40
 Equipment package: Classic & Riviera Elements	Page 45
RivieraPool® Roller shutter shafts	Page 46
Winter cover	Page 48
Infinity-edge / Wetlounge®	Page 49
Decor tiles made of Ezarri glass mosaic / Complete tiling	Page 50

The new Design Line by **RivieraPool®**

370 one-piece pool



370 one-piece pool with overflow channel



270 one-piece pool




320 one-piece pool




New! 370 Riviera WetLounge RS

New!



ANCONA 370
WL RS


New!



CLASSIC 370 BARI
WL RS

Also available as
320

New!




MODENA 370
WL RS

New!



LINEAR 370
WL RS

New!




ROM 370
WL RS

370 one piece pool
with integrated roller shutter cover



LINEAR RS 975



LUGANO RS



WETLOUNGE with ANCONA
and LINEAR RS



LINEAR RS
with WetLounge

470 one piece pool XL



D•LINE LINEAR XL



ROM XL

470 one-piece XL pool with
overflow channel



D•LINE LINEAR XL Ü



ROM XL Ü


The NEW D-Line

The Design-Line has long been synonymous with straight lines, consistent design, and modern aesthetics: It offers timeless design for the finest in your wellness area or outdoor living space. The D-Line has once again undergone a transformation.



RivieraPool LIGHTS

Introducing stylish new lights that fulfill their purpose: providing bright, inviting light that is both glare-free and elegant, creating a wonderful ambiance. The new **Riviera**Lights offer unique design for your RivieraPool...




WetLounge "RS" – "Roller Shutter Shaft"

The Linear RS, a classic reimaged. With the roller shutter and stairs situated on one side, there is ample space opposite for ultimate freedom: whether it is for a counter-current system or an infinity edge, the possibilities are endless. This is innovation at its finest.



WetLounge, 2 metres more water area. A grand experience.

Ever wondered why people don't just swim on the beaches of Bali, the Seychelles, or the ABC Islands, but instead choose to enjoy life in the shallow waters? It's because of the laid-back, warm, shallow waters that simply invite you to relax... Is there any reason not to bring this experience home?




As individual as you are ...

There are numerous new opportunities to realize your unique dream pool. Nothing is as unique as you are – just like your choice for the perfect pool. The new Design Line makes it possible. There are plenty of pre-fab pools available in the market. Are you seeking more than the "standard"? Then, let's discuss your new outdoor living space. Your living area, which requires more than just a waterproof container. Eventually, the time comes – Why not now?


An MLine whirlpool or a C-Side minipool?

A pool that complements your pool. Slightly smaller, but warm and equipped with everything you need to contrast the refreshing swim in the pool: relaxation in warm water, hydro-massage, and wellness – all within the privacy of your garden...
It's pure relaxation.



New: The "BARI" steps

More than just a southern Italian port city, "BARI" represents your individual design option. Comfortable stairs placed where you desire: whether it's at the front or on the long side. Enter your pool as you please – the possibilities are endless...
it's pure sophistication!




Combine ...

... the possibilities for combination are endless. Everything fits together perfectly for your perfect, private pool – a departure from standard pool offerings: an Ancona staircase paired with Wetlounge. On the opposite side, the Linear "RS" entry steps for the whole family, complete with an integrated roller shutter.



ANCONA — RivieraPool's simple entry step. A timeless design which enhances your swimming pleasure to the maximum. Allowing the whole length of the pool to be used.



Pool step with 5 Steps on the right side with anti-slip profiled surface. Pool with 6 degree wall incline and roll cover ledge with integrated steel beam. Pool with 30 mm insulation in the floor and 20 mm insulation in the walls.



**EXTENSIONS
FROM P. 34**

- *Water attractions, Lighting packages*
- *infinity channels, - Wetlounges*
- *decor tiles*

D•Line ANCONA 270 / 320 / 370



Roller shutter shafts:
Integra 2-13

... and RIVIERA WETLOUNGE RS

Also available with the Infinity channel
and in the self-supporting version.

All pools shown are with equipment package and options.
We reserve the right to change technical items without prior
announcement to improve the product.

D•Line ANCONA

550/270 5,5 x 2,7 x 1,5 m 650/320 6,5 x 3,2 x 1,5 m 800/320 8 x 3,2 x 1,5 m 1000/320 * 10 x 3,2 x 1,5 m 800/370 8 x 3,7 x 1,5 m 1000/370 9,94 x 3,7 x 1,5 m

Colours: • white

New!

• papyrus (27) • silver-grey (24)
• sea blue (26) • beach (28)

• granicite stone grey

New!

Mosaic surface finish, pool incl., factory fitted mosaic tiling; Ezarri series Zen, Iridescent, Metal, Space, Cocktail. **Attention: Single transport necessary.**

Decor tiles made of Ezarri glass mosaic, installed and grouted at the factory. A 3 916 360

EQUIPMENT PACKAGE

Water Content m³

CLASSIC with polished stainless steel face plates: 1 skimmer with water level controller (8 cm), 2 (4) inlet jets, 1 wall low level suction, 1 bottom outlet sump with cover

New!

RIVIERA Elements - ACRYL BLACK & PVC WHITE: 1 skimmer with water level controller (8 cm), 2 (4) inlet jets, 1 wall low level suction, 1 bottom outlet sump with cover, Colour: black (5) or white (6)

Lighting package Standard S2 / other lighting packages such as RIVIERA LIGHT from page 40 onwards

ACCESSORIES / other water attractions: see page 34

Coping Stones granite, grey, 60 x 60 x 6.3 cm, with overhanging nose mottled surface, cut out for the fiberglass skimmer lid

Stainless steel grabrail, per piece, polished

Twinjet counter current unit, double jet system, for pools with roller shutter shaft

Trijet counter current unit, three jet system, for pools with roller shutter shaft

Komfortjet turbine unit 300, incl. technical shaft. Colour: white (0) or black (5)

UNDERGROUND ROLLER SHUTTER COVER / other cover systems: see p. 46

Roller shutter shaft Integra 2-13 for an extra high water level, extends the pool by 48 cm, with hinged seat bench and 2 inlet nozzles, Additional water content: 270: 1,2 m³ / 320: 1,6 m³ / 370: 1,9 m³

New!

Roller shutter shaft WetLounge RS, extends the pool by 145 cm, wetlounge can be used as a seating and lounging area, enables a high water level, additional water content 320: 1.6 m³ / 370: 1.9 m³. **Please note: Surcharge for mosaic (see page 46).**

Electrical roll-up fixture, drive shaft made from composite material with internal motor with 10 m cable and stainless steel wall mount, installed in the factory; incl. control box and key switch, incl. universal RP connection box

Roller shutter cover, 6 cm slat width

Cover: **Polycarbonate solar** version

Polycarbonate solar, version silver vaporized

PVC solar version

PVC white (01) / **PVC** grey (03))


Winter cover, safety cover made of high-strength fabric foil in grey, integrated aluminium tubes, incl. hand crank and retractable ground anchors

FREIGHT CHARGES on request

550/270 5,5 x 2,7 x 1,5 m	650/320 6,5 x 3,2 x 1,5 m	800/320 8 x 3,2 x 1,5 m	1000/320 * 10 x 3,2 x 1,5 m	800/370 8 x 3,7 x 1,5 m	1000/370 9,94 x 3,7 x 1,5 m
12.684,87 A Anc 550 010 03	15.655,46 A Anc 650 050 03	17.773,11 A Anc 800 050 03	23.138,66 A Anc 1000 050 03	23.903,36 A Anc 800 010 03	27.100,84 A Anc 1000 010 03
13.063,03 A Anc 550 010 ..	16.193,28 A Anc 650 050 ..	18.281,51 A Anc 800 050 ..	23.836,13 A Anc 1000 050 ..	24.626,05 A Anc 800 010 ..	27.915,97 A Anc 1000 010 ..
14.970,59 A Anc 550 010 22	18.617,65 A Anc 650 050 22	21.029,41 A Anc 800 050 22	27.760,50 A Anc 1000 050 22	28.310,92 A Anc 800 010 22	32.100,84 A Anc 1000 010 22
31.386,55 A Anc 550 010 90	39.029,41 A Anc 650 050 90	45.567,23 A Anc 800 050 90	55.819,33 A Anc 1000 050 90	55.063,03 A Anc 800 010 90	63.957,98 A Anc 1000 010 90
1.653,78 16,4 m	1.956,30 19,4 m	2.258,82 22,4 m	2.662,18 26,4 m	2.359,66 23,4 m	2.763,02 27,4 m
18	26	32	41	37	47
1.768,91 A 3 540 700	1.768,91 A 3 540 700	1.768,91 A 3 540 700	1.768,91 A 3 540 700	1.768,91 A 3 540 700	2.096,64 A 3 540 710
1.768,91 A 3 540 70.	1.768,91 A 3 540 70.	1.768,91 A 3 540 70.	1.768,91 A 3 540 70.	1.768,91 A 3 540 70.	2.096,64 A 3 540 71.
1.197,48 A 3 541 110	1.197,48 A 3 541 110	1.197,48 A 3 541 110	1.197,48 A 3 541 110	1.197,48 A 3 541 110	1.197,48 A 3 541 110
4.411,76 A 3 025 050	4.613,45 A 3 025 000	5.268,91 A 3 025 025	5.924,37 A 3 025 148	5.487,39 A 3 025 130	5.924,37 A 3 025 142
1.193,28 A 2 302 030	1.193,28 A 2 302 030	1.193,28 A 2 302 030	1.193,28 A 2 302 030	1.193,28 A 2 302 030	1.193,28 A 2 302 030
6.546,22 B 3 590 067	6.546,22 B 3 590 067	6.546,22 B 3 590 067	6.546,22 B 3 590 067	6.546,22 B 3 590 067	6.546,22 B 3 590 067
9.357,14 B 3 591 250	9.357,14 B 3 591 250	9.357,14 B 3 591 250	9.357,14 B 3 591 250	9.357,14 B 3 591 250	9.357,14 B 3 591 250
13.403,36 A 3 591 3..	13.403,36 A 3 591 3..	13.403,36 A 3 591 3..	13.403,36 A 3 591 3..	13.403,36 A 3 591 3..	13.403,36 A 3 591 3..
4.277,31 A 2 200 640	4.554,62 A 2 200 620	4.554,62 A 2 200 620	4.554,62 A 2 200 620	5.159,66 A 2 200 610	5.159,66 A 2 200 610
**	5.008,40 A 2 200 920	5.008,40 A 2 200 920	5.008,40 A 2 200 922	5.676,47 A 2 200 910	5.676,47 A 2 200 912
6.529,41 A 22 004 340	6.802,52 A 22 004 320	6.802,52 A 22 004 320	6.802,52 A 22 004 320	6.970,59 A 22 004 310	6.970,59 A 22 004 310
3.773,11 A 01-04 20 211	4.584,03 A 01-04 02 201	5.802,52 A 01-04 02 204	7.445,38 A 01-04 02 206	7.042,02 A 01-04 03 204	8.621,85 A 01-04 03 206
4.331,93 A 01-05 20 211	5.277,31 A 01-05 02 201	6.668,07 A 01-05 02 204	8.554,62 A 01-05 02 206	8.109,24 A 01-05 03 204	9.899,16 A 01-05 03 206
2.798,32 A 01-02 20 211	3.432,77 A 01-02 02 201	4.336,13 A 01-02 02 204	5.596,64 A 01-02 02 206	5.281,51 A 01-02 03 204	6.457,98 A 01-02 03 206
1.987,39 A 01- .. 20 211	2.344,54 A 01- .. 02 201	2.836,13 A 01- .. 02 204	3.516,81 A 01- .. 02 206	3.365,55 A 01- .. 03 204	4.088,24 A 01- .. 03 206
3.067,23 A 02-0101010	3.672,27 A 02-0102020	4.386,55 A 02-0102050	5.294,12 A 02-0102070	4.966,39 A 02-0103050	5.991,60 A 02-0103070

CLASSIC BARI – THE VARIABLE ENTRY STEP

One-piece pool made out of Epoxy-acrylate, sandwich construction with 2 cm insulation in walls and 3 cm in the floor. 6 degree wall incline and rollcover ledge on three sides with integrated steel beam. Floating suspended entry step with anti-slip profiled surface.



**EXTENSIONS
FROM P. 34**

- *Water attractions, Lighting packages*
- *infinity channels, - Wetlounges*
- *decor tiles*


All pools shown are with equipment package and options.
We reserve the right to change technical items without prior
announcement to improve the product.

New!

D•Line CLASSIC BARI



Roller shutter shafts:
Integra 2-13



... and **RIVIERA WETLOUNGE RS**

Also available with the Infinity channel
and in the self-supporting version.

D-Line CLASSIC BARI

New!

Colours: • white

• papyrus (08) • silver-grey (24)

• sea blue (26) • beach (28)

• granicite stone grey

New!

Mosaic surface finish, pool incl., factory fitted mosaic tiling; Ezarri series Zen, Iridescent, Metal, Space, Cocktail. **Attention: Single transport necessary.**

Decor tiles made of Ezarri glass mosaic, installed and grouted at the factory. A 3 916 360

Suspended entry step Bari in pool colour left A 2 315 0.. / right A 2 315 1..
white (01), papyrus (27), silver-grey (24), sea blue (26), beach (28), granicite stone grey (22)

Suspended entry step Bari mosaic surface finish: left / right A 2 315 190

EQUIPMENT PACKAGE

Water Content m³

CLASSIC with polished stainless steel face plates: 1 skimmer with water level controller (8 cm), 2 (4) inlet jets, 1 wall low level suction, 1 bottom outlet sump with cover

RIVIERA Elements - ACRYL BLACK & PVC WHITE: 1 skimmer with water level controller (8 cm), 2 (4) inlet jets, 1 wall low level suction, 1 bottom outlet sump with cover, Colour: black (5) or white (6)

Lighting package Standard S2 / other lighting packages such as RIVIERA LIGHT from page 40 onwards

ACCESSORIES / other water attractions: see page 34

Coping Stones granite, grey, 60 x 60 x 6.3 cm, with overhanging nose mottled surface, cut out for the fiberglass skimmer lid

Stainless steel grabrail, per piece, polished

Twinjet counter current unit, double jet system, for pools with roller shutter shaft

Trijet counter current unit, three jet system, for pools with roller shutter shaft

UNDERGROUND ROLLER SHUTTER COVER / other cover systems: see p. 46

Roller shutter shaft Integra 2-13 for an extra high water level, extends the pool by 48 cm, with hinged seat bench and 2 inlet nozzles, Additional water content: 270: 1,2 m³ / 320: 1,6 m³ / 370: 1,9 m³

Roller shutter shaft WetLounge RS, extends the pool by 145 cm, wetlounge can be used as a seating and lounging area, enables a high water level, additional water content 320: 1.6 m³ / 370: 1.9 m³. **Please note: Surcharge for mosaic (see page 46).**

Electrical roll-up fixture, drive shaft made from composite material with internal motor with 10 m cable and stainless steel wall mount, installed in the factory; incl. control box and key switch, incl. universal RP connection box

Roller shutter cover, 6 cm slat width

Cover: **Polycarbonate solar** version

Polycarbonate solar, version silver vaporized

PVC solar version

PVC white (01) / **PVC** grey (03))


Winter cover, safety cover made of high-strength fabric foil in grey, integrated aluminium tubes, incl. hand crank and retractable ground anchors

FREIGHT CHARGES on request

550/320 5,5 x 3,2 x 1,5 m	650/320 6,5 x 3,2 x 1,5 m	600/370 6 x 3,7 x 1,5 m	700/370 7 x 3,7 x 1,5 m	800/370 8 x 3,7 x 1,5 m	900/370 9 x 3,7 x 1,5 m	1000/370 10 x 3,7 x 1,5 m
13.579,83 A Cla 550 020 01	15.554,62 A Cla 650 020 01	19.298,32 A Cla 600 010 01	20.894,96 A Cla 700 010 01	22.487,39 A Cla 800 010 01	24.084,03 A Cla 900 010 01	25.693,28 A Cla 1000 010 01
13.983,19 A Cla 550 020 ..	16.079,83 A Cla 650 020 ..	19.886,55 A Cla 600 010 ..	21.466,39 A Cla 700 010 ..	23.075,63 A Cla 800 010 ..	24.689,08 A Cla 900 010 ..	26.289,92 A Cla 1000 010 ..
16.067,23 A Cla 550 020 22	18.529,41 A Cla 650 020 22	22.865,55 A Cla 600 010 22	24.705,88 A Cla 700 010 22	26.554,62 A Cla 800 010 22	28.142,86 A Cla 900 010 22	29.743,70 A Cla 1000 010 22
34.109,24 A Cla 550 020 90	38.718,49 A Cla 650 020 90	44.806,72 A Cla 600 010 90	49.210,08 A Cla 700 010 90	53.689,08 A Cla 800 010 90	58.134,45 A Cla 900 010 90	62.592,44 A Cla 1000 010 90
1.754,62 17,4 m	1.956,30 19,4 m	1.956,30 19,4 m	2.157,98 21,4 m	2.359,66 23,4 m	2.561,34 25,4 m	2.763,02 27,4 m
1.743,70	1.743,70	1.743,70	1.743,70	1.743,70	1.743,70	1.743,70
1.743,70	1.743,70	1.743,70	1.743,70	1.743,70	1.743,70	1.743,70
20	26	27	32	37	42	47
1.768,91 A 3 540 700	1.768,91 A 3 540 700	1.768,91 A 3 540 700	1.768,91 A 3 540 700	1.768,91 A 3 540 700	1.768,91 A 3 540 700	2.096,64 A 3 540 710
1.768,91 A 3 540 70.	1.768,91 A 3 540 70.	1.768,91 A 3 540 70.	1.768,91 A 3 540 70.	1.768,91 A 3 540 70.	1.768,91 A 3 540 70.	2.096,64 A 3 540 71.
1.197,48 A 3 541 110	1.197,48 A 3 541 110	1.197,48 A 3 541 110	1.197,48 A 3 541 110	1.197,48 A 3 541 110	1.197,48 A 3 541 110	1.197,48 A 3 541 110
4.411,76 A 3 025 050	4.613,45 A 3 025 000	4.394,96 A 3 025 100	4.831,93 A 3 025 110	5.268,91 A 3 025 120	5.487,39 A 3 025 130	5.924,37 A 3 025 142
1.193,28 A 2 302 030	1.193,28 A 2 302 030	1.193,28 A 2 302 030	1.193,28 A 2 302 030	1.193,28 A 2 302 030	1.193,28 A 2 302 030	1.193,28 A 2 302 030
6.546,22 B 3 590 067	6.546,22 B 3 590 067	6.546,22 B 3 590 067	6.546,22 B 3 590 067	6.546,22 B 3 590 067	6.546,22 B 3 590 067	6.546,22 B 3 590 067
9.357,14 B 3 591 250	9.357,14 B 3 591 250	9.357,14 B 3 591 250	9.357,14 B 3 591 250	9.357,14 B 3 591 250	9.357,14 B 3 591 250	9.357,14 B 3 591 250
4.554,62 A 2 200 620	4.554,62 A 2 200 620	5.159,66 A 2 200 610	5.159,66 A 2 200 610	5.159,66 A 2 200 610	5.159,66 A 2 200 610	5.159,66 A 2 200 610
5.008,40 A 2 200 920	5.008,40 A 2 200 920	5.676,47 A 2 200 910	5.676,47 A 2 200 910	5.676,47 A 2 200 910	5.676,47 A 2 200 910	5.676,47 A 2 200 912
6.802,52 A 22 004 320	6.802,52 A 22 004 320	6.970,59 A 22 004 310	6.970,59 A 22 004 310	6.970,59 A 22 004 310	6.970,59 A 22 004 310	6.970,59 A 22 004 310
3.773,11 A 01-04 02 200	4.584,03 A 01-04 02 201	5.478,99 A 01-04 03 202	6.268,91 A 01-04 03 203	7.042,02 A 01-04 03 204	7.823,53 A 01-04 03 205	8.621,85 A 01-04 03 206
4.331,93 A 01-05 02 200	5.277,31 A 01-05 02 201	6.306,72 A 01-05 03 202	7.210,08 A 01-05 03 203	8.109,24 A 01-05 03 204	8.987,39 A 01-05 03 205	9.899,16 A 01-05 03 206
2.798,32 A 01-02 02 200	3.432,77 A 01-02 02 201	4.100,84 A 01-02 03 202	4.697,48 A 01-02 03 203	5.281,51 A 01-02 03 204	5.878,15 A 01-02 03 205	6.457,98 A 01-02 03 206
1.987,39 A 01-.. 02 200	2.344,54 A 01-.. 02 201	2.609,24 A 01-.. 03 202	2.983,19 A 01-.. 03 203	3.365,55 A 01-.. 03 204	3.718,49 A 01-.. 03 205	4.088,24 A 01-.. 03 206
3.105,88 A 02-0102010	3.672,27 A 02-0102020	3.945,38 A 02-0103030	4.113,45 A 02-0103040	4.966,39 A 02-0103050	5.294,12 A 02-0103060	5.991,60 A 02-0103070

MODENA – Offering a contemporary design of massage seating bench and relaxation area for all the whole family to enjoy. Integrating the elegant entry step into one side.


One-piece pool made out of Epoxy-acrylate, sandwich construction with 20 mm insulation in walls and 30 mm in the floor. Pool step with 6 treads on the right side with anti-slip profiled surface.



D•LINE MODENA

**EXTENSIONS
FROM P. 34**

- Water attractions, Lighting packages
- infinity channels, - Wetlounges
- decor tiles



Roller shutter shafts:
Integra 2-13
with technik shaft

Integra 2-13

... and **RIVIERA WETLOUNGE RS**

All pools shown are with equipment package and options.
We reserve the right to change technical items without prior announcement to improve the product.

Also available with the Infinity channel
and in the self-supporting version.

D•Line MODENA

Colours: • white

• papyrus (27) • silver-grey (24)

• sea blue (26) • beach (28)

• granicite stone grey

New!

Mosaic surface finish, pool incl., factory fitted mosaic tiling; Ezarri series Zen, Iridescent, Metal, Space, Cocktail. **Attention: Single transport necessary.**

Decor tiles made of Ezarri glass mosaic, installed and grouted at the factory. A 3 916 360

EQUIPMENT PACKAGE

Water Content m³

CLASSIC with polished stainless steel face plates: 1 skimmer with water level controller (8 cm), 2 (4) inlet jets, 1 wall low level suction, 1 bottom outlet sump with cover

RIVIERA Elements - ACRYL BLACK & PVC WHITE: 1 skimmer with water level controller (8 cm), 2 (4) inlet jets, 1 wall low level suction, 1 bottom outlet sump with cover, Colour: black (5) or white (6)

Lighting package Standard S3 / other lighting packages from page 40 onwards

FUN PAK 4.2

Technique shaft, laminated to the pool shell with fine wood cover

Flow and massage system with double jet counter current unit, 2 maritim massage jets, 6 Microjets, 1 floor geyser, installed in technique shaft

Ditto, but then for concreting with red brass inlets and PVC pipes

Air massage system, incl. piezo switch, polished, 0,85 kW blower and switchbox

ACCESSORIES / other water attractions: see page 34

Coping Stones granite, grey, 60 x 60 x 6.3 cm, with overhanging nose mottled surface, cut out for the fiberglass skimmer lid

Twinjet counter current unit, double jet system for pools with roller shutter shaft

Trijet counter current unit, three jet system for pools with roller shutter shaft

UNDERGROUND ROLLER SHUTTER COVER / other cover systems: see p. 46

Roller shutter shaft Integra 2-13, for an extra high water level, extends the pool by 48 cm, with hinged seat bench and 2 inlet nozzles, Addit. water content: 320: 1,6 m³ / 370: 1,9 m³

Roller shutter shaft WetLounge RS, extends the pool by 145 cm, wetlounge can be used as a seating and lounging area, enables a high water level, additional water content 320: 1,6 m³ / 370: 1,9 m³. **Please note: Surcharge for mosaic (see page 46).**

Electrical roll-up fixture, drive shaft made from composite material with internal motor with 10 m cable and stainless steel wall mount, installed in the factory; incl. control box and key switch, incl. universal RP connection box

Roller shutter cover, 6 cm slat width

Cover: **Polycarbonate solar** version

Polycarbonate solar, version silver vaporized

PVC solar version

PVC white (01) / **PVC** grey (03)

Winter cover, safety cover made of high-strength fabric foil in grey, integrated aluminium tubes, incl. hand crank and retractable ground anchors

FREIGHT CHARGES on request

725/320 7,25 x 3,2 x 1,5	825/320 8,25 x 3,2 x 1,5	775/370 7,75 x 3,7 x 1,5	875/370 8,75 x 3,7 x 1,5	975/370 9,75 x 3,7 x 1,5	1075/370* 10,75 x 3,7 x 1,5	1175/370* 11,75 x 3,7 x 1,5
17.054,62 A Mod 725 040 03	18.806,72 A Mod 825 040 03	24.197,48 A Mod 775 040 03	25.789,92 A Mod 875 040 03	27.369,75 A Mod 975 040 03	28.966,39 A Mod 1075 040 03	30.554,62 A Mod 1175 040 03
17.672,27 A Mod 725 040 ..	19.424,37 A Mod 825 040 ..	24.819,33 A Mod 775 040 ..	26.399,16 A Mod 875 040 ..	27.987,39 A Mod 975 040 ..	29.584,03 A Mod 1075 040 ..	31.180,67 A Mod 1175 040 ..
20.121,85 A Mod 725 040 22	22.126,05 A Mod 825 040 22	27.928,57 A Mod 775 040 22	29.516,81 A Mod 875 040 22	31.100,84 A Mod 975 040 22	32.689,08 A Mod 1075 040 22	34.294,12 A Mod 1175 040 22
41.281,51 A Mod 725 040 90	45.668,07 A Mod 825 040 90	53.235,29 A Mod 775 040 90	57.672,27 A Mod 875 040 90	62.100,84 A Mod 975 040 90	66.546,22 A Mod 1075 040 90	70.978,99 A Mod 1175 040 90
2.107,56 20,9 m	2.309,24 22,9 m	2.309,24 22,9 m	2.510,92 24,9 m	2.712,60 26,9 m	3.015,12 29,9 m	3.115,96 30,9 m
26	30	32	37	42	47	52
1.768,91 A 3 540 700	1.768,91 A 3 540 700	1.768,91 A 3 540 700	1.768,91 A 3 540 700	1.768,91 A 3 540 700	2.096,64 A 3 540 710	2.306,72** A 3 540 730
1.768,91 A 3 540 70.	1.768,91 A 3 540 70.	1.768,91 A 3 540 70.	1.768,91 A 3 540 70.	1.768,91 A 3 540 70.	2.096,64 A 3 540 71.	2.306,72** A 3 540 73.
1.046,22 A 3 541 120	1.046,22 A 3 541 120	1.046,22 A 3 541 120	1.046,22 A 3 541 120	1.046,22 A 3 541 120	1.046,22 A 3 541 120	1.046,22 A 3 541 120
4.865,55 A 2 322 060	4.865,55 A 2 322 060	5.441,18 A 2 322 062	5.441,18 A 2 322 062	5.441,18 A 2 322 062	5.441,18 A 2 322 062	5.441,18 A 2 322 062
8.651,26 A 3 561 280	8.651,26 A 3 561 280	8.651,26 A 3 561 280	8.651,26 A 3 561 280	8.651,26 A 3 561 280	8.651,26 A 3 561 280	8.651,26 A 3 561 280
10.525,21 A 3 561 290	10.525,21 A 3 561 290	10.525,21 A 3 561 290	10.525,21 A 3 561 290	10.525,21 A 3 561 290	10.525,21 A 3 561 290	10.525,21 A 3 561 290
4.277,31 A 3 593 110	4.277,31 A 3 593 110	4.277,31 A 3 593 110	4.277,31 A 3 593 110	4.277,31 A 3 593 110	4.277,31 A 3 593 110	4.277,31 A 3 593 110
5.268,91 A 3 025 120	5.487,39 A 3 025 130	5.268,91 A 3 025 120	5.487,39 A 3 025 130	5.924,37 A 3 025 142	6.361,34 A 3 025 146	6.579,83 A 3 025 162
6.546,22 B 3 590 067	6.546,22 B 3 590 067	6.546,22 B 3 590 067	6.546,22 B 3 590 067	6.546,22 B 3 590 067	6.546,22 B 3 590 067	6.546,22 B 3 590 067
9.357,14 B 3 591 250	9.357,14 B 3 591 250	9.357,14 B 3 591 250	9.357,14 B 3 591 250	9.357,14 B 3 591 250	9.357,14 B 3 591 250	9.357,14 B 3 591 250
4.554,62 A 2 200 620	4.554,62 A 2 200 620	5.159,66 A 2 200 610	5.159,66 A 2 200 610	5.159,66 A 2 200 610	5.159,66 A 2 200 612	5.159,66 A 2 200 612
5.008,40 A 2 200 920	5.008,40 A 2 200 920	5.676,47 A 2 200 910	5.676,47 A 2 200 910	5.676,47 A 2 200 912	-	-
6.802,52 A 22 004 320	6.802,52 A 22 004 320	6.970,59 A 22 004 310	6.970,59 A 22 004 310	6.970,59 A 22 004 310	6.970,59 A 22 004 310	6.970,59 A 22 004 310
5.315,13 A 01-04 02 252	6.008,40 A 01-04 02 253	6.802,52 A 01-04 03 252	7.592,44 A 01-04 03 253	8.365,55 A 01-04 03 254	9.147,06 A 01-04 03 255	9.945,38 A 01-04 03 256
6.109,24 A 01-05 02 252	6.907,56 A 01-05 02 253	7.815,13 A 01-05 03 252	8.718,49 A 01-05 03 253	9.617,65 A 01-05 03 254	10.495,80 A 01-05 03 255	11.407,56 A 01-05 03 256
4.000,00 A 01-02 02 252	4.466,39 A 01-02 02 253	5.096,64 A 01-02 03 252	5.693,28 A 01-02 03 253	6.277,31 A 01-02 03 254	6.873,95 A 01-02 03 255	7.453,78 A 01-02 03 256
2.600,84 A 01-.. 02 252	2.936,97 A 01-.. 02 253	3.336,13 A 01-.. 03 252	3.710,08 A 01-.. 03 253	4.092,44 A 01-.. 03 254	4.445,38 A 01-.. 03 255	4.815,13 A 01-.. 03 256
3.932,77 A 02-0202010	4.453,78 A 02-0202020	4.647,06 A 02-0203030	5.235,29 A 02-0203040	5.831,93 A 02-0203050	6.268,91 A 02-0203060	6.857,14 A 02-0203070



** Skimmer made of stainless steel, loose, if basin is equipped with Integra 2-13

MODENA 550 CLASSIC

- One-piece pool made out of Epoxy-acrylate
- Pool with 3 cm insulation in the floor and 20 mm insulation in the walls
- Pool with 6 degree wall incline and roll cover ledge with integrated steel beam
- Pool step with 6 treads on the right side with anti-slip profiled surface

**EXTENSIONS
FROM P. 34**

- *Water attractions, Lighting packages*
- *infinity channels, - Wetlounges*
- *decor tiles*



MODENA 550 SWIM & FUN

Swim-Spa made out of "Epoxy Acrylate"

- 6 pool steps with anti-slip profiled surface, comfortable seat and lounge with massage equipment. Roller shutter safety ledge. Steel frame integrated below the ledge of the roller shutter
- Pool with 3 cm insulation in the floor and 2 cm insulation in the walls
- Technique shaft laminated to the pool shell with fine wood cover (Kebony®)



Prefabricated swimming pool for inground-installation to be backfilled with lean concrete. All accessories pre-plumbed and pre-installed.

Filtration/heating:

- Pool filter with 6-way multiport valve and pump 0,37 kW with prefilter
- Electric heater 3 + 2 kW
- Skimmer with water level regulator
- 1 low level wall suction fitting
- 1 bottom outlet sump with cover
- 2 inlet jets
- 1 underwater light, LED white, 12 V, with transformer and plastic connection box
- Spa control with Spa Touch

Swim & Fun Pak consisting of:

- Double jet countercurrent system with air controls
- 6 microjets for back and legs
- 1 floor geyser for foot and calf
- 2 maritim massage jets



All pools shown are with equipment package and options.
We reserve the right to change technical items without prior announcement to improve the product.

MODENA 550

Colours: • white

• papyrus (27) • silver-grey (24)

• sea blue (26) • beach (28)

• granicite stone grey

New!

Mosaic surface finish, pool incl., factory fitted mosaic tiling; Ezarri series Zen, Iridescent, Metal, Space, Cocktail.

Attention: Single transport necessary.

Decor tiles made of Ezarri glass mosaic, installed and grouted at the factory.

EQUIPMENT PACKAGE

CLASSIC with polished stainless steel face plates: 1 Skimmer with water level controller (8 cm), 2 (4) inlet jets, 1 wall low level suction, 1 bottom outlet sump with cover.

New!

Lighting package Standard S3 / other lighting packages such as RIVIERA LIGHT from page 40 onwards

ACCESSORIES / other water attractions: see page 34

Coping Stones granite, grey, 60 x 60 x 6.3 cm, with overhanging nose mottled surface, cut out for the fiberglass skimmer lid

Stainless steel grabrail, made of square tubing, polished, with fixing material, adhesive anchors and polished screen, per piece

FUN PAK 4.2

Technique shaft, laminated to the pool shell with fine wood (Kebony®)

Flow and massage system with double jet counter current unit, 2 maritim massage jets, 6 Microjets, 1 floor geyser, installed in technique shaft

Ditto, but then for concreting with red brass inlets and PVC pipes

Air massage system, incl. piezo switch, polished, 0,85 kW blower and switchbox

Pool filter 40 SC, with top valve, pump 0,37 kW, timer, installed in technique shaft

Warm water heat exchanger 40 kW with control unit installed in technique shaft

Twinjet counter current unit, double jet system, for pools with roller shutter shaft

UNDERGROUND ROLLER SHUTTER COVER / other cover systems: see p. 46

Roller shutter shaft Integra 2-13 for an extra high water level, extends the pool by 48 cm, with hinged seat bench and 2 inlet nozzles, Additional water content: 270 : 1,2 m³

Electrical roll-up fixture, drive shaft made from composite material with internal motor incl. 10 m cable or 20 m for the swim & fun respectively, stainless steel wall mount, installed in the factory; incl. control box and key switch, incl. universal RP connection box

Roller shutter cover, 6 cm slat width

Cover: **Polycarbonate solar** version

Polycarbonate solar, version silver vaporized

PVC solar version

PVC white (01) / **PVC** grey (03))

Winter cover, safety cover made of high-strength fabric foil in grey, integrated aluminium tubes, incl. hand crank and retractable ground anchors

FREIGHT CHARGES on request

CLASSIC 550

5,5 x 2,7 x 1,5 m

13.109,24

A Mod 550 010 03

13.768,91

A Mod 550 010 ..

15.886,55

A Mod 550 010 22

30.957,98

A Mod 550 010 90

1.653,78

16,4 m

A 3 916 360

Water Content m³

16

1.768,91

A 3 540 700

1.046,22

A 3 541 120

SWIM & FUN 550

5,5 x 2,7 x 1,5 m

39.113,45

A Mod 550 020 03

39.789,92

A Mod 550 020 ..

41.894,96

A Mod 550 020 22

56.962,18

A Mod 550 020 90

1.653,78

16,4 m

16

incl.

4.411,76

A 3 025 050

1.193,28

A 2 302 030

incl.

incl.

10.525,21

A 3 561 290

4.277,31

A 3 593 110

incl.

1.773,11

A 6 112 100

6.546,22

B 3 590 067

4.277,31

A 2 200 640

6.789,92

A 22 004 342

3.773,11

A 01-04 20 211

4.331,93

A 01-05 20 211

2.798,32

A 01-02 20 211

1.987,39


A 01- .. 20 211

3.403,36

A 02-0201015

LINEAR – Modern, elegant and clean lines. An entry step for friends to gather and relax, before or after exercise.

One-piece pool made out of Epoxy-acrylate, sandwich construction with 2 cm insulation in walls and 3 cm in the floor. 6 degree wall incline and rollcover ledge with integrated steel beam. 4 extra wide 37 cm steps with anti-slip profiled surface.



**EXTENSIONS
FROM P. 34**

- *Water attractions, Lighting packages*
- *infinity channels, - Wetlounges*
- *decor tiles*

All pools shown are with equipment package and options.
We reserve the right to change technical items without prior announcement to improve the product.

D•Line LINEAR



Roller shutter shafts:
Integra 2-13
without technik shaft



... and RIVIERA WETLOUNGE RS

Also available with the Infinity channel
and in the self-supporting version.

D•Line LINEAR

Colours: • white

• papyrus (27) • silver-grey (24)

• sea blue (26) • beach (28)

• granicite stone grey

New!

Mosaic surface finish, pool incl., factory fitted mosaic tiling; Ezarri series Zen, Iridescent, Metal, Space, Cocktail. **Attention: Single transport necessary.**

Decor tiles made of Ezarri glass mosaic, installed and grouted at the factory. A 3 916 360

EQUIPMENT PACKAGE

Water Content m³

CLASSIC with polished stainless steel face plates: 1 Skimmer with water level controller (8 cm), 2 (4) inlet jets, 1 wall low level suction, 1 bottom outlet sump with cover.

RIVIERA Elements - ACRYL BLACK & PVC WHITE: 1 skimmer with water level controller (8 cm), 2 (4) inlet jets, 1 wall low level suction, 1 bottom outlet sump with cover, Colour: black (5) or white (6)

Lighting package Standard S1 / other lighting packages such as RIVIERA LIGHT from page 40 onwards

ACCESSORIES / other water attractions: see page 34

Coping stones granite, grey, 60 x 60 x 6.3 cm, with overhanging nose mottled surface, cut out for the fiberglass skimmer lid

Stainless steel grabrail Linear, polished, with fixing material, per piece

Twinjet counter current unit, double jet system, for pools with roller shutter shaft

Trijet counter current unit, three jet system, for pools with roller shutter shaft

Komfortjet turbine unit 300, incl. technical shaft. Colour: white (0) or black (5)

UNDERGROUND ROLLER SHUTTER COVER / other cover systems: see p. 46

Roller shutter shaft Integra 2-13 for an extra high water level, extends the pool by 48 cm, with hinged seat bench and 2 inlet nozzles, Additional water content: 370: 1,9 m³

Roller shutter shaft WetLounge RS, extends the pool by 145 cm, wetlounge can be used as a seating and lounging area, enables a high water level, additional water content 320: 1.6 m³ / 370: 1.9 m³. **Please note: Surcharge for mosaic (see page 46).**

Electrical roll-up fixture, drive shaft made from composite material with internal motor with 10 m cable and stainless steel wall mount, installed in the factory; incl. control box and key switch, incl. universal RP connection box

Roller shutter cover, 6 cm slat width

Cover: **Polycarbonate solar** version

Polycarbonate solar, version silver vaporized

PVC solar version

PVC white (01) / **PVC** grey (03))

Winter cover, safety cover made of high-strength fabric foil in grey, integrated aluminium tubes, incl. hand crank and retractable ground anchors

FREIGHT CHARGES on request


	700 6,90 x 3,2 x 1,5 m	800 7,90 x 3,2 x 1,5 m	745 7,4 x 3,7 x 1,5 m	845 8,4 x 3,7 x 1,5 m	945 9,4 x 3,7 x 1,5 m	1045 10,4 x 3,7 x 1,5 m	1145 11,4 x 3,7 x 1,5 m
	16.231,09 A Lin 700 010 03	18.584,03 A Lin 800 010 03	23.747,90 A Lin 745 020 03	25.340,34 A Lin 845 020 03	26.924,37 A Lin 945 020 03	28.521,01 A Lin 1045 020 03	30.113,45 A Lin 1145 020 03
	16.819,33 A Lin 700 010 ..	19.256,30 A Lin 800 010 ..	24.373,95 A Lin 745 020 ..	25.949,58 A Lin 845 020 ..	27.546,22 A Lin 945 020 ..	29.134,45 A Lin 1045 020 ..	30.731,09 A Lin 1145 020 ..
	19.151,26 A Lin 700 010 22	21.924,37 A Lin 800 010 22	27.478,99 A Lin 745 020 22	29.067,23 A Lin 845 020 22	30.655,46 A Lin 945 020 22	32.243,70 A Lin 1045 020 22	33.844,54 A Lin 1145 020 22
	39.605,04 A Lin 700 010 90	44.592,44 A Lin 800 010 90	51.932,77 A Lin 745 020 90	56.373,95 A Lin 845 020 90	60.806,72 A Lin 945 020 90	65.247,90 A Lin 1045 020 90	69.689,08 A Lin 1145 020 90
	2.036,97 20,2 m	2.238,65 22,2 m	2.248,73 22,3 m	2.450,41 24,3 m	2.652,09 26,3 m	2.853,77 28,3 m	3.055,45 30,3 m
	27	31	31	36	41	46	51
	1.768,91 A 3 540 700	1.768,91 A 3 540 700	1.768,91 A 3 540 700	1.768,91 A 3 540 700	1.768,91 A 3 540 700	2.096,64 A 3 540 710	2.096,64 A 3 540 710
	1.768,91 A 3 540 70.	1.768,91 A 3 540 70.	1.768,91 A 3 540 70.	1.768,91 A 3 540 70.	1.768,91 A 3 540 70.	2.096,64 A 3 540 71.	2.096,64 A 3 540 71.
	1.197,48 A 3 541 100	1.197,48 A 3 541 100	1.197,48 A 3 541 100	1.197,48 A 3 541 100	1.197,48 A 3 541 100	1.197,48 A 3 541 100	1.197,48 A 3 541 100
	4.831,93 A 3 025 020	5.268,91 A 3 025 025	5.268,91 A 3 025 120	5.487,39 A 3 025 130	5.924,37 A 3 025 142	6.142,86 A 3 025 144	6.361,34 A 3 025 152
	1.323,53 A 2 302 040	1.323,53 A 2 302 040	1.323,53 A 2 302 040	1.323,53 A 2 302 040	1.323,53 A 2 302 040	1.323,53 A 2 302 040	1.323,53 A 2 302 040
	6.546,22 B 3 590 067	6.546,22 B 3 590 067	6.546,22 B 3 590 067	6.546,22 B 3 590 067	6.546,22 B 3 590 067	6.546,22 B 3 590 067	6.546,22 B 3 590 067
	9.357,14 B 3 591 250	9.357,14 B 3 591 250	9.357,14 B 3 591 250	9.357,14 B 3 591 250	9.357,14 B 3 591 250	9.357,14 B 3 591 250	9.357,14 B 3 591 250
	13.403,36 A 3 591 3..	13.403,36 A 3 591 3..	13.403,36 A 3 591 3..	13.403,36 A 3 591 3..	13.403,36 A 3 591 3..	13.403,36 A 3 591 3..	13.403,36 A 3 591 3..
	4.554,62 A 2 200 620	4.554,62 A 2 200 620	5.159,66 A 2 200 610	5.159,66 A 2 200 610	5.159,66 A 2 200 610	5.159,66 A 2 200 612	5.159,66 A 2 200 612
	5.008,40 A 2 200 920	5.008,40 A 2 200 920	5.676,47 A 2 200 910	5.676,47 A 2 200 910	5.676,47 A 2 200 912	—	—
	6.802,52 A 22 004 320	6.802,52 A 22 004 320	6.970,59 A 22 004 310	6.970,59 A 22 004 310	6.970,59 A 22 004 310	6.970,59 A 22 004 310	6.970,59 A 22 004 310
	5.315,13 A 01-04 02 232	6.008,40 A 01-04 02 233	6.802,52 A 01-04 03 232	7.592,44 A 01-04 03 233	8.365,55 A 01-04 03 234	9.147,06 A 01-04 03 235	9.945,38 A 01-04 03 236
	6.109,24 A 01-05 02 232	6.907,56 A 01-05 02 233	7.815,13 A 01-05 03 232	8.718,49 A 01-05 03 233	9.617,65 A 01-05 03 234	10.495,80 A 01-05 03 235	11.407,56 A 01-05 03 236
	4.000,00 A 01-02 02 232	4.466,39 A 01-02 02 233	5.096,64 A 01-02 03 232	5.693,28 A 01-02 03 233	6.277,31 A 01-02 03 234	6.873,95 A 01-02 03 235	7.453,78 A 01-02 03 236
	2.600,84 A 01-.. 02 232	2.936,97 A 01-.. 02 233	3.336,13 A 01-.. 03 232	3.710,08 A 01-.. 03 233	4.092,44 A 01-.. 03 234	4.445,38 A 01-.. 03 235	4.815,13 A 01-.. 03 236
	3.831,93 A 02-0302010	4.352,94 A 02-0302020	4.512,61 A 02-0303030	5.109,24 A 02-0303040	5.546,22 A 02-0303050	6.134,45 A 02-0303060	6.731,09 A 02-0303070

Linear RS – the highlight of your garden


The linear step end with integrated roller shutter shaft.

A one-piece swimming pool like the Linear but with a more sophisticated feature: The Linear RS stairs have an integrated roller-shutter shaft. The cover is concealed invisibly below the steps, slides out at the touch of a button and covers the pool. For inspections, the step section can be moved to reveal the entire shaft. This arrangement also allows the use of an infinity edge that can be covered with decorative flow gravel; the water surface is smooth and calm (Fig. 2). The WetLounge is a great combination with the Linear RS stairs, providing an additional calm-water area for you to relax and your children to play (Fig. 3).


D•Line LINEAR RS



LINEAR RS





LINEAR RS WITH INFINITY EDGE
OVERFLOW AT THE FRONT END (2)



LINEAR RS
WITH WETLOUNGE (3)

EXTENSIONS FROM P. 34

- Water attractions, Lighting packages
- infinity channels, - Wetlounges
- decor tiles



D • Line LINEAR RS

Colours: • white

• papyrus (27) • silver-grey (24)
• sea blue (26) • beach (28)

• granicite stone grey

New!

Mosaic surface finish, pool incl., factory fitted mosaic tiling; Ezarri series Zen, Iridescent, Metal, Space, Cocktail. **Attention: Single transport necessary.**

Decor tiles made of Ezarri glass mosaic, installed and grouted at the factory A 3 916 360

EQUIPMENT PACKAGE

Water Content m³

CLASSIC with polished stainless steel face plates: 1 Skimmer with water level controller (8 cm), 2 (4) inlet jets, 1 wall low level suction, 1 bottom outlet sump with cover.

New!

RIVIERA Elements - ACRYL BLACK & PVC WHITE: 1 skimmer with water level controller (8 cm), 2 (4) inlet jets, 1 wall low level suction, 1 bottom outlet sump with cover, Colour: black (5) or white (6)

Lighting package Standard S1 / other lighting packages such as RIVIERA LIGHT from page 40 onwards

ACCESSORIES / other water attractions: see page 34

Coping stones granite, grey, 60 x 60 x 6.3 cm, with overhanging nose mottled surface, cut out for the fiberglass skimmer lid

Stainless steel grabrail Linear, polished, with fixing material, per piece

Twinjet counter current unit, double jet system, for pools with roller shutter shaft

Trijet counter current unit, three jet system, for pools with roller shutter shaft

Komfortjet turbine unit 300, incl. technical shaft. Colour: white (0) or black (5)

UNDERGROUND ROLLER SHUTTER COVER / other cover systems: see p. 46

Electrical roll-up fixture, drive shaft made from composite material with internal motor with 10 m cable and stainless steel wall mount, installed in the factory; incl. control box and key switch, incl. universal RP connection box

Roller shutter cover, 6 cm slat width

Cover: **Polycarbonate solar** version

Polycarbonate solar, version silver vaporized

PVC solar version

PVC white (01) / **PVC** grey (03))

Winter cover, safety cover made of high-strength fabric foil in grey, integrated aluminium tubes, incl. hand crank and retractable ground anchors

Infinity edge overflow at the front end

Overflow channel with gutter for infinity edge


WetLounge 2 m (Caution: Include roller cover extension) 23 cm deep, 2 m laminated, ** 1,80 m long, flanged, Colour: white (03), papyrus (27), silver grey (24), granicite stone grey (22), sea blue (26), beach (28)

FREIGHT CHARGES on request

775 7,75 x 3,7 x 1,5 m	875 8,75 x 3,7 x 1,5 m	975 9,75 x 3,7 x 1,5 m	1075 10,75 x 3,7 x 1,5 m	1175 11,75 x 3,7 x 1,5 m
32.861,34 A LRS 775 010 03	34.445,38 A LRS 875 010 03	36.037,82 A LRS 975 010 03	37.621,85 A LRS 1075 010 03	39.218,49 A LRS 1175 010 03
33.483,19 A LRS 775 010 ..	35.063,03 A LRS 875 010 ..	36.651,26 A LRS 975 010 ..	38.247,90 A LRS 1075 010 ..	39.836,13 A LRS 1175 010 ..
36.584,03 A LRS 775 010 22	38.176,47 A LRS 875 010 22	39.760,50 A LRS 975 010 22	41.361,34 A LRS 1075 010 22	42.953,78 A LRS 1175 010 22
61.088,24 A LRS 775 010 90	65.521,01 A LRS 875 010 90	69.962,18 A LRS 975 010 90	74.390,76 A LRS 1075 010 90	78.836,13 A LRS 1175 010 90
2.309,24 22,9 m	2.510,92 24,9 m	2.712,60 26,9 m	3.015,12 29,9 m	3.115,96 30,9 m
32	37	42	47	52
1.768,91 A 3 540 700	1.768,91 A 3 540 700	1.768,91 A 3 540 700	2.096,64 A 3 540 710	2.096,64 A 3 540 710
1.768,91 A 3 540 70.	1.768,91 A 3 540 70.	1.768,91 A 3 540 70.	2.096,64 A 3 540 71.	2.096,64 A 3 540 71.
1.197,48 A 3 541 100	1.197,48 A 3 541 100	1.197,48 A 3 541 100	1.197,48 A 3 541 100	1.197,48 A 3 541 100
5.268,91 A 3 025 120	5.487,39 A 3 025 130	5.924,37 A 3 025 142	6.142,86 A 3 025 144	6.361,34 A 3 025 152
1.323,53 A 2 302 040	1.323,53 A 2 302 040	1.323,53 A 2 302 040	1.323,53 A 2 302 040	1.323,53 A 2 302 040
6.546,22 B 3 590 067	6.546,22 B 3 590 067	6.546,22 B 3 590 067	6.546,22 B 3 590 067	6.546,22 B 3 590 067
9.357,14 B 3 591 250	9.357,14 B 3 591 250	9.357,14 B 3 591 250	9.357,14 B 3 591 250	9.357,14 B 3 591 250
13.403,36 A 3 591 3..	13.403,36 A 3 591 3..	13.403,36 A 3 591 3..	13.403,36 A 3 591 3..	13.403,36 A 3 591 3..
6.970,59 A 22 004 310	6.970,59 A 22 004 310	6.970,59 A 22 004 310	6.970,59 A 22 004 310	6.970,59 A 22 004 310
6.802,52 A 01-04 04 232	7.592,44 A 01-04 04 233	8.365,55 A 01-04 04 234	9.147,06 A 01-04 04 235	9.945,38 A 01-04 04 236
7.815,13 A 01-05 04 232	8.718,49 A 01-05 04 233	9.617,65 A 01-05 04 234	10.495,80 A 01-05 04 235	11.407,56 A 01-05 04 236
5.096,64 A 01-02 04 232	5.693,28 A 01-02 04 233	6.277,31 A 01-02 04 234	6.873,95 A 01-02 04 235	7.453,78 A 01-02 04 236
3.336,13 A 01- .. 04 232	3.710,08 A 01- .. 04 233	4.092,44 A 01- .. 04 234	4.445,38 A 01- .. 04 235	4.815,13 A 01- .. 04 236
4.420,17 A 02-0403030	5.016,81 A 02-0403040	5.453,78 A 02-0403050	6.042,02 A 02-0403060	6.638,66 A 02-0403070
3.563,03 A 2 115 050	3.563,03 A 2 115 050	3.563,03 A 2 115 050	3.563,03 A 2 115 050	3.563,03 A 2 115 050
1.184,87 A 2 115 055	1.184,87 A 2 115 055	1.184,87 A 2 115 055	1.184,87 A 2 115 055	1.184,87 A 2 115 055
6.105,04 A 2 116 5..	6.105,04 A 2 116 5..	6.105,04 A 2 116 5..	8.331,93** A 2 116 6..	8.331,93** A 2 116 6..

The *new* LUGANO RS – the focal point of your wellness oasis!

Just as the Linear RS the Lugano RS features an integrated roller shutter shaft. The cover is concealed invisibly below the steps, slides out at the touch of a button and covers the pool. For inspections, the step can be opened. This arrangement also allows the use of an infinity edge that can be covered with decorative flow gravel; the water surface is smooth and calm. The WetLounge is a great combination with the Lugano RS stairs, providing an additional shallow-water area for you to relax and your children to play (see example of Linear RS with Wetlounge).




LUGANO RS WITH INFINITY OVERFLOW
AT THE FRONT END

**EXTENSIONS
FROM P. 34**

- *Water attractions, Lighting packages*
- *infinity channels, - Wetlounges*
- *decor tiles*

D•Line LUGANO RS



D • Line LUGANO RS

Colours: • white

• papyrus (27) • silver-grey (24)
• sea blue (26) • beach (28)

• granicite stone grey

New!

Mosaic surface finish, pool incl., factory fitted mosaic tiling; Ezarri series Zen, Iridescent, Metal, Space, Cocktail. **Attention: Single transport necessary.**

Decor tiles made of Ezarri glass mosaic, installed and grouted at the factory

A 3 916 360

EQUIPMENT PACKAGE

Water Content m³

CLASSIC with polished stainless steel face plates: 1 Skimmer with water level controller (8 cm), 2 (4) inlet jets, 1 wall low level suction, 1 bottom outlet sump with cover.

New!

RIVIERA Elements - ACRYL BLACK & PVC WHITE: 1 skimmer with water level controller (8 cm), 2 (4) inlet jets, 1 wall low level suction, 1 bottom outlet sump with cover, Colour: black (5) or white (6)

Lighting package Standard S1 / ther lighting packages such as RIVIERA LIGHT from page 40 onwards

ACCESSORIES / other water attractions: see page 34

Coping stones granite, grey, 60 x 60 x 6.3 cm, with overhanging nose mottled surface, cut out for the fiberglass skimmer lid

Stainless steel grabrail Linear, polished, with fixing material, per piece

Twinjet counter current unit, double jet system, for pools with roller shutter shaft

Trijet counter current unit, three jet system, for pools with roller shutter shaft

Komfortjet turbine unit 300, incl. technical shaft. Colour: white (0) or black (5)

UNDERGROUND ROLLER SHUTTER COVER / other cover systems: see p. 46

Electrical roll-up fixture, drive shaft made from composite material with internal motor with 10 m cable and stainless steel wall mount, installed in the factory; incl. control box and key switch, incl. universal RP connection box

Roller shutter cover, 6 cm slat width

Cover: **Polycarbonate solar** version

Polycarbonate solar, version silver vaporized

PVC solar version

PVC white (01) / **PVC** grey (03)

Winter cover, safety cover made of high-strength fabric foil in grey, integrated aluminium tubes, incl. hand crank and retractable ground anchors

Infinity edge overflow at the front end

Overflow channel with gutter for infinity edge

WetLounge 2 m (Caution: Include roller cover extension) 23 cm deep, 2 m laminated, ** 1,80 m long, flanged, Colour: white (03), papyrus (27), silver grey (24), granicite stone grey (22), sea blue (26), beach (28)


FREIGHT CHARGES on request

775	875	975	1075	1175
7,75 x 3,7 x 1,5 m	8,75 x 3,7 x 1,5 m	9,75 x 3,7 x 1,5 m	10,75 x 3,7 x 1,5 m	11,75 x 3,7 x 1,5 m
32.647,06 A LURS 775 010 03	34.231,09 A LURS 875 010 03	35.827,73 A LURS 975 010 03	37.407,56 A LURS 1075 010 03	39.008,40 A LURS 1175 010 03
33.268,91 A LURS 775 010 ..	34.394,96 A LURS 875 010 ..	36.436,97 A LURS 975 010 ..	38.029,41 A LURS 1075 010 ..	39.626,05 A LURS 1175 010 ..
36.373,95 A LURS 775 010 22	37.936,97 A LURS 875 010 22	39.546,22 A LURS 975 010 22	41.142,86 A LURS 1075 010 22	42.743,70 A LURS 1175 010 22
60.491,60 A LURS 775 010 90	64.924,37 A LURS 875 010 90	69.369,75 A LURS 975 010 90	73.794,12 A LURS 1075 010 90	78.243,70 A LURS 1175 010 90
2.309,24 22,9 m	2.510,92 24,9 m	2.712,60 26,9 m	3.015,12 29,9 m	3.115,96 30,9 m
32	37	42	47	52
1.768,91 A 3 540 700	1.768,91 A 3 540 700	1.768,91 A 3 540 700	2.096,64 A 3 540 710	2.096,64 A 3 540 710
1.768,91 A 3 540 70.	1.768,91 A 3 540 70.	1.768,91 A 3 540 70.	2.096,64 A 3 540 71.	2.096,64 A 3 540 71.
1.197,48 A 3 541 100	1.197,48 A 3 541 100	1.197,48 A 3 541 100	1.197,48 A 3 541 100	1.197,48 A 3 541 100
5.268,91 A 3 025 120	5.487,39 A 3 025 130	5.924,37 A 3 025 142	6.142,86 A 3 025 144	6.361,34 A 3 025 152
1.323,53 A 2 302 040	1.323,53 A 2 302 040	1.323,53 A 2 302 040	1.323,53 A 2 302 040	1.323,53 A 2 302 040
6.546,22 B 3 590 067	6.546,22 B 3 590 067	6.546,22 B 3 590 067	6.546,22 B 3 590 067	6.546,22 B 3 590 067
9.357,14 B 3 591 250	9.357,14 B 3 591 250	9.357,14 B 3 591 250	9.357,14 B 3 591 250	9.357,14 B 3 591 250
13.403,36 A 3 591 3..	13.403,36 A 3 591 3..	13.403,36 A 3 591 3..	13.403,36 A 3 591 3..	13.403,36 A 3 591 3..
6.970,59 A 22 004 310	6.970,59 A 22 004 310	6.970,59 A 22 004 310	6.970,59 A 22 004 310	6.970,59 A 22 004 310
6.802,52 A 01-04 04 232	7.592,44 A 01-04 04 233	8.365,55 A 01-04 04 234	9.147,06 A 01-04 04 235	9.945,38 A 01-04 04 236
7.815,13 A 01-05 04 232	8.718,49 A 01-05 04 233	9.617,65 A 01-05 04 234	10.495,80 A 01-05 04 235	11.407,56 A 01-05 04 236
5.096,64 A 01-02 04 232	5.693,28 A 01-02 04 233	6.277,31 A 01-02 04 234	6.873,95 A 01-02 04 235	7.453,78 A 01-02 04 236
3.336,13 A 01- .. 04 232	3.710,08 A 01- .. 04 233	4.092,44 A 01- .. 04 234	4.445,38 A 01- .. 04 235	4.815,13 A 01- .. 04 236
4.420,17 A 02-0403030	5.016,81 A 02-0403040	5.453,78 A 02-0403050	6.042,02 A 02-0403060	6.638,66 A 02-0403070
3.563,03 A 2 115 050	3.563,03 A 2 115 050	3.563,03 A 2 115 050	3.563,03 A 2 115 050	3.563,03 A 2 115 050
1.184,87 A 2 115 055	1.184,87 A 2 115 055	1.184,87 A 2 115 055	1.184,87 A 2 115 055	1.184,87 A 2 115 055
6.105,04 A 2 116 5..	6.105,04 A 2 116 5..	6.105,04 A 2 116 5..	8.331,93** A 2 116 5..	8.331,93** A 2 116 5..

WetLounge® is the ideal combination for plenty of unique and unforgettable summers:

- Spacious swimming area measuring 8 x 3,7 metres or 10 x 3,7 metres with 1,5 metres depth
- Step end Linear RS with four large steps and integrated roller shutter pool cover
- WetLounge® –shallow water zone 2 x 3,7 meters and 0,23 meters depth
- Step system Ancona, five steps in front of the lounge


One-piece pool made out of Epoxy-acrylate, sandwich construction with 2 cm insulation in the walls and 3 cm in the floor. 6 degree wall incline and rollcover ledge with integrated steel beam. The pool can be fully covered. Below the coping stones, high water levels of up to 5 cm are possible.



EXTENSIONS
FROM P. 34

- Water attractions, Lighting packages
- infinity channels, - Wetlounges
- decor tiles

WetLounge



WetLounge® – Ancona with Linear RS step-end and integrated roller shutter cover 1,75 m

	WL 1175 11,75 x 3,7 x 1,5 m	WL 1375* 13,75 x 3,7 x 1,5 m
Colours: • white	39.134,45 A Awl 1175 01003	44.542,02 A Awl 1375 01003
• papyrus (27) • silver-grey (24)	43.079,83 A Awl 1175 010..	46.373,95 A Awl 1375 010..
• sea blue (26) • beach (28)		
• granicite stone grey	46.777,31 A Awl 1175 01022	50.563,03 A Awl 1375 01022
New! Mosaic surface finish, pool incl., factory fitted mosaic tiling; Ezarri series Zen, Iridescent, Metal, Space, Cocktail. Attention: Single transport necessary.	76.626,05 A Awl 1175 01090	87.731,09 A Awl 1375 01090
Decor tiles made of Ezarri glass mosaic, series Zen, Iridescent, Metal, Space, installed and grouted at the factory	3.115,96 30,9 m A 3 916 360	3.519,32 34,9 m
EQUIPMENT PACKAGE	Water Content m ³ 43	53
CLASSIC with polished stainless steel face plates: 1 Skimmer with water level controller (8 cm), 2 (4) inlet jets, 1 wall low level suction, 1 bottom outlet sump with cover.	1.768,91 A 3 540 700	2.096,64 A 3 540 710
New! RIVIERA Elements - ACRYL BLACK & PVC WHITE: 1 skimmer with water level controller (8 cm), 2 (4) inlet jets, 1 wall low level suction, 1 bottom outlet sump with cover, Colour: black (5) or white (6)	1.768,91 A 3 540 70.	2.096,64 A 3 540 71.
Lighting package Standard S2 / ther lighting packages such as RIVIERA LIGHT from page 40 onwards	1.197,48 A 3 541 110	1.197,48 A 3 541 110
ACCESSORIES / other water attractions: see page 34		
Coping stones granite, grey, 60 x 60 x 6.3 cm, with overhanging nose mottled surface, cut out for the fiberglass skimmer lid	6.361,34 A 3 025 152	7.016,81 A 3 025 172
Stainless steel grabrail, polished, with fixing material, adhesive anchors and polished screen, per piece	1.193,28 A 2 302 030	1.193,28 A 2 302 030
Twinjet counter current unit, double jet system, for pools with roller shutter shaft	6.546,22 B 3 590 067	6.546,22 B 3 590 067
Safety suction fittings for pools without roller shutter shaft according to DIN EN 16 713 (for pools without roller shutter shaft). 2 x 2 ½", suction grille ø350 mm, Qmax = 52,7 m ³ /h, additional price	899,16 B 3 590 250	899,16 B 3 590 250
Trijet counter current unit, three jet system, for pools with roller shutter shaft	9.357,14 B 3 591 250	9.357,14 B 3 591 250
Safety suction fittings for pools without roller shutter shaft according to DIN EN 16 713 (for pools without roller shutter shaft). 3 x 2 ½", suction grille ø350 mm, Qmax = 105,4 m ³ /h, additional price	1.105,04 B 3 590 260	1.105,04 B 3 590 260
Komfortjet turbine unit 300, incl. technical shaft. Colour: white (0) or black (5)	13.403,36 A 3 591 3..	13.403,36 A 3 591 3..
UNDERGROUND ROLLER SHUTTER COVER / other cover systems: see p. 46		
Electrical roll-up fixture, drive shaft made from composite material with internal motor with 10 m cable and stainless steel wall mount, installed in the factory; incl. control box and key switch , incl. universal RP connection box	6.970,59 A 22 004 310	6.970,59 A 22 004 310
Roller shutter cover, 6 cm slat width		
Cover: Polycarbonate solar version	9.945,38 A 01-04 04 236	11.626,05 A 01-04 04 238
Polycarbonate solar, version silver vaporized	11.407,56 A 01-05 04 236	13.373,95 A 01-05 04 238
PVC solar version	7.453,78 A 01-02 04 236	8.718,49 A 01-02 04 238
PVC white (01) / PVC grey (03))	4.815,13 A 01-.. 04 236	5.500,00 A 01-.. 04 238
Winter cover, safety cover made of high-strength fabric foil in grey, integrated aluminium tubes, incl. hand crank and retractable ground anchors	6.638,66 A 02-0403070	7.638,66 A 02-0503070
FREIGHT CHARGES on request		

* For reasons of transport the WetLounge® is delivered with flange for on-site installation.

ROM – Traditional pool entry step with 5 full width steps with anti-slip profiled surface.

One-piece polyester pool made out of Epoxy-Acrylate. 5 pool steps, with 6 degree wall incline and rollcover ledge with integrated steel beam. Pool with 3 cm insulation in the floor and 2 cm insulation in the walls.



**EXTENSIONS
FROM P. 34**

- *Water attractions, Lighting packages*
- *infinity channels, - Wetlounges*
- *decor tiles*

ROM



Roller shutter shafts:
Integra 2-13

... and **RIVIERA WETLOUNGE RS**

All pools shown are with equipment package and options.
We reserve the right to change technical items without prior
announcement to improve the product.

Also available with the Infinity channel
and in the self-supporting version.


Rom

	745	845	945	1045	1145
	7,45 x 3,7 x 1,5 m	8,45 x 3,7 x 1,5 m	9,45 x 3,7 x 1,5 m	10,45 x 3,7 x 1,5 m	11,45 x 3,7 x 1,5 m
Colours: • white	25.315,13 A Rom 745 010 03	26.915,97 A Rom 845 010 03	28.184,87 A Rom 945 010 03	29.773,11 A Rom 1045 010 03	31.373,95 A Rom 1145 010 03
• papyrus (27) • silver-grey (24)	25.949,58 A Rom 745 010 ..	27.537,82 A Rom 845 010 ..	28.827,73 A Rom 945 010 ..	30.420,17 A Rom 1045 010 ..	32.025,21 A Rom 1145 010 ..
• sea blue (26) • beach (28)					
• granicite stone grey	29.596,64 A Rom 745 010 22	31.432,77 A Rom 845 010 22	32.941,18 A Rom 945 010 22	34.777,31 A Rom 1045 010 22	36.613,45 A Rom 1145 010 22
New! Mosaic surface finish, pool incl., factory fitted mosaic tiling; Ezarri series Zen, Iridescent, Metal, Space, Cocktail. Attention: Single transport necessary.	52.949,58 A Rom 745 010 90	57.394,96 A Rom 845 010 90	61.512,61 A Rom 945 010 90	65.949,58 A Rom 1045 010 90	70.399,16 A Rom 1145 010 90
Decor tiles made of Ezarri glass mosaic, installed and grouted at the factory	2.248,73 22,3 m	2.450,41 24,3 m	2.652,09 26,3 m	2.853,77 28,3 m	3.055,45 30,3 m
EQUIPMENT PACKAGE	Water Content m ³				
	31	36	41	46	51
CLASSIC with polished stainless steel face plates: 1 Skimmer with water level controller (8 cm), 2 (4) inlet jets, 1 wall low level suction, 1 bottom outlet sump with cover.	1.768,91 A 3 540 700	1.768,91 A 3 540 700	1.768,91 A 3 540 700	2.096,64 A 3 540 710	2.096,64 A 3 540 710
RIVIERA ELEMENTEN - ACRYL BLACK & PVC WHITE: 1 skimmer with water level controller (8 cm), 2 (4) inlet jets, 1 wall low level suction, 1 bottom outlet sump with cover, Colour: black (5) or white (6)	1.768,91 A 3 540 70.	1.768,91 A 3 540 70.	1.768,91 A 3 540 70.	2.096,64 A 3 540 71.	2.096,64 A 3 540 71.
Lighting package Standard S1 / ther lighting packages such as RIVIERA LIGHT from page 40 onwards	1.197,48 A 3 541 100	1.197,48 A 3 541 100	1.197,48 A 3 541 100	1.197,48 A 3 541 100	1.197,48 A 3 541 100
ACCESSORIES / other water attractions: see p. 46					
Coping stone made of granite, grey, 50 x 35 x 4 cm, stone rounded to the pool side	2.899,16 A 3 021 206	3.100,84 A 3 021 306	3.302,52 A 3 021 406	3.504,20 A 3 021 506	3.705,88 A 3 021 606
Stainless steel grabrail, per pair, polished	1.445,38 A 2 302 010	1.445,38 A 2 302 010	1.445,38 A 2 302 010	1.445,38 A 2 302 010	1.445,38 A 2 302 010
Twinjet counter current unit, double jet system, for pools with roller shutter shaft	6.546,22 B 3 590 067	6.546,22 B 3 590 067	6.546,22 B 3 590 067	6.546,22 B 3 590 067	6.546,22 B 3 590 067
Trijet counter current unit, three jet system, for pools with roller shutter shaft	9.357,14 B 3 591 250	9.357,14 B 3 591 250	9.357,14 B 3 591 250	9.357,14 B 3 591 250	9.357,14 B 3 591 250
Komfortjet turbine unit 300, incl. technical shaft. Colour: white (0) or black (5)	13.403,36 A 3 591 3..	13.403,36 A 3 591 3..	13.403,36 A 3 591 3..	13.403,36 A 3 591 3..	13.403,36 A 3 591 3..
Stainless steel handrail, polished, 2 m long, made of round tubing, with 2 mounting flanges and wall anchors, per piece	798,32 A 2 303 080	798,32 A 2 303 080	798,32 A 2 303 080	798,32 A 2 303 080	798,32 A 2 303 080
UNDERGROUND ROLLER SHUTTER COVER / other cover systems: see p. 46					
Roller shutter shaft Integra 2-13 for an extra high water level, extends the pool by 48 cm, with hinged seat bench and 2 inlet nozzles, Additional water content: 370: 1,9 m ³	5.159,66 A 2 200 610	5.159,66 A 2 200 610	5.159,66 A 2 200 610	5.159,66 A 2 200 612	5.159,66 A 2 200 612
New! Roller shutter shaft WetLounge RS, extends the pool by 145 cm, wetlounge can be used as a seating and lounging area, enables a high water level, additional water content 320: 1.6 m ³ / 370: 1.9 m ³ . Please note: Surcharge for mosaic (see page 46).	5.676,47 A 2 200 910	5.676,47 A 2 200 910	5.676,47 A 2 200 912	–	–
Electrical roll-up fixture, drive shaft made from composite material with internal motor with 10 m cable and stainless steel wall mount, installed in the factory; incl. control box and key switch, incl. universal RP connection box	6.970,59 A 22 004 310	6.970,59 A 22 004 310	6.970,59 A 22 004 310	6.970,59 A 22 004 310	6.970,59 A 22 004 310
Roller shutter cover, 6 cm slat width					
Cover: Polycarbonate solar version	7.021,01 A 01-04 03 242	7.810,92 A 01-04 03 243	8.584,03 A 01-04 03 244	9.365,55 A 01-04 03 245	10.163,87 A 01-04 03 246
Polycarbonate solar, version silver vaporized	7.920,17 A 01-05 03 242	8.823,53 A 01-05 03 243	9.722,69 A 01-05 03 244	10.600,84 A 01-05 03 245	11.512,61 A 01-05 03 246
PVC solar version	5.176,47 A 01-02 03 242	5.773,11 A 01-02 03 243	6.357,14 A 01-02 03 244	6.953,78 A 01-02 03 245	7.533,61 A 01-02 03 246
PVC white (01) / PVC grey (03))	3.403,36 A 01- .. 03 242	3.777,31 A 01- .. 03 243	4.159,66 A 01- .. 03 244	4.512,61 A 01- .. 03 245	4.882,35 A 01- .. 03 246
FREIGHT CHARGES on request					

RivieraPool®

WHETHER ROM OR LINEAR –
the design in XL format 4.70 m wide!

One-piece pool made out of Epoxy-acrylate. Sandwich construction with 20 mm insulation in the walls and 30 mm insulation in the floor, roller shutter safety ledge, steel frame integrated below the ledge of the roller shutter. Comfortable pool steps with anti-slip profiled surface.



New!

XL FORMAT



EXTENSIONS
FROM P. 34

- Water attractions, Lighting packages
- infinity channels, - Wetlounges
- decor tiles

All pools shown are with equipment package and options.
We reserve the right to change technical items without prior announcement to improve the product.

Swimming pools XL FORMAT

New!

D-Line LINEAR XL
11,40 x 4,7 x 1,5 m

ROM XL
11,45 x 4,7 x 1,5

Colours: • white

• papyrus (27) • silver-grey (24)

• sea blue (26) • beach (28)

• granicite stone grey

New! **Mosaic surface finish, pool incl.,** factory fitted mosaic tiling; Ezarri series Zen, Iridescent, Metal, Space, Cocktail.

Decor tiles made of Ezarri glass mosaic, installed and grouted at the factory.

A 3 916 360

EQUIPMENT PACKAGE

Water Content m³

CLASSIC with polished stainless steel face plates: 2 skimmer with water level controller (8 cm), 4 inlet jets, 1 wall low level suction, 1 bottom outlet sump with cover

RIVIERA Elements - ACRYL BLACK & PVC WHITE: 2 skimmer with water level controller (8 cm), 4 inlet jets, 1 wall low level suction, 1 bottom outlet sump with cover, Colour: black (5) or white (6)

New!

Lighting package Standard M / other lighting packages such as RIVIERA LIGHT from page 40 onwards

ACCESSORIES / other water attractions: see page 34

Coping Stones granite, grey, 60 x 60 x 6.3 cm, with overhanging nose mottled surface, cut out for the fiberglass skimmer lid

Grabrail stainless steel, polished,

Stainless steel grabrail, polished, 2 m long, with fixing material, adhesive anchors and polished screen, per piece

Twinjet counter current unit, double jet system, for pools with roller shutter shaft

Trijet counter current unit, three jet system, for pools with roller shutter shaft

Komfortjet turbine unit 300, incl. technical shaft. Colour: white (0) or black (5)

UNDERGROUND ROLLER SHUTTER COVER

Roller shutter niche 470, the roller shutter is installed behind the pool wall and below the coping stones. It extends the pool by 25 cm and protrudes 50 cm into the pool. For inspection purposes the screen can be totally removed. Incl. 2 inlet nozzles. **Attention: Transportation of pools with roller shutter niche**

Electrical roll-up fixture, drive shaft made from composite material with internal gear motor with 5 m cable and stainless steel wall fixings, installed in the factory; incl. control box and key switch

Roller shutter cover, 6 cm slat width

Cover: **Polycarbonate solar** version

Polycarbonate solar, version silver vaporized

PVC solar version

PVC white (01) / **PVC** grey (03))

38.252,10
A LinXL 100 010 03

39.037,82
A LinXL 100 010 ..

42.991,60
A LinXL 100 010 22

84.533,61
A LinXL 100 010 90

3.408,39
33,8 m

75 m³

2.974,79
A 3 540 800

2.974,79
A 3 540 80.

2.500,00
A 3 541 160

6.487,39
A 3 025 510

1.323,53
A 2 302 040

798,32
A 2 303 080

6.546,22
B 3 590 067

9.357,14
B 3 591 250

13.403,36
A 3 591 30.

11.147,06
A 2 200 530

7.336,13
A 2 200 312

11.432,77
A 01-04 06 236

13.147,06
A 01-05 06 236

9.100,84
A 01-02 06 236

5.731,09
A 01-.. 06 236

38.420,17
A RomXL 100 010 03

39.210,08
A RomXL 100 010 ..

43.180,67
A RomXL 100 010 22

83.256,30
A RomXL 100 010 90

3.589,90
35,6 m

70 m³

2.974,79
A 3 540 800

2.974,79
A 3 540 80.

2.500,00
A 3 541 160

6.487,39
A 3 025 510

1.445,38
A 2 302 010

798,32
A 2 303 080

6.546,22
B 3 590 067

9.357,14
B 3 591 250

13.403,36
A 3 591 30.

11.147,06
A 2 200 530

7.336,13
A 2 200 312

11.210,08
A 01-04 06 246

12.781,51
A 01-05 06 246

8.789,92
A 01-02 06 246

5.575,63
A 01-.. 06 246

FREIGHT CHARGES on request

Ancona with overflow channel –

One-piece polyester pool made out of Epoxy-Acrylate.


Pool step with 5 steps on the right side with anti-slip profiled surface. Pool with 3 cm insulation in the floor and 2 cm insulation in the walls. White plastic overflow gutter, adjustable overflow weir, tiles and epoxy glue for installation on site. 2 overflow drains d125, white PVC grates with 4 corners.




**EXTENSIONS
FROM P. 34**

- *Water attractions, Lighting packages*
- *infinity channels, - Wetlounges*
- *decor tiles*


D•Line ANCONA with overflow channel




Gutter for overflow channel



Overflow channel with stone cover
adjustable overflow weir of GRP



Overflow channel with stone cover
adjustable overflow weir of V4A



D-Line ANCONA with overflow channel

Colours: • white

• papyrus (27) • silver-grey (24)

• sea blue (26) • beach (28)

• granicite stone grey

New! **Mosaic surface finish, pool incl.,** factory fitted mosaic tiling; Ezarri series Zen, Iridescent, Metal, Space, Cocktail.

EQUIPMENT PACKAGE Ü, private use

CLASSIC with polished stainless steel face plates: 1 wall low level suction, 1 bottom outlet sump with cover, 4 (6) inlet jets, vacuum point.

New! **RIVIERA Elements - ACRYL BLACK & PVC WHITE:** 1 wall low level suction, 1 bottom outlet sump with cover, 4 (6) inlet jets, 1 vacuum point. Colour: black (5) or white (6)

Lighting package Standard S2 / other lighting packages such as RIVIERA LIGHT from page 40 onwards

ACCESSORIES / other water attractions: see page 34

Prefabricated kit for pools with overflow channel with gutter, white, adjustable overflow weir of GRP, water-side tiles and epoxy glue for installation on site included

Prefabricated kit for pools with overflow channel with stone cover, adjustable overflow weir made of GRP, with plastic insert grate for on-site bonding of tiles/stone slabs

New! **Prefabricated kit for pools with overflow channel with stone cover,** adjustable overflow weir made of stainless steel, on both sides, with integrated stone support made of GRP, for on-site installation of stone slabs

New! **Hot tap sampling point,** 2 suction fittings 2", female thread, suction grilles ø200 mm for 14,3 m³/h each, polished (0), black (5), white (6)

Twinjet counter current unit, double jet system, for pools with roller shutter shaft

Trijet counter current unit, three jet system, for pools with roller shutter shaft

WATER TANKS (on request)

INLINE ROLLER SHUTTER INLINE

Roller shutter installed on the bottom of a pool, roll cover housed in a hinged Inline bench pre-installed, with 2 nozzles 1,5" under the bench, Additional water content: 1,2 m³

Electrical roll-up fixture, drive shaft made from composite material with internal motor with 10 m cable and stainless steel wall mount, installed in the factory; incl. control box and key switch, incl. universal RP connection box

Roller shutter cover, 6 cm slat width

Cover: **Polycarbonate solar** version

Polycarbonate solar, version silver vaporized

PVC solar version

PVC white (01) / **PVC** grey (03))

STEEL WALL SUPPORTS

Galvanized, laminated to the 4 sides of the pool shell in the factory

For installation on site, non-fixed

FREIGHT CHARGES on request

800 Ü
8,61 x 4,31 x 1,35 m

1000 Ü
10,61 x 4,31 x 1,35 m

40.878,15
A AncÜ 800 010 03
41.600,84
A AncÜ 800 010 ..
45.285,71
A AncÜ 800 010 22
68.928,57
A AncÜ 800 010 90

44.995,80
A AncÜ 1000 010 03
45.819,33
A AncÜ 1000 010 ..
50.004,20
A AncÜ 1000 010 22
78.399,16
A AncÜ 1000 010 90

Water Content m³

34

43

1.453,78
A 3 540 740

1.781,51
A 3 540 750

1.453,78
A 3 540 74.

1.781,51
A 3 540 75.

1.197,48
A 3 541 110

1.197,48
A 3 541 110

6.991,60
A 2 401 024

8.016,81
A 2 401 026

10.000,-
A 2 401 224

11.260,50
A 2 401 226

4.021,01
A 2 401 124

4.638,66
A 2 401 126

739,50
B 4 230 11.

739,50
B 4 230 11.

6.546,22
B 3 590 067

6.546,22
B 3 590 067

9.357,14
B 3 591 250

9.357,14
B 3 591 250

9.630,25
A 2 200 355

9.630,25
A 2 200 355

6.970,59
A 22 004 414

6.970,59
A 22 004 414

7.042,02
A 01-04 05 204

8.621,85
A 01-04 05 206

8.109,24
A 01-05 05 204

9.899,16
A 01-05 05 206

5.281,51
A 01-02 05 204

6.457,98
A 01-02 05 206

3.365,55
A 01- .. 05 204

4.088,24
A 01- .. 05 206

16.726,89
A 2 400 503

19.592,44
A 2 400 541

13.987,39
A 2 400 603

16.373,95
A 2 400 641

LINEAR with overflow channel – One-piece polyester pool made out of Epoxy-Acrylate.

Sandwich construction with 2 cm wall insulation and 3 cm insulation in the floor. White plastic overflow gutter, adjustable overflow weir, tiles and epoxy glue for installation on site. 2 overflow drains d125, white PVC grates with corners.




**EXTENSIONS
FROM P. 34**

- *Water attractions, Lighting packages*
- *infinity channels, - Wetlounges*
- *decor tiles*


D•Line LINEAR with overflow channel




Gutter for overflow channel



Overflow channel with stone cover
adjustable overflow weir of GRP



Overflow channel with stone cover
adjustable overflow weir of V4A



D•Line LINEAR with overflow channel

745 Ü 8,10 x 4,31 x 1,35 m 845 Ü 9,10 x 4,31 x 1,35 m 945 Ü 10,10 x 4,31 x 1,35 m 1045 Ü 11,10 x 4,31 x 1,35 m 1145 Ü 12,10 x 4,31 x 1,35 m

Colours: • white

• papyrus (27) • silver-grey (24)

• sea blue (26) • beach (28)

• granicite stone grey

New!

Mosaic surface finish, pool incl., factory fitted mosaic tiling; Ezarri series Zen, Iridescent, Metal, Space, Cocktail.

EQUIPMENT PACKAGE Ü, private use

Water Content m³

CLASSIC with polished stainless steel face plates: 1 wall low level suction, 1 bottom outlet sump with cover, 4 (6) inlet jets, vacuum point.

New!

RIVIERA Elements - ACRYL BLACK & PVC WHITE: 1 wall low level suction, 1 bottom outlet sump with cover, 4 (6) inlet jets, 1 vacuum point. Colour: black (5) or white (6)

Lighting package Standard S1 / other lighting packages from page 40 onwards

ACCESSORIES / other water attractions: see page 34

Prefabricated kit for pools with overflow channel with gutter, white, adjustable overflow weir of GRP, water-side tiles and epoxy glue for installation on site included

Prefabricated kit for pools with overflow channel with stone cover, adjustable overflow weir made of GRP, with plastic insert grate for on-site bonding of tiles/stone slabs

New!

Prefabricated kit for pools with overflow channel with stone cover, adjustable overflow weir made of stainless steel, on both sides, with integrated stone support made of GRP, for on site installation of stone slabs

New!

Hot tap sampling point, 2 suction fittings 2", female thread, suction grilles ø200 mm for 14,3 m³/h each, polished (0), black (5), white (6)

Twinjet counter current unit, double jet system, for pools with roller shutter shaft

Trijet counter current unit, three jet system, for pools with roller shutter shaft

WATER TANKS (on request)

INLINE ROLLER SHUTTER INLINE

Roller shutter installed on the bottom of a pool, roll cover housed in a hinged Inline bench pre-installed, with 2 nozzles 1,5" under the bench, Additional water content: 1,2 m³

Electrical roll-up fixture, drive shaft made from composite material with internal motor with 10 m cable and stainless steel wall mount, installed in the factory; incl. control box and key switch, incl. universal RP connection box

Roller shutter cover, 6 cm slat width

Cover: **Polycarbonate solar** version

Polycarbonate solar, version silver vaporized

PVC solar version

PVC white (01) / **PVC** grey (03)

STEEL WALL SUPPORTS

Galvanized, laminated to the 4 sides of the pool shell in the factory

For installation on site, non-fixed


FREIGHT CHARGES on request

745 Ü	845 Ü	945 Ü	1045 Ü	1145 Ü
8,10 x 4,31 x 1,35 m	9,10 x 4,31 x 1,35 m	10,10 x 4,31 x 1,35 m	11,10 x 4,31 x 1,35 m	12,10 x 4,31 x 1,35 m
39.231,09 A LinÜ 745 010 03	41.747,90 A LinÜ 845 010 03	44.256,30 A LinÜ 945 010 03	46.777,31 A LinÜ 1045 010 03	49.294,12 A LinÜ 1145 010 03
39.857,14 A LinÜ 745 010 ..	42.357,14 A LinÜ 845 010 ..	44.878,15 A LinÜ 945 010 ..	47.390,76 A LinÜ 1045 010 ..	49.911,76 A LinÜ 1145 010 ..
42.926,18 A LinÜ 745 010 22	45.474,79 A LinÜ 845 010 22	47.987,39 A LinÜ 945 010 22	50.500,00 A LinÜ 1045 010 22	53.025,21 A LinÜ 1145 010 22
64.432,77 A LinÜ 745 010 90	69.626,05 A LinÜ 845 010 90	74.815,13 A LinÜ 945 010 90	80.012,61 A LinÜ 1045 010 90	85.205,88 A LinÜ 1145 010 90
28	33	37	42	46
1.453,78 A 3 540 740	1.453,78 A 3 540 740	1.453,78 A 3 540 740	1.781,51 A 3 540 750	1.781,51 A 3 540 750
1.453,78 A 3 540 74.	1.453,78 A 3 540 74.	1.453,78 A 3 540 74.	1.781,51 A 3 540 75.	1.781,51 A 3 540 75.
1.197,48 A 3 541 100	1.197,48 A 3 541 100	1.197,48 A 3 541 100	1.197,48 A 3 541 100	1.197,48 A 3 541 100
6.878,15 A 2 401 052	7.260,50 A 2 401 053	7.794,12 A 2 401 054	8.327,73 A 2 401 055	8.710,08 A 2 401 056
9.512,61 A 2 401 252	10.210,08 A 2 401 253	10.907,56 A 2 401 254	11.609,24 A 2 401 255	12.306,72 A 2 401 256
3.865,55 A 2 401 152	4.176,47 A 2 401 153	4.487,39 A 2 401 154	4.794,12 A 2 401 155	5.105,04 A 2 401 156
739,50 B 4 230 11.	739,50 B 4 230 11.	739,50 B 4 230 11.	739,50 B 4 230 11.	739,50 B 4 230 11.
6.546,22 B 3 590 067	6.546,22 B 3 590 067	6.546,22 B 3 590 067	6.546,22 B 3 590 067	6.546,22 B 3 590 067
9.357,14 B 3 591 250	9.357,14 B 3 591 250	9.357,14 B 3 591 250	9.357,14 B 3 591 250	9.357,14 B 3 591 250
9.630,25 A 2 200 355	9.630,25 A 2 200 355	9.630,25 A 2 200 355	9.630,25 A 2 200 355	9.630,25 A 2 200 355
6.970,59 A 22 004 414	6.970,59 A 22 004 414	6.970,59 A 22 004 414	6.970,59 A 22 004 414	6.970,59 A 22 004 414
6.802,52 A 01-04 05 232	7.592,44 A 01-04 05 233	8.365,55 A 01-04 05 234	9.147,06 A 01-04 05 235	9.945,38 A 01-04 05 236
7.815,13 A 01-05 05 232	8.718,49 A 01-05 05 233	9.617,65 A 01-05 05 234	10.495,80 A 01-05 05 235	11.407,56 A 01-05 05 236
5.096,64 A 01-02 05 232	5.693,28 A 01-02 05 233	6.277,31 A 01-02 05 234	6.873,95 A 01-02 05 235	7.453,78 A 01-02 05 236
3.336,13 A 01-.. 05 232	3.710,08 A 01-.. 05 233	4.092,44 A 01-.. 05 234	4.445,38 A 01-.. 05 235	4.815,13 A 01-.. 05 236
15.584,03 A 2 400 509	17.021,01 A 2 400 510	18.432,77 A 2 400 511	19.878,15 A 2 400 530	21.298,32 A 2 400 531
13.025,21 A 2 400 609	14.222,69 A 2 400 610	16.474,79 A 2 400 611	17.659,66 A 2 400 630	18.857,14 A 2 400 631

XL Swimming pools with overflow channel

One-piece polyester pool made out of Epoxy-Acrylate.

Sandwich construction with 20 mm insulation in the walls, 30 mm insulation in the floor, white plastic overflow gutter around the entire pool, adjustable overflow weir, tiles and epoxy glue for installation on site. 4 gutter drains d 125, white PVC grates with corners.



**EXTENSIONS
FROM P. 34**

- Water attractions, Lighting packages
- infinity channels, - Wetlounges
- decor tiles

All pools shown are with equipment package and options.

We reserve the right to change technical items without prior announcement to improve the product.

New!

XL-Format

with overflow channel



Gutter grates optional,
Natural stone
covers possible.

Gutter grates made of plastic.

Swimming pools XL-FORMAT with overflow channel

		D-Line Linear XL Ü 12,08 x 5,31 x 1,35 m	ROM XL Ü 12,11 x 5,31 x 1,35 m
Colours: • white • papyrus (27) • silver-grey (24) • sea blue (26) • beach (28) • granicite stone grey		54.903,36 A LinXL Ü 100 010 03 55.689,08 A LinXL Ü 100 010.. 59.642,86 A LinXL Ü 100 01022 93.365,55 A LinXL Ü 100 01090	54.445,38 A RomXLÜ 100 010 03 55.222,69 A RomXLÜ 100 010.. 59.445,38 A RomXLÜ 100 010 22 91.210,08 A RomXLÜ 100 010 90
New!	Mosaic surface finish, pool incl. factory fitted mosaic tiling; Ezarri series Zen, Iridescent, Metal, Space, Cocktail.		
EQUIPMENT PACKAGE Ü , private use		Water Content m ³ 60 m ³	56 m ³
CLASSIC with polished stainless steel face plates: 1 wall low level suction, 1 bottom outlet sump with cover, 6 inlet jets, 1 vacuum point, polished		1.781,51 A 3 540 750	1.781,51 A 3 540 750
New!	RIVIERA Elements - ACRYL BLACK & PVC WHITE: 1 wall low level suction, 1 bottom outlet sump with cover, 6 inlet jets, 1 vacuum point, polished. Colour: black (5) or white (6)	1.781,51 A 3 540 75.	1.781,51 A 3 540 75.
Lighting package Standard M / other lighting packages such as RIVIERA LIGHT from page 40 onwards		2.500,00 A 3 541 160	2.500,00 A 3 541 160
ACCESSORIES / other water attractions: see page 34			
Prefabricated kit for pools with overflow channel with gutter , white, adjustable overflow weir of GRP, waterside tiles and epoxy glue for installation on site included		11.252,10 A 2 401 095	11.970,59 A 2 401 093
Prefabricated kit for pools with overflow channel with stone covering , adjustable overflow weir in stainless steel, GRP surface for fixing coping stones. NB: Coping and channel stones are not included.		12.462,18 A 2 401 295	12.483,19 A 2 401 293
New!	Prefabricated kit for pools with overflow channel with stone cover , adjustable overflow weir made of stainless steel, on both sides, with integrated stone support made of GRP, for on-site installation of stone slabs	5.012,61 A 2 401 195	—
New!	Hot tap sampling point , 2 suction fittings 2", female thread, suction grilles ø200 mm for 14,3 m ³ /h each, polished (0), black (5), white (6)	739,50 B 4 230 11. 6.546,22 B 3 590 067 9.357,14 B 3 591 250	739,50 B 4 230 11. 6.546,22 B 3 590 067 9.357,14 B 3 591 250
Twinjet counter current unit , double jet system, for pools with roller shutter shaft			
Trijet counter current unit , three jet system, for pools with roller shutter shaft			
WATER TANKS (on request)			
INLINE ROLLER SHUTTER INLINE			
Roller shutter installed on the bottom of a pool, roll cover housed in a hinged Inline bench pre-installed, with 2 nozzles 1,5" under the bench 1 ½"		10.966,39 A 2 200 265	10.966,39 A 2 200 265
Electrical roll-up fixture , drive shaft made from composite material with internal gear motor with 5 m cable and stainless steel wall fixings, installed in the factory; incl. control box and key switch		7.336,13 A 2 200 312	7.336,13 A 2 200 312
Roller shutter cover , 6 cm slat width			
Cover: Polycarbonate solar version		11.432,77 A 01-04 07 236	11.210,08 A 01-04 07 246
Polycarbonate solar , version silver vaporized		13.147,06 A 01-05 07 236	12.781,51 A 01-05 07 246
PVC solar version		9.100,84 A 01-02 07 236	8.789,92 A 01-02 07 246
PVC white (01) / PVC grey (03)		5.731,09 A 01-01 07 236	5.575,63 A 01-01 07 246
STEEL WALL SUPPORTS			
Galvanized, laminated to the 4 sides of the pool shell in the factory		23.189,08 A 2 400 515	23.075,63 A 2 400 513
For installation on site, non-fixed		19.294,12 A 2 400 615	19.193,28 A 2 400 613
FREIGHT CHARGES on request			

Water attractions

COUNTER CURRENT SYSTEMS

Back in the 80s, RivieraPool developed counter current systems that still run robustly and durably today, providing daily fitness.

The **Twinjet** is a double jet system that lets you swim against a wide powerful jet of water. A «must have» for every pool, because it makes swimming endless.


The **Trijet** units give an even more powerful triple jet, against which you swim even more physically.

A new dimension is offered by the **Komfortjet**, an integrated counter-swimming system that creates a wide natural flow. A wide and regular current that strengthens your condition. Swim, noticeably stronger every day, against up to 300 litres or 400 litres per minute.

The highlight for real athletes comes with the established Evastream. A brand product that needs no description.

For every target group you will find the appropriate product.

	TWINJET	TRIJET	COMFORTJET 300	COMFORTJET 400	EVASTREAM PRO	EVASTREAM MAX
POWER	+	+++	++	+++	+++	+++++
COMFORT	++	++	++++	+++++	+++++	+++++
	<i>Continuous swimming</i>	<i>Sport swimming</i>	<i>Comfort swimming</i>	<i>Comfort swimming Plus</i>	<i>Natation sportive Plus</i>	<i>Sport Swimming Plus</i>





Twinjet

TWINJET - DOUBLE JET UNIT

Continuous swimming

Equipment Twinjet

(for pools with roller shutter shaft): 2 jet nozzles, 2 suction fittings, 1 piezo switch, 1 air regulator (all parts in brass and stainless steel), incl. valves

B 3 580 167 3.012,61

Pump kit (blue)

2,6 kW-400 V incl. switch box (6-10 A),
Qmax approx. 60 m³/h

B 3 590 194 3.533,61

complete **6.546,22**



Trijet

TRIJET - TRIPLE JET UNIT

Sport swimming

Equipment Trijet

(for pools with roller shutter shaft): 3 jet nozzles, 2 suction fittings, 1 piezo switch, 1 air regulator (all parts in brass and stainless steel), incl. valves

B 3 591 121 5.247,90

Pump kit (green)

4,0 kW-400 V incl. switch box (10-12 A),
Qmax approx. 90 m³/h

B 3 591 110 4.109,24

complete **9.357,14**

Counter current unit



Comfortjet

COUNTER CURRENT UNIT

Made of GRP for a comfortable swimming

Turbine for counter-current swimming,

multispeed control, nominal power: 1,200 Watt, power supply: 230 V/50 Hz, voltage: 24V DC 50A.

Complete unit Comfortjet 300 m³

Colours: White (0) or black (5)

A 3 591 30. **13.403,36**

Complete unit

Comfortjet 400 m³

Colours: White (0) or black (5)

A 3 591 32. **15.588,24**

New!

Spotlight package, warm white

Integrated lighting (front and side),
2 x 45 W, LED warm white, incl. transformer

A 3 591 350 **970,59**

Spotlight package, RGB

Integrated lighting (front and side),
2 x 40 W, LED RGB, incl. switch box
and remote control

A 3 591 360 **1.773,11**





EVAstream "PRO" & "MAX"

EVAstream PRO

Counter current unit "Sport Swimming Plus"

Dynamic light adjustment is only possible in combination with EVA RGB-W lighting. 1 turbine 2 kW / 350 m³/h / 8.5 m/s, connection: 230 V / 9 A, incl. power supply unit, with control for piezo switch, standard cable length: 5 m (3 x 1* 16 mm²), extension: 3 x 1 x 25 mm², max. length: 25 m

A 3 591 400

complete **15.798,32**

EVAstream MAX –

Counter current unit "Sport and athletics"

Dynamic light adjustment is only possible in combination with EVA RGB-W lighting. 2 turbines 2,4 kW / 2x 225 m³/h, connection: 230 V / 11 A, incl. power supply unit, with control for piezo switch, standard cable length: 5 m (6 x 1* 16 mm²), extension: 6 x 1 x 25 mm², max. length: 25 m

A 3 591 410

complete **21.470,59**



New!

INTEGRA JET with EVAstream PRO

pool type 320
pool type 370

A 3 591 500
A 3 591 510

15.798,32
15.798,32

INTEGRA JET with EVAstream MAX

pool type 320
pool type 370

A 3 591 530
A 3 591 520

21.470,59
21.470,59

Spotlight package, warm white

Integrated lighting (front and side),
2 x 45 W, LED warm white, incl. transformer

A 3 591 350

970,59

Spotlight package, RGB

Integrated lighting (front and side),
2 x 40 W, LED RGB, incl. switch box
and remote control

A 3 591 360

1.773,11

Dynamic spotlight RGB-W for Integra Jet

Dynamic light adjustment is only possible in
combination with EVA RGB-W lighting.

A 3 591 570

2.016,81

Retrofit system "Integra Jet" for already installed pools

**Price see accessories
part price list (page 15)**

Massage systems



AIR BUBBLE BENCH

Refreshing air jet massage

Air channel system , laminated with piezo switch	A 3 593 120	2.264,71
Blower , 0.85 kW, 230 V for private and public use incl. switch box (6-10 A)	B 3 583 205	1.605,04
complete		3.869,75



AIR BUBBLE PLATE

Gentle and tingling massage through air bubbles

Air bubble plate and piezo switch	B 3 583 320	1.722,69
Blower , 0.85 kW, 230 V for private and public use incl. switch box (6-10 A)	B 3 583 205	1.605,04
complete		3.327,73



Healthstream
+ handrail 2 m



Fun Pak

HEALTHSTREAM

Massage system for a powerful and targeted body massage

Equipment Healthstream

(for pools with roller shutter shaft): 4 jet nozzles, 2 suction fittings, 1 piezo switch, 1 air regulator (all parts in brass and stainless steel), incl. valves

B 3 594 150 2.907,56

Pump kit 2,2 kW-400 V incl. switch box (4-6 A)

B 3 580 194 2.915,97

Stainless steel handrail 2 m, square tube polished, 2 m long, with 2 mounting flange and wall anchors, per piece

A 2 302 080 794,12

complete **6.617,65**

FUN PAK FOR "MODENA"

FunPak is the compact flow and massage system designed by RivieraPool

Flow and massage system

with double jet counter current unit, 2 maritim massage jets, 6 Microjets, 1 floor geyser, installed in technique shaft

A 3 561 280 8.651,26

Technique shaft

laminated to the pool shell with fine wood cover

A 2 322 062 5.441,18

complete **14.092,44**

New!


Lighting package



1 spotlight, warm white



1 spotlight, colour light RGB / RGB-W



Example of positioning*

* ø170 mm

Lighting package "S"	STANDARD	RIVIERA LIGHT - DESIGN			
	Classic polished	Stainless steel	Black	Zero	
All step-ends "S1"					
warm white	1.197,48 A 3 541 100	1.609,24 A 3 541 101	1.579,83 A 3 541 102	1.428,57 A 3 541 103	
RGB	1.991,60 A 3 541 105	2.403,36 A 3 541 106	2.373,95 A 3 541 107	2.222,69 A 3 541 108	
EVA RGB-W	3.109,24 A 3 541 200	3.365,55 A 3 541 201	3.336,13 A 3 541 202	3.184,87 A 3 541 203	
Ancona "S2"					
warm white	1.197,48 A 3 541 110	1.609,24 A 3 541 111	1.579,83 A 3 541 112	1.428,57 A 3 541 113	
RGB	1.991,60 A 3 541 115	2.403,36 A 3 541 116	2.373,95 A 3 541 117	2.222,69 A 3 541 118	
EVA RGB-W	3.109,24 A 3 541 210	3.365,55 A 3 541 211	3.336,13 A 3 541 212	3.184,87 A 3 541 213	
Modena "S3"					
warm white	1.046,22 A 3 541 120	1.411,76 A 3 541 121	1.394,96 A 3 541 122	1.222,69 A 3 541 123	
RGB	1.773,11 A 3 541 125	2.222,69 A 3 541 126	2.205,88 A 3 541 127	2.033,61 A 3 541 128	
EVA RGB-W	3.109,24 A 3 541 220	3.319,33 A 3 541 221	3.302,52 A 3 541 222	3.130,25 A 3 541 223	

Lighting package "S" warm white:


"S1" + "S2" = 1 lamp ø170 mm, 45 Watt, WW, 4500 lm, 10 m cable.
 "S3" = 1 lamp ø100 mm, 7 Watt, WW, 700 lm, 10 m cable.
 Incl. niche, switch box and universal RP connection box.

Lighting package "S" RGB:

"S1" + "S2" = 1 lamp ø170 mm, 40 Watt, RGB, 2000 lm, 10 m cable.
 "S3" = 1 lamp ø100 mm, 6 Watt, RGB, 300 lm, 10 m cable.
 Incl. niche, switch box and remote control, DMX-compatible, and universal RP connection box.

Lighting package "S" EVA RGB-W (4 years warranty):

1 lamp EVA SubAqua 50 W, RGB-W, 30 m cable.
 Incl. niche, KNX-compatible, switch box and remote control.
 If an EVA Stream is installed, the EVA Lights can be controlled via app.



Example of positioning*

* ø170 mm

Lighting package "M"	STANDARD	RIVIERA LIGHT - DESIGN		
	Classic polished	Stainless steel	Black	Zero
All step-ends				
warm white	2.500,00 A 3 541 160	3.323,53 A 3 541 161	3.264,71 A 3 541 162	2.962,18 A 3 541 163
RGB	2.962,18 A 3 541 165	3.785,71 A 3 541 166	3.726,89 A 3 541 167	3.424,37 A 3 541 168
EVA RGB-W	5.441,18 A 3 541 260	5.953,78 A 3 541 261	5.894,96 A 3 541 262	5.592,44 A 3 541 263

Lighting package "M" warm white:

2 lamps ø170 mm, 45 Watt, WW, 4500 lm, 10 m cable.
Incl. niche, switch box for connecting an on-site dimmer and universal RP connection box.

Lighting package "M" RGB:

2 lamps ø170 mm, 40 Watt, RGB, 2000 lm, 10 m cable.
Incl. niche, switch box and remote control, DMX-compatible, and universal RP connection box.


Lighting package "M" EVA RGB-W (4 years warranty):

2 lamps EVA SubAqua, 50 Watt, RGB-W, 30 m cable.

Incl. niche, KNX-compatible, switch box and remote control.

If an EVA Stream is installed, the EVA Lights can be controlled via app.

New! Lighting package



Example of positioning*

● * ø100 mm ● * ø170 mm

Lighting package "L"	STANDARD	RIVIERA LIGHT - DESIGN		
	Classic polished	Stainless steel	Black	Zero
All step-ends "L1"				
warm white	2.819,33 A 3 541 130	3.962,18 A 3 541 131	3.899,16 A 3 541 132	3.403,36 A 3 541 133
RGB	3.487,39 A 3 541 135	4.630,25 A 3 541 136	4.567,23 A 3 541 137	4.071,43 A 3 541 138
EVA RGB-W	6.735,29 A 3 541 230	7.411,76 A 3 541 231	7.348,74 A 3 541 232	6.852,94 A 3 541 233
Ancona "L2"				
warm white	2.819,33 A 3 541 140	3.962,18 A 3 541 141	3.899,16 A 3 541 142	3.403,36 A 3 541 143
RGB	3.487,39 A 3 541 145	4.630,25 A 3 541 146	4.567,23 A 3 541 147	4.071,43 A 3 541 148
EVA RGB-W	6.735,29 A 3 541 240	7.411,76 A 3 541 241	7.348,74 A 3 541 242	6.852,94 A 3 541 243
Modena "L3"				
warm white	2.626,05 A 3 541 150	3.722,69 A 3 541 151	3.672,27 A 3 541 152	3.995,80 A 3 541 153
RGB	3.084,03 A 3 541 155	3.340,34 A 3 541 156	4.130,25 A 3 541 157	3.613,45 A 3 541 158
EVA RGB-W	6.735,29 A 3 541 250	7.365,55 A 3 541 251	7.315,13 A 3 541 252	6.798,32 A 3 541 253

Lighting package "L" warm white:

"L1" + "L2" = 1 spotlight, ø170 mm, 45 Watt, WW, 4500 lm,
2 lamps ø100 mm, 7 Watt, 700 lm

"L3" = 3 lamps ø100 mm, 7 Watt, 700 lm

Incl. niche, switch box for connecting an on-site dimmer
and universal RP connection box.

Lighting package "L" RGB / EVA RGB-W:

"L1" + "L2" = 1 lamp ø170 mm 40 Watt, RGB, 2000 lm,
2 lamps ø100 mm, 6 Watt, 300 lm

"L3" = 3 lamps ø100 mm, 6 Watt, RGB, 300 lm




Incl. niche, switch box/splitter with remote control.

Lighting package "L" EVA RGB-W (4 years warranty):

1 lamps EVA SubAqua, 50 Watt, RGB-W, 30 m cable.
2 lamps EVA SubAqua, 25 Watt, RGB-W, 30 m cable.

Incl. niche, KNX-compatible, switch box and remote control.

If an EVA Stream is installed, the EVA Lights can be
controlled via app.



Example of positioning*

● * ø100 mm

● * ø170 mm

Light package "XL"	STANDARD	RIVIERA LIGHT - DESIGN		
	Classic polished	Stainless steel	Black	Zero
All step-ends "XL"				
warm white	3.634,45 A 3 541 170	5.189,08 A 3 541 171	5.096,64 A 3 541 172	4.449,58 A 3 541 173
RGB	4.457,98 A 3 541 175	6.012,61 A 3 541 176	5.920,17 A 3 541 177	5.273,11 A 3 541 178
EVA RGB-W*	9.067,23 A 3 541 270	10.000,- A 3 541 271	9.907,56 A 3 541 272	9.260,50 A 3 541 273

Lighting package "XL" warm white:

2 lamps ø170 mm, 45 Watt, WW, 4500 lm and
2 lamps ø100 mm, 7 Watt, 700 lm.

Incl. niche, switch box for connecting an on-site dimmer
and universal RP connection box.

Lighting package "XL" RGB:

2 lamps ø170 mm, 40 Watt, RGB, 2000 lm und
2 lamps ø100 mm, 6 Watt, 300 lm.

Incl. niche, switch box/splitter with remote control,
DMX-compatible, universal RP connection box.

Lighting package "XL" EVA RGB-W (4 years warranty):

2 lamps EVA SubAqua, 50 Watt, 30 m cable.
2 lamps EVA SubAqua, 25 Watt, 30 m cable.

Incl. niche, KNX-compatible, switch box and remote control.

If an EVA Stream is installed, the EVA Lights can be
controlled via app.

Lighting packages: STANDARD CLASSIC / RIVIERA LIGHT - DESIGN

Standard CLASSIC, polished



HT-LED- lamp
ø54 mm (Mini) und ø100 mm

New!

RIVIERA LIGHT Stainless steel



Riviera Light R2:
Translucent Ø180 mm, design ring: stainless steel
Available in warm white / RGB / EVA-Light RGB-W

New!

RIVIERA LIGHT black



Riviera Light R2:
Translucent Ø180 mm, design ring: black
Available in warm white / RGB / EVA-Light RGB-W

New!

RIVIERA LIGHT Zero



Riviera Light R2:
Translucent Ø180 mm, without design ring
Available in warm white / RGB / EVA-Light RGB-W



HT-LED lamp ø170 mm



Riviera Light R1:
Translucent Ø250 mm, design ring: stainless steel
Available in warm white / RGB / EVA-Light RGB-W



Riviera Light R1:
Translucent Ø250 mm, design ring: black
Available in warm white / RGB / EVA-Light RGB-W



Riviera Light R1:
Translucent Ø250 mm, without design ring
Available in warm white / RGB / EVA-Light RGB-W

Equipment package: CLASSIC & RIVIERA ELEMENTS

RivieraPool®

New!

CLASSIC with polished stainless steel face plates

RIVIERA ELEMENTS: "Acryl black"

New!

"PVC white"



Inlet nozzle

**Cover for bottom
outlet sump**



Inlet nozzle

**Cover for bottom
outlet sump**



Inlet nozzle

**Cover for bottom
outlet sump**



Suction fitting



Suction fitting

Triangular inlet nozzle



Suction fitting



Triangular inlet nozzle

RivieraPool® roller shutter cover...




Cover: Polycarbonate solar, silver vaporised

ROLLER SHUTTER COVER BY RIVIERAPOL

Our exclusive Thermosafe roller shutter covers are engineered for use in RivieraPool prefabricated swimming pools. Adapted and adjusted to the specific pool dimensions, shape, stairs, and layout of your pool, the Thermosafe roller shutter cover delivers safety, security, and convenience all in one brilliantly designed accessory. With a precise water level regulator and overflow fitting designed for optimal operation of the roller shutter, you can rest assured knowing your pool will be protected from the elements and your friends, family, children, and pets are kept safe.

Our Thermosafe slats are available in two styles:

With two styles to choose from, you can create a customised pool security experience that meets your unique needs, goals, and priorities. Choose between PVC, available in white, grey or solar, and the extremely durable, largely hailproof, and easy to maintain polycarbonate solar or solar silver vaporised version.



ROLLER SHUTTER SHAFT WETLOUNGE RS

The roller shutter shaft extends the pool by 145 cm

Roller shutter shaft "WetLounge RS", extends the pool by 145 cm, wetlounge can be used as a seating and lounging area, enables a high water level, additional water content 320: 1.6 m³ /370: 1.9 m³.

Pool type: 320 *1,6 m ³	A 2 200 920	5.008,40
Pool type: 370 *1,9 m ³	A 2 200 910	5.676,47

Surcharge for covered with mosaic

Pool type: 320	A 2 200 929	3.911,76
Pool type: 370	A 2 200 919	4.420,17

... elegant appearance and safety for humans and animals ...



Roller shutter shaft Integra 2-13

ROLLER SHUTTER SHAFT INTEGRA 2-13

The roller shutter shaft extends the pool by 48 cm.

Roller shutter shaft Integra 2-13, for an extra high water level, extends the pool by 48 cm, with hinged seat bench (depth 60 cm) and 2 inlet jets. Offers maximum swimming space.

Pool type: 270 , *1,2 m ³	A 2 200 640	4.277,31
Pool type: 320 , *1,6 m ³	A 2 200 620	4.554,62
Pool type: 370 , *1,9 m ³	A 2 200 610	5.159,66

Note: The tiling of the Integra 2-13 is already included in the "Mosaic surface finish" column of the price list pages.



Roller shutter niche

ROLLER SHUTTER NICHE FOR SKIMMER POOLS

The roller shutter shaft extends the pool by 50 cm.

The roller shutter will be installed behind the pool wall and below the coping stones. It extends the pool by 25 cm and protrudes 50 cm into the pool. For inspection purposes the screen can be totally removed. 2 jets are installed in the niche and there is a plain surface for installation of the skimmer. Skimmer is not automatically included and has to be ordered separately! Caution: In the 320 pool, the niche is flanged and screwed in place. In conjunction with the flanging, the insulation is 3 cm thicker in the pool base, so that the flange is flush with the pool base on the outside. External height 1.57 m!

Pool type: 270 , *0,6 m ³	A 2 200 520	7.058,82
Pool type: 320 , *0,8 m ³	A 2 200 515	8.432,77
Pool type: 370 , *1,2 m ³	A 2 200 510	9.886,55

Please note: Individual shipment
Pool type **270, 320, 370**

N 9 213 000 **on request**

SKIMMER FOR ROLLER SHUTTER NICHE (see illustration on the left)

Pre-installed skimmer front and weir (water level regulator not included), Q=10-14m³/h

A 3 916 090 **878,15**

New!

Surcharge for covered with mosaic

A 2 200 522	1.722,69
A 2 200 517	2.042,02
A 2 200 512	2.357,14

*additional water content in m³

Roller shutter shaft / Winter cover



Roller shutter shaft Integra "D-Lux" with ambience lighting

ROLLER SHUTTER SHAFT INTEGRA "D-LUX"

The roller shutter shaft extends the pool by 55 cm.

The flatwater bench consists of two removable parts which allows for easy opening and access for cleaning and maintenance. Integrated light cove for optional ambience lighting.

Pool type: 320 , *0,8 m ³	A 2 200 820	7.222,69
Pool type: 370 , *1,2 m ³	A 2 200 810	8.466,39
<u>Please note:</u> Individual shipment pool type 320, 370	N 9 213 000	on request

LIGHTING PACKAGE

Ambience package LED warm white

Consisting of 4 preinstalled HT LED lamps warm white, incl. transformer 100 VA, cable connection box and wall duct.

A 2 200 850 **1.348,74**

Ambience package LED RGB

Consisting of 4 preinstalled HT LED lamps RGB, incl. remote control, control box, cable connection box and wall duct.

A 2 200 860 **2.302,52**



Winter safety cover

WINTER COVER

for Ancona, Modena, Modena 550, Linear, Linear RS, Lugano RS and WetLounge Ancona/Linear RS

Safety cover made of high-strength fabric foil in grey, integrated, stable aluminium tubes on the underside. A hand crank for convenient opening, retractable ground anchors in the pool deck and sturdy lashing straps ensure very good fastening. The ideal winter protection, protects your shutter cover from leaves and dirt, protects the pool and small animals from accidents. A worthwhile investment for the winter break.

**Prices see
model pages**

Infinity-Rinne / WetLounge

RivieraPool®



above: Ezarri "Ebano"
right: tiled on site



OVERFLOW CHANNEL AT THE FRONT SIDE

Overflow channel, 47 x 27 cm.

Connected to the front side of the pool shell but 25 cm lower, incl. glue and filler to fix coping stones on top of the overflow edge (coping stone not included) 2 gutter drains dia 125 mm.

Pool type 320	A 2 115 048	3.197,48
Pool type 370	A 2 115 050	3.563,03
3,20 m channel grating: 320	A 2 115 054	1.029,41
3,20 m channel grating : 370	A 2 115 055	1.184,87
Pendulum glides with guide rollers	A LAT-005010	107,56



Infinity edge on a long side



2 m long

Modena with WetLounge,
granite stonegrey



1 m long

WETLOUNGE® / SHALLOW WATER AREAS

In the same colour as the pool, depth of 23 cm: White (03), papyrus (27), silver grey (24), sea blue (26), beach (28), granicite stone grey (22) **or covered with mosaic.**

The full width of the pool, level with the top step. Allowing the shallow water zone to be completely covered by the slatted cover. Incl. 2 inlets 1 ½", 4 x 8 mm.

	In the same colour as the pool		Surcharge for covered with mosaic	
1 m long für 370 laminated	A 2 116 1..	4.033,61	A 2 116 190	1.785,71
1 m long für 370 flanged	A 2 116 2..	5.508,40		–
1 m long für 320 anlaminert (not for Ancona 1000 x 320)	A 2 116 3..	3.571,43	A 2 116 390	1.571,43
2 m long für 370 laminated	A 2 116 5..	6.105,04	A 2 116 590	3.571,43
2 m long für 370 flanged	A 2 116 6..	8331,93		–
2 m long für 320 laminated (not for Ancona 1000 x 320)	A 2 116 7..	5.399,16	A 2 116 790	3.147,06
2 m long für 320 flanged	A 2 116 8..	7.613,45		–
Lighting package, WetLounge, warm white				
2 spots HT-Mini incl. niches, 7 W / 12 V, without transformer	A 3 541 180	731,09	A 3 541 180	731,09
Lighting package, WetLounge, colour light				
2 spots HT-Mini incl. niches, 5 W / 12 V, without transformer	A 3 541 185	899,16	A 3 541 185	899,16

Decor tiles made of Ezarri glass mosaic / Complete tiling



Decor tiles made of Ezarri glass mosaic

EXCLUSIVE GLASS MOSAIC SURFACES

Glass mosaic is one of the most durable, high-end surfaces available for swimming pool design. The single mosaic tiles have different tones and thus produce a unique reflection of light and colour to your pool, depending on the angle from which you're looking from and the spectral colour hitting the water surface. This result is an infinite number of different colour effects which extensively contribute to the ambience and atmosphere of your indoor or outdoor pool area.

DECOR TILES MADE OF EZARRI GLASS MOSAIC, Height: 21 cm

Series IRIDESCENT, ZEN, SPACE, COCKTAIL or METAL

Dimensions: 25 x 25 mm,

Price per meter A 3 916 360

100,84

ATTENTION:

All other collections only on request (surcharge). Please contact us.

A wide colour selection of mosaics
as well as examples of the colour effect
can be found under:









Complete tiling, Ancona with WetLounge.



COMPLETE TILING

All standard pools can be supplied with a glass mosaic tile finish from the factory! The pinnacle of surface quality. A visual and haptic highlight, permanently stable and sustainable thanks to epoxy material. The pools are delivered with a transport lock made of screwed beams and covered with a protective tarpaulin for clean transport.



Choose from 5 excellent series from Ezarri ...


Zen 25 X 25 MM




CARARRA- ZEN



ASH - ZEN



BALI - ZEN



DOLERITE - ZEN

Iridescent 25 X 25 MM



PERLA - IRIDESCENT



COBRE - IRIDESCENT




CUARZO - IRIDESCENT



EBANO - IRIDESCENT

Metal 25 X 25 MM



OXIDO - METAL



LAVA - METAL




INOX - METAL



ESMERALDA - METAL


Space 25 X 25 MM



SAGITTARIUS- SPACE



TAURUS- SPACE



SCORPIO - SPACE



CAPRICORN - SPACE

Cocktail 25 X 25 MM



ALEXANDER - COCKTAIL



BLODDY MARY - COCKTAIL



BLUE LAGOON - COCKTAIL



BLUE MOON - COCKTAIL


A wide colour selection of mosaics as well as examples of the colour effect can be found under:

www.ezarri.com

Due to the printing process, the representation of the colour samples is not true to the original.

RivieraPool®

Quality - Design - Functionality



www.rivierapool.com

RivieraPool®

One of the leading
manufacturers of
prefabricated swimming-
pools and spas.
bsw member.



RivieraPool Fertigschwimmbad GmbH • Klöcknerstraße 2 • 49744 Geeste-Dalum • Tel. +49 5937 660 • E-Mail: info@pools.de

Date: 01.03.2024